

A physical examination showed no symptoms or respiratory distress, and no obvious foreign body or bleeding in the oral cavity was found.

Laboratory examinations

Although the hemoglobin level dropped to 7.9 g/dL, there were no significant changes in blood pressure and heart rate, and swelling around the neck did not abate.

Imaging examinations

CT and MRA revealed traumatic pseudoaneurysm formation accompanied by hematoma collection in the right proximal internal carotid artery about 5 mm above the right carotid bifurcation, and no active arterial extravasation was observed. (Figure 1) As in the results of neck CT performed one week before, contrast-enhanced CT and MRA did not show a residual foreign body that was suspected to be a wooden chopstick fragment.

Match Overview

1

Internet 13 words
crawled on 09-Feb-2021
ibimapublishing.com

1%

2

Internet 12 words
crawled on 02-Sep-2019
www.polradiol.com

1%

激活 Windows
转到“设置”以激活 Windows。

ALL

IMAGES

VIDEOS

TOOLS ▾

[PDF] Pseudoaneurysm of the internal carotid artery A: ...<https://www.cambridge.org/core/services/aop...>

An internal carotid artery pseudoaneurysm was suspected, and the ulcerated area packed with absorbable sponge and oversewn. As suitable imaging facilities for further investigation were not available locally, the child was transferred to the Regional Neurosurgical Unit. Carotid angiography showed a large pseudoaneurysm, 4 cm

Cited by: 15

Author: M. G. Watson, A. S. Robertson, I. R. Col...

Publish Year: 1991

[PDF] Delayed Presentation of Pseudoaneurysm after Le Fort I ...<https://www.smiletrain.org/sites/default/files/...>

rysm of the distal internal maxillary artery. Delay in recognition of a vascular injury after a Le Fort I osteotomy has not been documented in greater than a 30-day perioperative period. CASE REPORT A 17-year-old male was diagnosed with Golden-har syndrome shortly after birth. His right craniofacial microsomia was manifested by right mac-

Delayed Presentation of an Extracranial Internal Carotid ...<https://www.sciencedirect.com/science/article/pii/S1878875016302923>

Aug 01, 2016 · Case Description. We present the case of a 58-year-old man who developed delayed, massive epistaxis caused by an extracranial left internal carotid artery pseudoaneurysm caused by an intranasal foreign object without apparent recent trauma.

Cited by: 1

Author: Gennadiy A. Katsevan, John A. Braca, ...

Publish Year: 2016

Pseudoaneurysm of the external iliac artery is a rare late ...[https://jvscit.org/article/S2468-4287\(17\)30036-9/fulltext](https://jvscit.org/article/S2468-4287(17)30036-9/fulltext)

Jul 18, 2017 · Vascular injury as a delayed complication of total hip arthroplasty (THA) is rare. We present a case of pseudoaneurysm of the external iliac artery due to chronic irritation from a prominent bone spicule occurring 2 years after revision THA. We successfully managed the patient with open repair, and there has been no sign of recurrence in the 2 years since the previous surgery.

Cited by: 3

Author: Shinji Fukuhara, Sachiko Kanki, Masahir...

Publish Year: 2017

(PDF) Pseudoaneurysm of Internal Carotid Artery<https://www.researchgate.net/publication/51382982...>



ALL

IMAGES

VIDEOS

Add the Give with Bing extension >

14,200 Results

Any time ▾

Delayed Presentation of an Extracranial Internal Carotid ...

<https://www.sciencedirect.com/science/article/pii/S1878875016302923>

Aug 01, 2016 · We present the case of a 58-year-old man who developed **delayed**, massive epistaxis caused by an extracranial left internal **carotid artery pseudoaneurysm** caused by an intranasal foreign object without apparent recent trauma. The patient was successfully treated with endovascular stenting of the affected vessel segment.

Cited by: 1

Author: Gennadiy A. Katsevman, John A. Braca, ...

Publish Year: 2016

[PDF] Pseudoaneurysm of the internal carotid artery A: ...

<https://www.cambridge.org/core/services/aop...>

Carotid angiogram showing **pseudoaneurysm** arising from left internal **carotid artery** and patency of the distal vessel. reported cases in the English language literature of **pseudo-aneurysm** of the cervical internal **carotid artery** as a result of parapharyngeal sepsis (Metson, 1956; Zook and Glover, 1970;

Cited by: 16

Author: M. G. Watson, A. S. Robertson, I. R. Col...

Publish Year: 1991

(PDF) Pseudoaneurysm of Internal Carotid Artery

<https://www.researchgate.net/publication/51382982...>

Search Tools

[Turn off Hover Translation \(关闭取词\)](#)

激活 Windows

转到“设置”以激活 Windows。

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

TOOLS ▾

Delayed Presentation of an Extracranial Internal Carotid ...

<https://www.sciencedirect.com/science/article/pii/S1878875016302923>

Aug 01, 2016 - We present the **case** of a 58-year-old man who developed **delayed**, massive epistaxis caused by an extracranial left internal **carotid artery pseudoaneurysm** caused by an intranasal foreign object without apparent recent trauma. The patient was successfully treated with endovascular stenting of the affected vessel segment.

Cited by: 1 **Author:** Gennadiy A. Katsevman, John A. Braca, ...

Publish Year: 2016

Progression of occluded internal carotid artery dissection ...

<https://www.sciencedirect.com/science/article/pii/S1572346113000147>

Sep 01, 2013 - This was detected on routine follow-up imaging six weeks later. The patient subacutely developed dysphagia and hoarseness initially felt to be caused by **delayed injury** to the laryngeal nerve because computed tomography angiography demonstrated no new pathology. The **pseudoaneurysm** was successfully treated using a covered stent graft.

Author: Tarek Zughaib, Jason Rahal, Adel M. ... **Publish Year:** 2013

[PDF] Delayed Presentation of Pseudoaneurysm after Le Fort I ...

<https://www.smiletrain.org/sites/default/files/...>

rysm of the distal internal maxillary **artery**. **Delay** in recognition of a vascular **injury** after a Le Fort I osteotomy has not been documented in greater than a 30-day perioperative period. **CASE REPORT** A17-year-old male was diagnosed with Golden-har syndrome shortly after birth. His right craniofacial microsomia was manifested by right mac-

Delayed Occipital Artery Pseudoaneurysm Following Blunt ...

<https://www.sciencedirect.com/science/article/pii/S1878875016002539>

May 01, 2016 - This incident led to the **delayed development** of an **occipital artery pseudoaneurysm** 6 months after the initial trauma, which is in contrast to almost all the other **reported cases**, in which the patients presented with symptomatic swelling within 1 month of the initial trauma.

Cited by: 2 **Author:** Abhinav R. Changa, Ahmed M. Meleis, L...

Publish Year: 2016

Novel Endovascular Treatment of Enlarging Facial Artery ...

<https://www.sciencedirect.com/science/article/pii/S027823911101723X>

Mar 01, 2012 - A digital subtraction angiogram (DSA) of the left external **carotid** confirmed the presence