

67,800,000 Results Any time ▾

[Peripheral artery disease in patients with diabetes ...](#)

<https://pubmed.ncbi.nlm.nih.gov/26185603>

Peripheral artery disease in patients with diabetes: Epidemiology, mechanisms, and outcomes.

Peripheral artery disease (PAD) is the atherosclerosis of lower extremity arteries and is also associated with atherothrombosis of other vascular beds, including the cardiovascular and cerebrovascular systems. The presence of diabetes mellitus greatly increases the risk of PAD, as well ...

Cited by: 137 Author: Thejasvi Thiruvolpati, Caitlin E Kielhom, ...

Publish Year: 2015

[Peripheral Arterial Disease in People With Diabetes ...](#) 8 mins read

<https://care.diabetesjournals.org/content/26/12/3333>

Peripheral Artery Disease

Medical Condition

Narrowing of arteries that reduces blood flow to the limbs.

Very common. About 12 million people in the United States have PAD.

Often requires treatment.

Treatments include lifestyle changes, medications, and surgery.

Microsoft Bing

国内版 国际版

Diabetes and peripheral artery disease: A review

ALL IMAGES VIDEOS

66,500,000 Results Any time Open links in new tab

People with diabetes are at higher risk of developing **atherosclerosis**, the most common cause of peripheral artery disease (PAD). And individuals with PAD have a much higher risk of heart attack or stroke.

[Peripheral Artery Disease and Diabetes | American Heart ...](#)
www.heart.org/en/health-topics/diabetes/why-diabetes-matters/peripheral-arter...

Was this helpful?

PEOPLE ALSO ASK

- How does cardiovascular disease affect diabetes?
- What is the prognosis for peripheral artery disease?
- What are the symptoms of peripheral arterial disease?
- What is the treatment for peripheral artery disease?

Feedback

Chat with Bing


Oh! Let me guess what you want to know

Say something

Peripheral Arterial Disease

Medical Condition

Pain, weakness and change in skin color of the affected limb



Narrowed artery

Narrowing of arteries which results in reduced blood flow, usually to the legs. 动脉狭窄会导致血液通常流向腿部。

View common (More than 3 million cases per year in US)

27-Apr-2021 02:50PM 3897 words • 20 matches • 13 sources

iThenticate 63625_Auto_Edited.docx Quotes Excluded: 9% Bibliography Excluded: 0%

Name of Journal: *World Journal of Diabetes*
Manuscript NO: 63625
Manuscript Type: MINIREVIEWS

Diabetes and peripheral artery disease: A review

Diabetes and Peripheral Artery Disease

David Olubukunmi Soyoye, Olugbenga O Abiodun, Rosemary T Ikem, Babatope Ayodeji Kolawole, Anthony O Akintomide

Match Overview

Rank	Source	Words	Crawled On	Match %
1	Internet	73 words	02-Jul-2016 care.diabetesjournals.org	2%
2	Internet	59 words	18-Mar-2021 www.ncbi.nlm.nih.gov	1%
3	Internet	54 words	31-Aug-2019 academic.oup.com	1%
4	Internet	35 words	25-Jan-2018 img.medscape.com	1%
5	Internet	21 words	07-Mar-2021 kdigo.org	1%
6	Internet	17 words	03-Sep-2020 boris.uniba.ch	<1%

Page 1 of 14

激活 Windows 转到“设置”以激活 Windows。 转到“设置”以激活 Windows。

Text-Only Report

国内版 国际版

Diabetes and peripheral artery disease: A review



ALL IMAGES VIDEOS

64,300,000 Results Any time ▾

People with diabetes are at higher risk of developing **atherosclerosis**, the most common cause of peripheral artery disease (PAD). And individuals with PAD have a much higher risk of heart **attack** or stroke.

Peripheral Artery Disease and Diabetes | American Heart ...

www.heart.org/en/health-topics/diabetes/why-diabetes-matters/peripheral-arter...

Was this helpful?

PEOPLE ALSO ASK

How does cardiovascular disease affect diabetes? ▾

What is the prognosis for peripheral artery disease? ▾

What are the symptoms of peripheral arterial disease? ▾

What is the treatment for peripheral artery disease? ▾

Feedback

Peripheral artery disease in patients with diabetes ...

<https://pubmed.ncbi.nlm.nih.gov/26185603>

Peripheral artery disease (PAD) is the atherosclerosis of lower extremity arteries and is also associated with atherothrombosis of other vascular beds, including the cardiovascular and cerebrovascular systems. The presence of diabetes mellitus greatly increases the risk of ...

Cited by: 144

Author: Thejasvi Thiruvoipati, Caitlin E Kielhorn, E...

Publish Year: 2015

Diabetes and peripheral vascular disease

<https://pubmed.ncbi.nlm.nih.gov/19994800>

The risk of peripheral vascular disease (PVD) is increased in diabetic patients, occurs earlier and is often more severe and diffuse. Endothelial dysfunction, vascular smooth muscle cell dysfunction, inflammation and hypercoagulability are the key factors in diabetic arteriopathy. The presence of PVD, apart from its increased risk of claudication, ischemic ulcers, gangrene and possible amputation, is