

PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 63738

Title: Regulating monocyte infiltration and differentiation: provide new therapies for colorectal cancer patients with COVID-19

Reviewer's code: 05265688

Position: Peer Reviewer

Academic degree: PhD

Professional title: Postdoctoral Fellow

Reviewer's Country/Territory: Tunisia

Author's Country/Territory: China

Manuscript submission date: 2021-02-01

Reviewer chosen by: Jin-Lei Wang

Reviewer accepted review: 2021-03-09 13:16

Reviewer performed review: 2021-03-16 09:50

Review time: 6 Days and 20 Hours

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Peer-reviewer statements	Peer-Review: <input type="checkbox"/> Anonymous <input checked="" type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

SPECIFIC COMMENTS TO AUTHORS

This was a good publication but a few minor revisions are needed. This paper needs to be checked for grammatical errors and formatting. In addition, pictures must be shown separately with a small description. They must also be enlarged. There are few references and the procedure needs to be a little more detailed.