

ALL IMAGES VIDEOS

99,300 Results Any time ▾

### Chondrosarcoma of the larynx: a case report

<https://pubmed.ncbi.nlm.nih.gov/18533555>

Chondrosarcoma of the larynx: a case report. Chondrosarcomas of the larynx are rare cancers and are more frequently located at cricoid cartilage level. They are characterised by a low tendency to...

Cited by: 11

Author: M Policarpo, F Taranto, E Aina, P Valletti...

Publish Year: 2008

### Recurrent Chondrosarcoma of the Larynx: A Case Report and ...

<https://pubmed.ncbi.nlm.nih.gov/27399118>

Recurrent Chondrosarcoma of the Larynx: A Case Report and Literature Review Currently, total laryngectomy is preferred for patients with recurrent low-grade LCS. However, the literature review and...

Cited by: 1

Author: Hong-Wei Zhou, Jing Wang, Yang Liu, Hu...

Publish Year: 2016

### [PDF] Chondrosarcoma of the larynx: a case report

<https://www.actaitalica.it/issues/2008/1-08/policarpo.pdf>

depending upon the extension and the histological grade of the cancer 4 7-9. Chondrosarcoma of the larynx (low grade) is characterised by a generally good prognosis 10 11. In this report, a case of low...

### Chondrosarcoma of the larynx: a case report | Request PDF

<https://www.researchgate.net/publication/5323198...>

In this report, a case of low grade chondrosarcoma of the larynx is presented, which was treated surgically with a combined use of amniotic membrane and stent in airway reconstruction following ...

### Chondrosarcoma of the larynx: a case report - Europe PMC ...

[europepmc.org/articles/PMC2640067](https://europepmc.org/articles/PMC2640067)

Chondrosarcoma of the larynx is a rare condition. Frequency, related to other cartilage cancers, is lower than 1%, whereas if related to cancers located in the larynx, it is between 0.07% and 0.2%. Th...

国内版 国际版

Microsoft Bing

Low-grade chondrosarcoma of the larynx: A case report



ALL IMAGES VIDEOS

33,800 Results Any time ▾

**Chondrosarcoma of the larynx (low grade)** is characterised by a generally good prognosis 10 11. In this **report**, a **case of low** malignancy cricoid **chondrosarcoma** is described which was treated at the Otorhynolaryngology Department of the University of Eastern Piedmont, Italy.

[Chondrosarcoma of the larynx: a case report](#)  
[www.actaitalia.it/issues/2008/1-08/policarpo.pdf](http://www.actaitalia.it/issues/2008/1-08/policarpo.pdf)

Was this helpful?

### [Chondrosarcoma of the larynx: a case report](#)

<https://pubmed.ncbi.nlm.nih.gov/18533555>

**Chondrosarcoma of the larynx: a case report.** Chondrosarcomas of the larynx are rare cancers and are more frequently located at cricoid cartilage level. They are characterised by a low tendency to metastatic diffusion (low grade). The treatment of choice is surgery, which may be endoscopic or "open partial surgery", if extension of the cancer i .... **Chondrosarcomas of the larynx** are rare cancers and are more ...

**Cited by:** 12

**Author:** M Policarpo, F Taranto, E Aina, P Valletti Al...

**Publish Year:** 2008

### [Chondrosarcoma of the larynx: a report of two cases and a ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/16676843>

This paper describes two cases of low-grade laryngeal chondrosarcoma. In both cases, the tumours were



63795-Review-check.docx

Quotes Excluded  
Bibliography Excluded

2%  
SIMILAR

### Match Overview

- |   |  |     |
|---|--|-----|
| 1 | Crossref 15 words<br>Alfio Ferlito, Kenneth O. Devaney, Antti A. Mäkitie<br>characteristics of cartilaginous lesions of the larynx, Europe | 1%  |
| 2 | Internet 12 words<br>crawled on 05-Apr-2019<br><a href="http://online.library.wiley.com">online.library.wiley.com</a>                      | <1% |
| 3 | Internet 12 words<br>crawled on 05-Jan-2014<br><a href="http://www.calderealejona.org.uk">www.calderealejona.org.uk</a>                    | <1% |

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 63795

Manuscript Type: CASE REPORT

## Low-grade chondrosarcoma of the larynx: A case report

Vučković Lj *et al.* Chondrosarcoma of the larynx

Ljiljana Vučković, Aleksandra Klisic, Aleksandar Filipović, Mirko Popović, Tatjana Čulafić

## Abstract

国内版

国际版

ig

Low-grade chondrosarcoma of the larynx: A case report



ALL

IMAGES

VIDEOS

34,100 Results

Any time ▾

**Chondrosarcoma** of the **larynx (low grade)** is characterised by a generally good prognosis 10 11. In this **report**, a **case** of **low** malignancy cricoid **chondrosarcoma** is described which was treated at the Otorhynolaryngology Department of the University of Eastern Piedmont, Italy.

[Chondrosarcoma of the larynx: a case report](#)

[www.actaitalica.it/issues/2008/1-08/policarpo.pdf](http://www.actaitalica.it/issues/2008/1-08/policarpo.pdf)

Was this helpful?

[Chondrosarcoma of the larynx: a case report](#)

<https://pubmed.ncbi.nlm.nih.gov/18533555>

Chondrosarcoma of the larynx: a case report. Chondrosarcomas of the larynx are rare cancers and are more frequently located at cricoid cartilage level. They are characterised by a low tendency to metastatic diffusion (low grade). The treatment of choice is surgery, which may be endoscopic or "open partial surgery", if extension of the cancer i .... Chondrosarcomas of the larynx are rare cancers ...

Cited by: 12

Author: M Policarpo, F Taranto, E Aina, P Valletti...

Publish Year: 2008

[\[PDF\] Chondrosarcoma of the larynx: a case report](#)

<https://www.actaitalica.it/issues/2008/1-08/policarpo.pdf>

Chondrosarcoma of the larynx (low grade) is characterised by a generally good prognosis 10 11. In this report, a case of low malignancy cricoid chondrosarcoma is described which was treated at the Otorhynolaryngology Department of the University of Eastern Piedmont, Italy. Clinical case CR, a 60-year-old male, non-smoker, arrived at our Depart-

[Chondrosarcoma of larynx: a case successfully ...](#)

<https://www.sciencedirect.com/science/article/pii/S0385814698000820>

Apr 01, 1999 - In this report, we have presented a case of low grade chondrosarcoma who was treated by total cricoidectomy with partial resection of the thyroid ala. As bilateral arytenoid cartilages were not invaded, the resected margin of the laryngeal mucosa including arytenoid mucosa and the thyroid cartilage could be approximated to the first tracheal ring, and the laryngeal lumen was stented by a ...

Cited by: 16

Author: Yuji Nakano, Kohji Asakura, Tetsuo Himi,...

Publish Year: 1999