

**Name of Journal:** *World Journal of Psychiatry*

**Manuscript NO:** 63911

**Manuscript Type:** ORIGINAL ARTICLE

*Prospective Study*

**Classification of subtypes of patients with eating disorders by correspondence analysis**

Martín J *et al.* Subtypes of patients with eating disorders

Josune Martín, Ane Anton-Ladislao, Ángel Padierna, Belén Berjano, José María Martín

**Abstract**

BACKGROUND

Grouping eating disorders (ED) patients into subtypes could help improve the establishment of more effective diagnostic and treatment strategies.

## Match Overview

1	Crossref 171 words Ane Antón-Ladislao, Susana García-Gutiérrez, Núria Sold evila, Fernando González-Candelas et al. "Visualizing k..."	4%
2	Internet 151 words crawled on 22-Nov-2019 <a href="https://journals.plos.org">journals.plos.org</a>	4%
3	Crossref 128 words Josune Martín, Angel Padierna, Anette Unzurrunzaga, Ne rea González, Belén Berjano, José M. Quintana. "Predi..."	3%
4	Crossref 94 words J. Martín, A. Padierna, A. Loroño, P. Muñoz, J.M. Quintana a. "Predictors of quality of life in patients with eating disor..."	2%
5	Internet 94 words crawled on 28-May-2020 <a href="https://pericles.pericles-prod.literatumonline.com">pericles.pericles-prod.literatumonline.com</a>	2%
6	Crossref 84 words Brianna J. Turner, Laurence Claes, Tom F. Wilderjans, Els Pauwels, Eva Dierckx, Alexander L. Chapman, Katrien Sc...	2%
7	Internet 66 words crawled on 15-Jul-2020 <a href="https://link.springer.com">link.springer.com</a>	2%
8	Crossref 55 words Josune Martín, Angel Padierna, Anette Unzurrunzaga, Ne rea González, Belén Berjano, José M Quintana. "Adaptati..."	1%



国内版

国际版

Microsoft Bing

Classification of subtypes of patients with eating disorders by corre

Sign in

ALL

IMAGES

VIDEOS

1,170,000 Results

Any time

The clinical utility of personality subtypes in patients ...

<https://www.ncbi.nlm.nih.gov/pubmed/21767000>

Undercontrolled **patients** also had a greater risk of discharge against medical advice (HR = 2.08, p = .02) and readmission than overcontrolled **patients** (HR = 3.76, p = .009). Binge-**eating**/purging versus restricting **subtypes** did not predict discharge against medical ...

Cited by: 93

Author: Jennifer E. Wildes, Marsha D. Marcus, Ross...

Publish Year: 2011

3 Personality Subtypes in Eating Disorder Patients: Which ...

<https://www.scienceofeds.org/2012/12/02/3...>

Dec 03, 2012 · Three Personality Subtypes in Eating Disorder Patients: “**dysregulated/undercontrolled pattern: characterized by emotional dysregulation and impulsivity**”. “constricted/overcontrolled pattern: characterized by **emotional inhibition**, cognitively sparse representations of self and others, and interpersonal avoidance”.

PEOPLE ALSO ASK

Are there changes to the classification of eating disorders?

What is another feeding or eating condition?

What is the most common variant of binge eating disorder?

What is the mortality rate of eating disorders?

Feedback

(PDF) Empirical Classification of Eating Disorders

<https://www.researchgate.net/publication/51848471...>

a mixed group of **eating disorder patients** including those with BN, PD, and BED. b. Example 2: Low weight is currently used as a boundary to distinguish between a diag-

Predicting group cognitive-behavioral therapy outcome of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3813468>

An increasing number of studies have used empirical classification to examine subgroups within eating disorders by utilizing latent class analysis (LCA), latent profile analysis (LPA), and **latent transition analysis** (LTA; see reviews by Crow et al., 2011; Wonderlich, Joiner, Keel, Williamson & Crosby, 2007).

Cited by: 5

Author: Carol B. Peterson, Ross D. Crosby, Stephen ...

Publish Year: 2013

Classification of eating disorders: Toward DSM-V | Request PDF

<https://www.researchgate.net/publication/6154931...>

Binge-**eating disorder** (BED), a new formal diagnosis in the Diagnostic and Statistical Manual of Mental **Disorders**, 5th edition (DSM-5;APA, 2013), is defined by recurrent binge **eating** (i.e., **eating** ...

The classification of eating disorders in China: A ...

<https://www.onlinelibrary.wiley.com/doi/10.1002/eat.23069>

Mar 18, 2019 · According to the ICD-10 and DSM-5, **eating disorders** (EDs) are classified using a categorical model that assumes the **subtypes** are qualitatively different from one another. However, it is still intensely debated that a dimensional model is more suitable.

Cited by: 4

Author: Yuchen Zheng, Qing Kang, Jiabin Huang, W...

Publish Year: 2019

1

2

3

4

5

Search Tools

Turn off Hover Translation (关闭取词)

增值电信业务经营许可证：合字B2-20090007

京ICP备10036305号-7

京公网安备11010802022657号

Privacy and Cookies

Legal

Advertise

© 2021 Microsoft

Help

Feedback



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

1,160,000 Results

Any time ▾

## [The clinical utility of personality subtypes in patients ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/21767000>

Undercontrolled **patients** also had a greater risk of discharge against medical advice (HR = 2.08, p = .02) and readmission than overcontrolled **patients** (HR = 3.76, p = .009). Binge-eating/purging versus...

Cited by: 96

Author: Jennifer E. Wildes, Marsha D. Marcus, Ross...

Publish Year: 2011

## [The diagnostic classification of eating disorders: current ...](#)

<https://link.springer.com/article/10.1007/s40519-013-0076-1> ▾

Oct 09, 2013 · On the whole, three main types of intervention have been proposed: (1) make the criteria for ED less restrictive, (2) introduce new diagnostic categories, such as binge eating disorder (BED), the...

Cited by: 4

Author: Francesco Dazzi, F. G. Di Leone

Publish Year: 2014

## People also ask

What are the different types of eating disorders? ▾

What's the difference between other specified feeding or eating disorder? ▾

What are the ICD-11 guidelines for eating disorders? ▾

Are there diagnostic criteria for binge eating disorder? ▾

Feedback

## [Personality subtypes in adolescents with eating disorders ...](#)

<https://www.researchgate.net/publication/5756195...>

Research has identified three personality subtypes in **adults with eating disorders (EDs)**: a **high-functioning**, an **undercontrolled**, and an **overcontrolled** group.

## [Types of Eating Disorders: Symptoms, Causes and Effects](#)

<https://www.snhu.edu/about-us/newsroom/2019/02/types-of-eating-disorders> ▾

• **Anorexia Nervosa** Anorexia is the most well-known eating disorder. When people think or talk about