

ALL IMAGES VIDEOS

225,000 Results Any time ▾

A DPP-4 Inhibitor Suppresses Fibrosis and ... - PubMed<https://pubmed.ncbi.nlm.nih.gov/25768281>

DPP-4 inhibitors have salutary effects not only on type 2 diabetes but also on certain cardiovascular diseases. However, the role of a DPP-4 inhibitor on myocarditis has not been investigated. To clarify th

Cited by: 33

Author: Hiroyuki Hirakawa, Hirofumi Zempo, Mas...

Publish Year: 2015

A DPP-4 inhibitor suppresses fibrosis and inflammation on ...<https://www.ncbi.nlm.nih.gov/pubmed/25768281>

Mar 13, 2015 · DPP-4 inhibitors have salutary effects not only on type 2 diabetes but also on certain cardiovascular diseases. However, the role of a DPP-4 inhibitor on myocarditis has not been investigate...

Cited by: 33

Author: Hiroyuki Hirakawa, Hirofumi Zempo, Mas...

Publish Year: 2015

Association between dipeptidyl peptidase-4 inhibitors and ...<https://pubmed.ncbi.nlm.nih.gov/31109402>

The main objective of this study is to conduct a disproportionality analysis of adverse events in the Japan Adverse Event Report (JADER) database and evaluate the risk of the DPP-4 inhibitor induced...

Cited by: 1

Author: Y Noguchi, Y Toda, H Esaki, T Matsuya...

Publish Year: 2019

DPP-4 inhibitor (sitagliptin)-induced seronegative ...<https://casereports.bmj.com/content/12/8/e228981>

Aug 01, 2019 · Inhibitors of DPP-4 have been associated with many processes that could lead to the development of arthritis. 4 18–27 Some of these processes perform a pathologic function only in the...

Cited by: 3

Author: Simonette Padron, Everett Rogers, Miche...

Publish Year: 2019

A DPP-4 Inhibitor Suppresses Fibrosis and Inflammation on ...<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0119360>

Mar 13, 2015 · DPP-4 inhibitors have salutary effects not only on type 2 diabetes but also on certain cardiovascular diseases. However, the role of a DPP-4 inhibitor on myocarditis has not been investigate...

43,500 Results Any time

FDA Drug Safety Communication: FDA warns that DPP-4 ...

<https://www.fda.gov/drugs/drug-safety-and...>

DPP-4 inhibitors are used along with diet and exercise to lower blood sugar in adults with type 2 diabetes. When untreated, type 2 diabetes can lead to serious problems, including blindness, nerve...
Estimated Reading Time: 8 mins

Linagliptin, A Xanthine-Based Dipeptidyl Peptidase-4 ...

<https://europepmc.org/article/PMC/PMC8246030>

Jun 01, 2021 - In addition, autoimmune myocarditis has received a lot of attention in recent years as a serious side effect of immune checkpoint inhibitors. We assessed the impact of linagliptin, a xanthine-based dipeptidyl peptidase 4 inhibitor, on both EAM and ICIM and explored the underlying molecular mechanism of how DPP-4 aggravates autoimmune myocarditis.

PEOPLE ALSO ASK

- Which is dipeptidyl peptidase 4 (DPP-4) inhibitors?
- When was dipeptidyl peptidase-4 approved for arthralgia?
- Which is dipeptidyl peptidase 4 enzymatically activates surface T cells?

Feedback

Dipeptidyl peptidase-4 inhibitor

Drug

Side effects Dosage Indications Mechanism of action



Inhibitors of dipeptidyl peptidase 4 are a class of oral hypoglycemics that block the enzyme dipeptidyl peptidase-4. They can be used to treat diabetes mellitus type 2.

Wikipedia

Data from Wikipedia

Suggest an edit

Search Tools

Turn off Hover Translation (关闭悬停)



64302_Auto_Edited.docx

Quotes Excluded
Bibliography Excluded

5%
SEMI-ANNUAL

Match Overview

- | | | |
|---|---|-----|
| 1 | Crossref 9 words
Antoine Dourou, Devin Abrahami, Hua Yun, Oriana Hoi Yun Yu, Christel Rouss, Marie Hudson, Laurent Azoulay "Use | 1% |
| 2 | Internet 38 words
crawled on 13-May-2020
link.springer.com | 1% |
| 3 | Internet 34 words
crawled on 13-Sep-2018
www.ncmi.nln.gov | 1% |
| 4 | Internet 32 words
crawled on 14-Apr-2019
www.lardonline.com | 1% |
| 5 | Internet 27 words
crawled on 28-Jul-2020
worldofscience.org | 1% |
| 6 | Crossref 21 words
Ayan Roy, Jayaprakash Sahoo, Sadoshikumar Kamalanathan N, Dubhadrach Naik, Panchaveli Mohan, Biju Potluttuk ... | <1% |
| 7 | Internet 14 words
crawled on 07-Aug-2020
www.eurekaselect.com | <1% |
| 8 | Internet 12 words
Chia-Jen Shih, Hung-Ta Chen, Shu-Chen Kuo, Shuo Ming | <1% |

国内版

国际版

Dipeptidyl peptidase-4 inhibitor-induced autoimmune diseases: Cu



ALL

IMAGES

VIDEOS

43,800 Results

Any time ▾

FDA Drug Safety Communication: FDA warns that DPP-4 ...

<https://www.fda.gov/drugs/drug-safety-and...> ▾

DPP-4 inhibitors are used along with diet and exercise to lower blood sugar in adults with type 2 diabetes. When untreated, type 2 diabetes can lead to serious problems, including blindness, nerve...

Estimated Reading Time: 8 mins

EXPLORE FURTHER

List of **Dipeptidyl peptidase 4 inhibitors** (DPP4 inhibitors) ...

www.drugs.com

Dipeptidyl peptidase-4 (DPP-4) inhibitors are a relatively ...

www.diabetes.co.uk

Dipeptidyl peptidase-4 inhibitor - Wikipedia

en.wikipedia.org

Recommended to you based on what's popular • Feedback

Dipeptidyl peptidase-4 inhibitors and the risks of ...

<https://link.springer.com/article/10.1007/s00592-020-01533-5> ▾

Apr 21, 2020 · DPP-4 inhibitors are associated with lower risk of autoimmune disorders in type 2 diabetes mellitus patients in Taiwan, especially for the younger patients and the lesser duration of diabetes diagnosed. The significant difference was found between the four types of DPP-4 inhibitors and the risk of autoimmune diseases.

Cited by: 3

Author: Yi Chuan Chen, Yi Chuan Chen, Tien Hsi...

Publish Year: 2020

Linagliptin, A Xanthine-Based Dipeptidyl Peptidase-4 ...

<https://europepmc.org/article/PMC/PMC8246030> ▾

Jun 01, 2021 · In addition, autoimmune myocarditis has received a lot of attention in recent years as a serious side effect of immune checkpoint inhibitors. We assessed the impact of linagliptin, a xanthine-based dipeptidyl peptidase 4 inhibitor, on both EAM and ICIM and explored the underlying molecular mechanism of how DPP-4 aggravates autoimmune myocarditis.

Dipeptidyl peptidase-4 inhibitors lower the risk of ...

<https://bpspubs.onlinelibrary.wiley.com/doi/full/10.1111/bcp.13955>

Apr 09, 2019 · Dipeptidyl peptidase-4 inhibitors lower the risk of autoimmune disease in patients with type 2 diabetes mellitus: A nationwide population-based cohort study Jong-Mi Seong , College of