

3,920 Results Any time ▾

"Periportal Spread Pattern" in the Liver: Imaging ...

<https://www.researchgate.net/publication/266130850...>

The sites of integration of connective tissue sheaths of portal tracts and liver veins in the human liver have been first described by I. Chanukvadze in ... [Show full abstract] 1979. Here the ...

Porta Hepatis - an overview | ScienceDirect Topics

<https://www.sciencedirect.com/topics/veterinary...>

The liver receives both arterial and venous blood. Arterial blood enters by way of the hepatic artery, which derives from the celiac axis and bifurcates at the porta hepatis into the right and left branches (Fi...

Search Tools

Turn off Hover Translation (关闭取词)

PEOPLE ALSO ASK

Where does the hepatic artery and portal vein mix? ▾

[\(PDF\) Liver extracellular matrix peculiarities in mammals ...](#)

https://www.researchgate.net/publication/353168467_Liver_extracellular_matrix...

Analysis of **liver matrix** studies makes it obvious that knowledge about the **connective tissue** skeleton of the **liver** is not systematized, the terminology is contradictory, and the q

[www.science.gov](#)

<https://www.science.gov/topicpages/p/portal+venous+plasma.html> ▾

Surgical implications of **portal venous** system malformation. PubMed Central. Marks, Charles. 1974-01-01. The significance of congenital abnormalities in predisposing to **portal** hype

[pelvic venous congestion: Topics by Science.gov](#)

<https://www.science.gov/topicpages/p/pelvic+venous+congestion.html> ▾

pelvic venous congestion: Topics by Science.gov. **Forearm** vasodilatation following release of venous congestion. PubMed Central. Caro, C. G.; Foley, T. H.; Sudlow, M. F. 1970-01-01. 1. The volume rate of **forearm** blood flow was measured with a mercury-in-rubber strain gauge, or with a water-filled plethysmograph, from 1 sec after termination of a ...

[Books - Lane Medical Library - Stanford University School ...](#)

<https://lane.stanford.edu/biomed-resources/eb.html?page=all&a=l> ▾

This book presents the polycentric and multiscale **view** of landscape which has been developed in Russia within a **framework** of physical geography since the early twentieth century. The authors develop the ideas of hierarchical organization of a landscape and strong relationships between abiotic and biotic components with equal attention to both ...

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 64781

Manuscript Type: OPINION REVIEW

Porta-caval fibrous connections - the lesser-known structure of intrahepatic connective-tissue framework: a unified view of liver extracellular matrix

Porta-caval fibrous connections

Abstract

Knowledge about the connective-tissue framework of the liver is not systematized, the terminology is inconsistent and some perspectives on the construction of the hepatic matrix components are contradictory. In addition, until the last two decades of the 20th century, the connective-tissue sheaths of the portal tracts and the hepatic veins were considered to be independent from each other in the liver and that they do not make contact with each other. The results of the research carried out by

Match Overview

Match	Source	Percentage
1	Crossref 126 words Tetsuo Aoki, Shoji Okano, Naotaka Hashimoto, Koichi Komura et al. "Histomorphological investigation of intrahepatic connective tissue sheaths of portal tracts and hepatic veins in the rat liver." <i>Journal of Hepatology</i> 1998; 28: 101-107.	3%
2	Crossref 65 words Antonio Martinez-Hernandez. "The hepatic extracellular matrix: A review." <i>Journal of Hepatology</i> 1998; 28: 101-107.	1%
3	Crossref 59 words Wenguang Xu, Hee Jung Wang, Bong-Wan Kim, Yong-Keun Park, Guangyi Li. "Anatomical Variation of the Glissonian Pedicle in the Liver." <i>Journal of Hepatology</i> 2010; 51: 101-107.	1%
4	Internet 57 words crawled on 16-Oct-2019 link.springer.com	1%
5	Crossref 42 words Atsushi Sugioaka, Yutaro Kato, Yoshinao Tanahashi. "Systematic extrahepatic Glissonian pedicle isolation for anatomical liver resection." <i>Journal of Hepatology</i> 2010; 51: 101-107.	1%

国内版

国际版

Porta-caval fibrous connections — the lesser-known structure of in



ALL

IMAGES

VIDEOS

11 Results

Any time ▾

[\(PDF\) Liver extracellular matrix peculiarities in mammals ...](#)

https://www.researchgate.net/publication/353168467_Liver_extracellular_matrix...

Analysis of liver matrix studies makes it obvious that knowledge about the connective tissue skeleton of the liver is not systematized, the terminology is contradictory, and the q

[\(Postgrad Exams\) Steve Parker-MRCS Applied Basic Science ...](#)

<https://www.scribd.com/document/344975341/Postgrad...>

MRCS. Applied Basic Science and Clinical Topics. r / s . i n s i s a e r . p i v p / : / t t p h r / s . i n s i s a e r . p i v p / : / t t p h MRCS Applied Basic Science and Clinical Topics r / s . i n s i s a Stephen Parker BSc DipMedEd MS FRCS (Gen) e r Consultant General Surgeon. p University Hospitals of ...

[targeted venous occlusion: Topics by Science.gov](#)

<https://www.science.gov/topicpages/t/targeted+venous+occlusion.html> ▾

Venous sinus occlusive disease: MR findings. SciTech Connect. Yuh, W.T.C.; Simonson, T.M.; Tali, E.T. 1994-02-01. To study MR patterns of venous sinus occlusive disease and to relate them to the underlying pathophysiology by comparing the appearance and pathophysiologic features of venous sinus occlusive disease with those of arterial ischemic disease. The clinical data and MR ...

[Books - Lane Medical Library - Stanford University School ...](#)

<https://lane.stanford.edu/biomed-resources/eb.html?...> ▾

This book presents the polycentric and multiscale view of landscape which has been developed in Russia within a framework of physical geography since the early twentieth century. The authors develop the ideas of hierarchical organization of a landscape and strong relationships between abiotic and biotic components with equal attention to both ...

[painful venous malformations: Topics by Science.gov](#)

<https://www.science.gov/topicpages/p/painful+venous+malformations> ▾

May 01, 2018 - Two patients had intrahepatic shunting; these included an 8-year-old boy who was diagnosed incidentally during work-up for abnormal liver enzymes with a communication between right PV and ICV (Park type 1), and a 59-year-old male with multiple PV-ICV-shunts in several liver segments (Park, type 4) who presented with hepatic encephalopathy.