

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 64877

Manuscript Type: MINIREVIEWS

Balloon-occluded retrograde transvenous obliteration for treatment of gastric varices

Waguri N *et al.* Balloon-occluded retrograde transvenous obliteration

Nobuo Waguri, Akihiko Osaki, Yusuke Watanabe

Match Overview

1	Internet 127 words crawled on 27-Mar-2018 journals.sagepub.com	5%
2	Crossref 25 words Waguri, N., A. Osaki, S. Ikarashi, M. Ogawa, N. Kuraoka, K. Ogawa, M. Sato, T. Alba, O. Yoneyama, K. Furukawa,	1%
3	Internet 22 words crawled on 12-Jun-2017 www.wjgnet.com	1%
4	Crossref 17 words Jiacheng Liu, Chongtu Yang, Songjiang Huang, Chen Zh ou, Qin Shi, Kun Qian, Songlin Song, Bin Xiong. "The co	1%
5	Crossref 17 words Sana Basser, Christopher B. Lightfoot. "Balloon-occluded retrograde transvenous obliteration for treatment of blee ...	1%
6	Crossref 15 words David J. Kim, Michael D. Darcy, Naganathan B. Mani, Au h Whan Park, Olagunke Akinwande, Raja S. Ramaswam	1%
7	Crossref 14 words Atsushi Jogo, Akira Yamamoto, Toshio Kaminoh, Mariko Nakano et al. "Utility of low-dose gelatin sponge particles	1%



Treatment of the gastric varices based on balloon-occluded retrogr



ALL

IMAGES

VIDEOS



Add the Give

52,600 Results

Any time ▾

Balloon-occluded retrograde transvenous obliteration (BRTO) is a technique used by interventional radiologists in the **treatment** of **gastric varices**, particularly those with prominent infra-diaphragmatic portosystemic venous shunts (e.g. **gastro**-renal and **gastro**-caval shunts).

Balloon-occluded retrograde transvenous obliteration ...



radiopaedia.org/articles/balloon-occluded-retrograde-transvenous-obliteration

Was this helpful?



PEOPLE ALSO ASK

See results for

[Gastric varices](#)

Gastric varices are dilated submucosal veins in the lining of the stomach, which

Search Tools

Turn off Hover Translation (关闭取词)

Balloon-occluded retrograde transvenous obliteration for treatment



ALL

IMAGES

VIDEOS

103,000 Results

Any time ▼

Balloon-occluded retrograde transvenous obliteration (BROTO) is a technique used by interventional radiologists in the **treatment of gastric varices**, particularly those with prominent infra-diaphragmatic portosystemic venous shunts (e.g. **gastro**-renal and **gastro**-caval shunts).

[Balloon-occluded retrograde transvenous obliteration ...](#)

 radiopaedia.org/articles/balloon-occluded-retrograde-transvenous-obliteration

Was this helpful?  

PEOPLE ALSO ASK

What is balloon occluded retrograde transvenous obliteration?



What is balloon occlusion?



Which is the best shunt for gastric variceal bleeding?



What is plug assisted retrograde transvenous obliteration (Parto)?



Feedback

Search Tools

[Turn on Hover Translation \(开启取词\)](#)

[ALL](#)
[IMAGES](#)
[VIDEOS](#)
[MAPS](#)
[NEWS](#)
[SHOPPING](#)

111,000 Results

Any time ▾

Balloon-occluded retrograde transvenous obliteration (BROTO) is a technique used by interventional radiologists in the **treatment** of **gastric varices**, particularly those with prominent infra-diaphragmatic portosystemic venous shunts (e.g. gastro-renal and gastro-caval shunts).

[Balloon-occluded retrograde transvenous obliteration ...](#)

radiopaedia.org/articles/balloon-occluded-retrograde-transvenous-obliteration?l...

Was this helpful?

[Balloon-Occluded Retrograde Transvenous Obliteration for ...](#)

<https://pubmed.ncbi.nlm.nih.gov/26295655>

Balloon-Occluded Retrograde Transvenous Obliteration for the Treatment of Gastric Varices: **Polidocanol Foam** Versus Liquid **Ethanolamine Oleate**. **Polidocanol foam** can achieve obliteration of gastric varices comparable to that of **ethanolamine oleate** but with a significantly lower sclerosant dose and reduced risk of hemolysis-induced complications and harmful reactions, including pain and fever.

Cited by: 11

Author: Chihiro Itou, Jun Koizumi, Takeshi Hashim...

Publish Year: 2015

[Balloon-occluded Retrograde Transvenous Obliteration of ...](#)

<https://pubmed.ncbi.nlm.nih.gov/18029851>

Balloon-occluded retrograde transvenous obliteration is an effective **treatment** for the **obliteration** of **gastric varices**. However, application of this procedure to severely compromised patients should be considered carefully.

Cited by: 152

Author: Sung Ki Cho, Sung Wook Shin, In Ho Lee, Y...

Publish Year: 2007

[Images of Balloon-Occluded Retrograde Transvenous Obliteration ...](#)

bing.com/images

