



ALL

IMAGES

VIDEOS



Add the Give

19 Results

Any time ▾

[Poster Session 3 8:00 a.m.-1:30 p.m. Translational ...](#)

https://onlinelibrary.wiley.com/doi/full/10.1111/j.1528-1167.2008.01871_12.x

Oct 24, 2008 · Thomas P. Bautista, Heather L. Milligan, Jong M. Rho and D. M. Treiman . Neurology research, Barrow Neuological Institute, Phoenix, AZ. Rationale: Ketone bodies have been studied for many years and it is generally accepted that D-BHB, the stereo-selective product of D-3-hydroxybutyrate dehydrogenase, is the clinically significant (i.e., physiological) stereoisomer (Williamson, 1970 ...

[Poster Session 2 11:00 a.m.-7:30 p.m. Professionals in ...](#)

https://onlinelibrary.wiley.com/doi/full/10.1111/j.1528-1167.2008.01871_7.x?global...

Three of the factors had coefficients in the **good** range indicating **good** test-retest reliability or stability over the 3-month period. Validity: We explored relationships between the five PRCI factors and related

Search Tools

[Turn off Hover Translation \(关闭取词\)](#)

Match Overview

1	Crossref 16 words Li Chengyu, Shi Weixiong, Chen Chao, Liu Songyan et al. "Clinical features and immunotherapy outcomes of anti-glutamic..."	1%
2	Internet 16 words crawled on 04-Jul-2019 bmcgastroenterol.biomedcentral.com	1%
3	Crossref 13 words Giulia lapadre, Luca Zagaroli, Nicola Cimini, Vincenzo Belcastro et al. "Gelastic seizures not associated with hypothalamic..."	1%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 65035

Manuscript Type: CASE REPORT

GAD65-positive autoimmune encephalitis presented with gelastic seizure, responsive to steroid: A case report

Camerdy Yue Yang, Sheng-Ta Tsai

Abstract

BACKGROUND

Anti-glutamic acid decarboxylase (GAD) antibody is known to cause several autoimmune-related situations. The most known relationship is that it may cause type I

GAD65-positive autoimmune encephalitis presented with gelastic s



Sign in

ALL

IMAGES

VIDEOS

 Add the Give with Bing extension >

516 Results

Any time ▾

[The autoantibody-mediated encephalitides: from clinical ...](#)

<https://europepmc.org/article/PMC/PMC8068716> ▾

Oct 26, 2019 · Other frequent focal **seizure** semiologies which may occur concurrently with, or in the absence of FBDS, include thermal sensations, body shuddering, motor automatisms, **gelastic seizures**, and paroxysmal dizzy spells [27, 62, 75–77]. Generalised tonic–clonic **seizures** are uncommon and usually manifest in the later stages of disease.

[Seizures and movement disorders: phenomenology, ...](#)

<https://jnnp.bmj.com/content/90/8/920> ▾

Aug 01, 2019 · **Seizures** and movement disorders (MDs) are distinct neurological conditions presenting with abnormal movements. Despite sharing an overlap in phenomenology, these movements have different origins. In order to explore the overlaps and the narrow boundaries between these two conditions, we performed a review of the literature to explore the risk of **seizures** in MDs.

Cited by: 7

Author: Maria Eliza Freitas, Marta Ruiz-Lopez, Jo...

Publish Year: 2019

Estimated Reading Time: 12 mins

Search Tools

[Turn off Hover Translation \(关闭取词\)](#)