

² **Name of Journal:** *World Journal of Clinical Cases*

Manuscript NO: 65332

Manuscript Type: CASE REPORT

Submucosal haematoma with a wide range of lesions, severe condition and atypical clinical symptoms: A case report

Liu L *et al.* A rare case of submucosal hematoma

Liang Liu, Xing-Jie Shen, Li-Jun Xue, Shu-Kun Yao, Jing-Yu Zhu

Abstract

BACKGROUND

Submucosal hematoma (SH) is one of the rare causes of upper gastrointestinal bleeding. As a rare and critical disease in clinical practice, it should be paid more attention to by clinicians to avoid missed diagnosis and misdiagnosis. Most of the esophageal

Match Overview

1	Internet 28 words crawled on 31-Aug-2019 tessera.spandidos-publications.com	2%
2	Internet 24 words crawled on 05-Oct-2019 f6publishing.blob.core.windows.net	1%
3	Internet 14 words crawled on 10-May-2021 www.wjgnet.com	1%
4	Crossref 12 words Eun Soo Jeong , Min Jeong Kim , Seung Hyen Yoo , Dong Hy un Kim , Jin Sung Jung , Nam Ho Koo , Se Heon Chang . "Int ...	1%
5	Internet 10 words crawled on 16-Mar-2019 link.springer.com	1%

An unusual submucosal hematoma extending from hypopharynx to



ALL

IMAGES

VIDEOS

6 Results

Any time ▾

Dr Raymond C Lee MD on Instagram: "What an amazing virtual ...

<https://www.instagram.com/p/CAiZjhoj9UD>

May 23, 2020 · 109 Likes, 2 Comments - Dr Raymond C Lee MD (@rrayleemd) on Instagram: "What an amazing virtual aats. Congratulations to my chairman Dr Vaughn Starnes 100th AATS..."

Sodbrennen-Welt.de Science 2009

<https://www.sodbrennen-welt.de/excerpt/2009/index.html>

Adenocarcinoma of the **lower esophagus** with Barrett's **esophagus** or without Barrett's **esophagus**: differences in patients' survival after preoperative chemoradiation. Recurrence of intramucosal esophageal adenocarcinoma arising in a former esophagostomy site: a unique **case report**.

Sodbrennen-Welt.de Science 2004

<https://www.sodbrennen-welt.de/excerpt/2004/index.html>

Variceal recurrence after endoscopic sclerotherapy associated with the perforating veins in **lower esophagus** independently. Primary adenocarcinoma arising in esophageal colon interposition: **report of a case**. Mucosa-associated lymphoid tissue lymphoma of the **esophagus**: **case report** and review of ...

J Zhejiang Univ Sci ... via MedWorm.com

<https://medworm.com/journal/j-zhejiang-univ-sci.xml>

J Zhejiang Univ Sci B. 2021 Mar 15;22(3):233-240. doi: 10.1631/jzus.B2000679.ABSTRACTNon-suicidal self-injury (NSSI) refers to any intentional, self-inflicted behavior that causes direct damage to body tissues (Kerr et al., 2010), and has emerged as a challenging public health issue worldwide, especially among adolescents

Search Tools

Turn on Hover Translation (开启取词)

Submucosal haematoma with a wide range of lesions, severe condit



ALL

IMAGES

VIDEOS

33,500 Results

Any time ▾

Including results for submucosal **hematoma** with a wide range of lesions, severe condition and atypical clinical symptoms a case report.

Do you want results only for Submucosal haematoma with a wide range of lesions, severe condition and atypical clinical symptoms: A case report?

Surgically treated rare intestinal bleeding due to ...

<https://europepmc.org/articles/PMC6257588> ▾

Nov 01, 2018 · The clinical symptoms of colonic submucosal hematomas typically include **abdominal pain, intestinal tract obstruction, bleeding**, and so on. Most ISH cases were diagnosed by endoscopy, and radiological examination, or both. [4–7] Even in some cases of submucosal tumor, patients required surgical intervention for diagnosis and treatment.

Cited by: 2

Author: Wei-Hua Yu, Chao Feng, Tie-Mei Ha...

Publish Year: 2018

Surgically treated rare intestinal bleeding due to ...

https://journals.lww.com/md-journal/Fulltext/2018/11160/Surgically_treated_rare...

The clinical symptoms of colonic submucosal hematomas typically include **abdominal pain, intestinal tract obstruction, bleeding**, and so on. Most ISH cases were diagnosed by endoscopy, and radiological examination, or both. Even in some cases of submucosal tumor, patients required surgical intervention for diagnosis and treatment.

PEOPLE ALSO ASK

What does submucosal leiomyomas mean? ▾

What are the signs and symptoms of CCMS? ▾

What are the symptoms of a brain lesion? ▾

Feedback

Gastric Submucosal Hematoma and Mucosal Rupture with ...

<https://www.researchgate.net/publication/37363678...>

Gastric intramural **hematoma**, "intramural dissection" or "false aneurysm", is a rare and dangerous **condition** which may be more broadly classified

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

61,500 Results

Any time ▾

Including results for submucosal **hematoma** with a wide range of lesions, severe condition and atypical clinical symptoms a case report.

Do you want results only for Submucosal haematoma with a wide range of lesions, severe condition and atypical clinical symptoms: A case report?

Surgically treated rare intestinal bleeding due to ...

https://journals.lww.com/md-journal/Fulltext/2018/11160/Surgically_treated_rare...

The clinical symptoms of colonic submucosal hematomas typically include **abdominal pain**, **intestinal tract obstruction**, **bleeding**, and so on. Most ISH cases were diagnosed by endoscopy, and radiological...

Gastric Submucosal Hematoma and Mucosal Rupture with ...

<https://www.researchgate.net/publication/37363678...>

Gastric intramural **hematoma**, "intramural dissection" or "false aneurysm", is a rare and dangerous **condition** which may be more broadly classified as a spectrum of acute gastric mucosal injury.

Estimated Reading Time: 9 mins

(PDF) Large ileocecal submucosal lipoma presenting as ...

<https://www.researchgate.net/publication/273400588...>

Mar 07, 2015 · There is a wide range of presentations like **abdominal pain**, **bleeding** per rectum, intussusception, etc. The latter picture constitutes the usual presentation of an **ileocecal lipoma**.

Estimated Reading Time: 5 mins

Sonohysterographic Findings of Endometrial and ...

<https://pubs.rsna.org/doi/full/10.1148/radiographics.22.4.g02jl21803>

Atypical polyps have cystic components, multiplicity, a broad base, and hypoechogenicity or heterogeneity. Submucosal **fibroids** are usually broad-based, hypoechoic, well-defined, solid masses wit...

Cited by: 101

Author: Patricia C. Davis, Mary Jane O'Neill, Isabel ...

Publish Year: 2002

Upper gastrointestinal submucosal lesions - clinical and ...

<https://www.researchgate.net/publication/46402269...>

Upper gastrointestinal **submucosal lesions** - clinical and endosonographic evaluation and management