

ALL IMAGES VIDEOS

156,000 Results Any time ▾

[A Study Comparing Colorectal Cancer Screening Techniques](https://pubmed.ncbi.nlm.nih.gov/28362661)

<https://pubmed.ncbi.nlm.nih.gov/28362661>

The purpose of this study was to compare the rates of detection of adenomatous (precursors to colorectal cancer) polyps and colorectal cancer in 2 groups of asymptomatic patients: one group...

[Diagnostics | Free Full-Text | Comparing Metabolomics ...](https://www.mdpi.com/2075-4418/11/3/561/html)

<https://www.mdpi.com/2075-4418/11/3/561/html>

Analysis of metabolomics has been suggested as a promising approach for early detection of colorectal cancer and advanced adenomas. We investigated and compared the metabolomics profile in blood,...

Search Tools

Turn off Hover Translation (关闭取词)

PEOPLE ALSO ASK

Can a juvenile polyp progress into colon cancer? ▾

Metabolite quantification of faecal extracts from ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6161785>

Sep 07, 2018 · **Patients** who had biopsy proven CRC were classified as cancers in this **study**. Those classified as healthy had no evidence of CRC on colonoscopy. Out of these, two sets of **stool** samples of **patients** who had **colorectal cancer** (CRC) and age and sex matched normal controls were analysed.

Cited by: 13 **Author:** Gwénaëlle Le Gall, Kiran Guttula, Lee Kellin...

Publish Year: 2018

Stool Microbiome and Metabolome Differences between ...

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0070803>

Aug 06, 2013 · In this **study** we used **stool** profiling to identify intestinal bacteria and metabolites that are differentially represented in humans with **colorectal cancer** (CRC) compared to healthy controls to identify how microbial functions may influence CRC development. **Stool** samples were collected from healthy adults (n = 10) and **colorectal cancer patients** (n = 11) prior to **colon** resection surgery at the ...

Cited by: 481 **Author:** Tiffany L. Weir, Daniel K. Manter, Amy M. S...

Publish Year: 2013 **Estimated Reading Time:** 12 mins

PEOPLE ALSO ASK

How does genetic testing affect colon cancer screening? ▾

What are the genes associated with colorectal cancer? ▾

Which is the most common type of colorectal cancer? ▾

Feedback

Fecal Fatty Acid Profiling as a Potential New Screening ...

<https://link.springer.com/article/10.1007/s10620-018-4982-y>

Mar 07, 2018 · The fatty acid **profile** of the **fecal** metabolome and its association with **colorectal cancer** (CRC) has not been fully evaluated. **Aims.** We aimed to compare the **fecal** fatty acid profiles of CRC **patients** and healthy controls. **Methods.** We enrolled 26 newly diagnosed CRC **patients** and 28 healthy individuals between July 2014 and August 2014 from our institute



Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 65546

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Fecal metabolomics' profile: a comparative study from colorectal cancer vs adenomatous polyps' patients

Fecal metabolomics' profile: colorectal cancer vs adenomatous polyps patients

Giulia Nannini*, Gaia Meoni*, Leonardo Terori, Maria Novella Ringressi, Antonio Taddei, Elena Niccolai, Simone Baldi, Edda Russo, Claudio Luchinat, Amedeo Amedei

Match Overview

Match #	Source	Words	Created	Similarity
1	Internet	116 words	created on 07-Oct-2020 www.nature.com	3%
2	Crossref	106 words	Gaia Meoni, Serena Loreni, Monica Mori, Francesca Madia et al. "The metabolic fingerprints of HCV and HBV infectio...	3%
3	Internet	103 words	www.nctd.nih.gov	3%
4	Internet	69 words	created on 22-Jun-2021 www.hindawi.com	2%
5	Internet	65 words	hcl.handle.net	2%
6	Internet	62 words	created on 17-Oct-2020 www.mdpi.com	2%
7	Crossref	48 words	Anto Arsic, Zoran Marković, Jasmina M. Dimitri Marković, S... volfana Jaronić, Dane Lučić, Dražen Arsić. "Free radical s...	1%
8	Internet	47 words	created on 16-Nov-2019	1%

国内版

国际版

Fecal metabolomics' profile: A comparative study from colorectal c



ALL

IMAGES

VIDEOS

12,200 Results

Any time ▾

Stool Microbiome and Metabolome Differences between ...

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0070803> ▾

Aug 06, 2013 · In this study we used stool profiling to identify intestinal bacteria and metabolites that are differentially represented in humans with colorectal cancer (CRC) compared to healthy controls to identify how microbial functions may influence CRC development. Stool samples were collected from healthy adults (n = 10) and colorectal cancer patients (n = 11) prior to colon resection surgery at the ...

Cited by: 485

Author: Tiffany L. Weir, Daniel K. Manter, Amy M....

Publish Year: 2013

Estimated Reading Time: 12 mins

Metabolite quantification of faecal extracts from ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6161785>

Sep 07, 2018 · Patients who had biopsy proven CRC were classified as cancers in this study. Those classified as healthy had no evidence of CRC on colonoscopy. Out of these, two sets of stool samples of patients who had colorectal cancer (CRC) and age and sex matched normal controls were analysed.

Cited by: 13

Author: Gwénaëlle Le Gall, Kiran Guttula, Lee Kel...

Publish Year: 2018

Fecal Fatty Acid Profiling as a Potential New Screening ...

<https://link.springer.com/article/10.1007/s10620-018-4982-y> ▾

Mar 07, 2018 · The fatty acid profile of the fecal metabolome and its association with colorectal cancer (CRC) has not been fully evaluated. Aims. We aimed to compare the fecal fatty acid profiles of CRC patients and healthy controls. Methods. We enrolled 26 newly diagnosed CRC patients and 28 healthy individuals between July 2014 and August 2014 from our institute.

Cited by: 8

Author: Eun Mi Song, Jeong-Sik Byeon, Sun Mi L...

Publish Year: 2018

Estimated Reading Time: 9 mins

Untargeted Metabolomics Reveals Major Differences in the ...

<https://europepmc.org/article/MED/33669644> ▾

Feb 19, 2021 · The overall aim of this study was to perform metabolite profiling applying an untargeted metabolomics approach using plasma samples from 88 patients with incident CRC, 200 patients with HR adenomas and 200 patients with LR adenomas selected from the "Colorectal Cancer Study of Austria" (CORSA) biobank.