

国内版国际版

Microsoft Bing

Long-term survival of a patient with pancreatic cancer and lung me

Chat with Bing

ALLIMAGESVIDEOS

194,000 ResultsAny time

A long-term survival case after resection of the ...

<https://www.sciencedirect.com/science/article/pii/S2210261219304420>

Jan 01, 2019 · If the disease is localized and the patient's condition is good, aggressive resection for pancreatic metastasis from lung cancer should be considered. In the present case, combined therapy, including surgical resection, resulted in long-term survival, and the patient was declared cancer-free despite repeated cancer recurrence.

Cited by: 1Author: Yumiko Kageyama, Ryuzo Yamaguchi, S...Publish Year: 2019

Small bowel metastasis from pancreatic cancer in a long ...

<https://www.ncbi.nlm.nih.gov/pubmed/28105159>

The onset of bowel metastasis is an event rarely associated with MPM, and has not been previously


See more

Add the Give with Bing

13-Aug-2021 09:16AM

3003 words • 12 matches • 6 sources

FAQ

 iThenticate

65976\_Auto\_Edited.docx

Courses Excluded  
Bibliography Excluded

7%  
0.000000

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 65976

**Manuscript Type:** CASE REPORT

**Long-term survival of a patient with pancreatic cancer and lung metastasis: A case report and review of literature**

Wen-Wei Yang, Lin Yang, Hai-Zhen Lu, Yong-Kun Sun

**Abstract**

**BACKGROUND**

Pancreatic cancer (PC) is a leading cause of cancer-related death, given its poor

Match Overview

1	Internet: 66 words created on 10-Oct-2020 <a href="#">www.sagepub.com</a>	1%
2	Internet: 37 words created on 13-Aug-2020 <a href="#">www.scribd.com</a>	1%
3	Crossref: 21 words Na Chen, Da-Shun Zeng, Yu-Tong Gu, "Role of ranitidine in the early diagnosis of Sjögren's syndrome: A case report", <i>World Journal of Clinical Cases</i>	1%
4	Internet: 21 words created on 21-Sep-2020 <a href="#">journals.lww.com</a>	1%
5	Internet: 19 words created on 13-Aug-2020 <a href="#">www.mdpi.com</a>	1%
6	Internet: 17 words created on 22-Jul-2020 <a href="#">www.sciencedirect.com</a>	1%

Page 1 of 11

Print Only Report

国内版

国际版

Long-term survival of a patient with pancreatic cancer and lung me



ALL

IMAGES

VIDEOS

193,000 Results

Any time ▾

### A long-term survival case after resection of the ...

<https://www.sciencedirect.com/science/article/pii/S2210261219304420>

Jan 01, 2019 · If the disease is localized and the patient's condition is good, aggressive resection for pancreatic metastasis from lung cancer should be considered. In the present case, combined therapy, including surgical resection, resulted in long-term survival, and the patient was declared cancer-free despite repeated cancer recurrence.

Cited by: 1

Author: Yumiko Kageyama, Ryuzo Yamaguchi, S...

Publish Year: 2019

### Small bowel metastasis from pancreatic cancer in a long ...

<https://www.ncbi.nlm.nih.gov/pubmed/28105159>

The onset of bowel metastasis is an event rarely associated with MPM, and has not been previously described in the literature for cases of pancreatic cancer. Therefore, to the best of our knowledge, the present study describes the first case of intestinal metastasis from pancreatic cancer in a long-term survival patient with biphasic MPM.

Author: Morena Fasano, Carminia Maria Della...

Publish Year: 2016

### Long-term survival of two patients with pancreatic cancer ...

<https://surgicalcasereports.springeropen.com/...> ▾

Dec 07, 2020 · The prognosis of pancreatic cancer reportedly improves when metachronous liver and lung metastases are resected, median overall survival after the first treatment varying from 51 to 121 months for lung metastases and from 24 to 40 months for liver metastases [ 13 ].

Author: Kei Hagiwara, Norifumi Harimoto, Keni...

Publish Year: 2020

Estimated Reading Time: 12 mins

### Long-Term Survival in Metastatic Pancreatic Cancer. A Case ...

<https://pancreas.imedpub.com/longterm-survival-in...> ▾

Introduction

Case Report

Discussion

References

Pancreatic cancer remains one of the most severe neoplastic diseases since it is rarely detected in an early stage [1]. Although a small number of patients may be encountered in clinical practice some years after surgical resection integrated with other therapies, long-term survivors are actually