



Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 66378

Manuscript Type: CASE REPORT

False positive of anti-immunoglobulin M hepatitis A virus in autoimmune hepatitis/primary biliary cholangitis overlap syndrome: A case report

Yan J *et al.* False-positive of anti-IgM-HAV in AIH-PBC

Jun Yan, Yan-Sha He, Yi Song, Xin-Yu Chen, Hua-Bao Liu, Chun-Yan Rao

Match Overview



1	Crossref 64 words Julie Tram, Paul Le Baccon-Sollier, Karine Bolloré, Jacques Ducos et al. "RNA testing for the diagnosis of acute hep...	4%
2	Internet 19 words crawled on 10-May-2021 www.wjgnet.com	1%
3	Internet 13 words crawled on 01-Nov-2020 www.ncbi.nlm.nih.gov	1%



ALL

IMAGES

VIDEOS

3,750 Results

Any time ▾

Autoimmune hepatitis type 2 associated with an unexpected ...

<https://bmcgastroenterol.biomedcentral.com/articles/10.1186/1471-230X-12-92> ▾

Jul 20, 2012 · Unlike other **autoimmune** liver diseases, **primary biliary** cirrhosis (PBC) has never been reported in early childhood, while type 2 **autoimmune hepatitis** (AIH) is eminently a paediatric diseases...

Cited by: 18

Author: Pietro Invernizzi, Maria Grazia Alessio, D...

Publish Year: 2012

Arturo González-Quintela's research works | Complejo ...

<https://www.researchgate.net/scientific...>

Arturo González-Quintela's 198 research works with 3,737 citations and 7,337 reads, including: Impact of mindfulness and self-compassion on anxiety and depression: the mediating role of resilience

PEOPLE ALSO ASK

What causes false positive bile duct brushing cytology? ▾

What is autoimmune hepatitis? ▾

What is hepatitis test? ▾

Why do IgM antibodies have the ability to agglutinate? ▾

[Feedback](#)

Epitopes of calreticulin recognised by IgA autoantibodies ...

https://www.researchgate.net/publication/9002183_E...

However, celiac disease was biopsy-diagnosed in 16 patients: 4 with **autoimmune hepatitis** type I, 3 with Wilson's disease, 3 with celiac **hepatitis**, 2 with **primary sclerosing cholangitis**, 1 with ...

Final Diagnosis -- Autoimmune hepatitis (AIH), Type I

<https://path.upmc.edu/cases/case554/dx.html> ▾

Alvarez F, Berg PA, Bianchi FB, et al. International **Autoimmune Hepatitis** Group Report: review of criteria for diagnosis of **autoimmune hepatitis**. Journal of hepatology 1999;31(5):929-38. Talwalkar JA,...

False positive of anti-immunoglobulin M hepatitis A virus in autoim



ALL IMAGES VIDEOS

32,600 Results

Any time ▾

What is autoimmune hepatitis–PBC overlap syndrome?

<https://www.medscape.com/answers/172356-43734>

Apr 14, 2021 · Valota M, Thienemann F, Misselwitz B. False-positive serologies for acute hepatitis A and autoimmune hepatitis in a patient with acute Epstein-Barr virus infection. BMJ Case Rep

What are the AASLD guidelines for initial regimens for ...

Feb 24, 2021

What is the duration of therapy for autoimmune hepatitis ...

See more results

Intrahepatic IgG/IgM plasma cells ratio helps in ...

<https://pubmed.ncbi.nlm.nih.gov/20060371>

Background/aim: Plasma cells infiltrate in the liver is a prototype lesion of autoimmune liver diseases. The possible role of plasma cells isotyping (IgM and IgG) in the liver in the diagnostic definition of autoimmune liver disease, and particularly in variant syndromes such as autoimmune cholangitis and the primary biliary cirrhosis/autoimmune hepatitis overlap syndrome, is less defined.

Cited by: 20

Author: Daniela Cabibi, Giuseppe Tarantino, Fran...

Publish Year: 2010

PEOPLE ALSO ASK

Is there overlap in liver test results?



What are autoimmune hepatitis markers?



Are there histologic features for the diagnosis of autoimmune hepatitis?



What is the sensitivity for hepatitis?



Feedback

UpToDate

<https://www.uptodate.com/contents/autoimmune-hepatitis-serologic-markers>

... occur with features of both autoimmune hepatitis and primary biliary cholangitis or primary sclerosing cholangitis. Type 1 autoimmune hepatitis – Type 1 or classic AIH... SLA/LP antibodies are

ALL IMAGES VIDEOS MAPS NEWS SHOPPING

20,800 Results Any time ▾

Autoimmune hepatitis, one disease with many faces ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC25574080>

Jan 07, 2015 · INTRODUCTION. **Autoimmune hepatitis** (AIH) is a relatively rare progressive chronic liver disease that mainly affects women and is usually characterized by increased immunoglobulin G (IgG)...

Cited by: 154 **Author:** Nikolaos K Gatselis, Kalliopi Zachou, Georg...

Publish Year: 2015

What is the duration of therapy for autoimmune hepatitis ...

<https://www.medscape.com/answers/172356-43786>

Jun 01, 2020 · Valota M, Thienemann F, Misselwitz B. **False-positive** serologies for acute **hepatitis A** and **autoimmune hepatitis** in a patient with acute Epstein-Barr **virus** infection. **BMJ Case ...**

What is autoimmune hepatitis–PBC overlap syndrome? Apr 14, 2021

What are the AASLD guidelines for initial regimens for ... Feb 24, 2021

When is the International autoimmune hepatitis (AIH) Group ... Nov 30, 2020

See more results

PEOPLE ALSO ASK

Is there overlap in liver test results? ▾

What are autoimmune hepatitis markers? ▾

What kind of test is used for autoimmune hepatitis? ▾

Feedback

Intrahepatic IgG/IgM plasma cells ratio helps in ...

<https://pubmed.ncbi.nlm.nih.gov/20060371>


Background/aim: Plasma cells infiltrate in the liver is a prototype lesion of **autoimmune** liver diseases. The possible role of plasma cells isotyping (IgM and IgG) in the liver in the diagnostic definition of...

Cited by: 20 **Author:** Daniela Cabibi, Giuseppe Tarantino, France...

Publish Year: 2010

Autoimmune Hepatitis

Medical Condition



A chronic disease that causes inflammation in liver when the body's immune system attacks liver cells. This results in scarring of the liver and finally to liver failure.

🏠 Very rare (Fewer than 20,000 cases per year in US)

🧪 Requires lab test or imaging

💊 Treatments can help manage condition, no known cure

🕒 Can be lifelong

It is an auto immune disease whose exact cause is not known; genetic make-up and environmental conditions are thought to play a role. Symptoms include fatigue, muscle pain, joint pain, enlarged liver, skin rash, abdominal pain, nausea and vomiting. Early diagnoses can be managed using medication; in severe cases, a liver transplant might be necessary.

Symptoms

Symptoms can range from mild to severe such as

- Joint pains and muscle pain