



66657-Manuscript-File-revision.docx

Quotes Excluded  
Bibliography Excluded1%  
SIMILAR

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 66657

**Manuscript Type:** CASE REPORT

**Concealed mesenteric ischemia after total knee arthroplasty: A case report**

Concealed mesenteric ischemia

Sheng-Yang Zhang, Bang-Jian He, Hui-Hui Xu, Miao-Miao Xiao, Jing-Jing Zhang, Pei-Jian Tong, Qiang Mao

## Match Overview

1

**Internet** 13 words  
crawled on 09-Jun-2020  
[insights.ovid.com](https://insights.ovid.com)

1%

激活 Windows  
转到“设置”以激活 Windows。



ALL

IMAGES

VIDEOS

59,200 Results

Any time ▾

Open links in new tab



## Fulminant Nonocclusive Mesenteric Ischemia Just after Hip ...

<https://www.hindawi.com/journals/crim/2010/250436> ▾

Abstract. Nonocclusive mesenteric ischemia (NOMI) is not a rare clinical entity in intensive medicine, and it can be a consequence of several clinical or surgical situations. This pathology results from reduc...

Cited by: 2

Author: Maria Auxiliadora-Martins, Gil Cezar Alk...

Publish Year: 2010

## Non-occlusive mesenteric ischemia ... - Surgical Case Reports

<https://surgicalcasereports.springeropen.com/> ▾

Feb 20, 2019 · Background. Non-occlusive mesenteric ischemia (NOMI) is a rare but life-threatening complication of early postoperative enteral feeding. We herein report two patients who developed NO...

Cited by: 5

Author: Daisuke Kurita, Takeo Fujita, Yasumasa ...

Publish Year: 2019

## [PDF] Case series ISSN 2576-6716 - applispublishers.com

<https://applispublishers.com/wp-content/uploads/>...

inadequate blood flow through the mesenteric vessels resulting in ischemia and eventual gangrene of the bowel wall. Although relatively rare, it is a potentially life threatening condition. To our knowledge, acute...

## [PDF] High-dose intravenous immunoglobulin to treat ...

<https://onlinelibrary.wiley.com/doi/epdf/10.1111/jth.14411>

For unknown reasons, many cases occur after total knee arthroplasty. A 52-year-old woman presented 12 days posttotal knee replacement (aspirin thromboprophylaxis) with gastrointestinal bleeding...

## Mesenteric Revascularization in a Contaminated Abdomen: A ...

<https://www.researchgate.net/publication/11783106...>

The clinical case of a 27-year old man with the diagnosis of chronic mesenteric ischemia ("abdominal angina") is reported, whose chief complaints were severe postprandial pain and remarkable ...

## International Journal of Surgery Case Reports | Vol 37 ...

<https://www.sciencedirect.com/journal/>...

A case report of an anterior tibial artery pseudo-aneurysm open surgical management: A rare complication post total knee arthroplasty Kang Lie Darius ...





ALL

IMAGES

VIDEOS



Add the Give with Bing extension &gt;

58,300 Results

Any time ▾

## Non-occlusive mesenteric ischemia ... - Surgical Case Reports

<https://surgicalcasereports.springeropen.com/...> ▾

Feb 20, 2019 · Background. Non-occlusive mesenteric ischemia (NOMI) is a rare but life-threatening complication of early postoperative enteral feeding. We herein report two patients who developed NOMI during enteral feeding after esophagectomy.

Cited by: 5

Author: Daisuke Kurita, Takeo Fujita, Yasumasa ...

Publish Year: 2019

## Search Tools

[Turn off Hover Translation \(关闭取词\)](#)

## Fulminant Nonocclusive Mesenteric Ischemia Just after Hip ...

<https://www.hindawi.com/journals/crim/2010/250436> ▾

Abstract. Nonocclusive mesenteric ischemia (NOMI) is not a rare clinical entity in intensive medicine, and it can be a consequence of several clinical or surgical situations. This pathology results from reduced intestinal microvascular blood supply associated with an acute inflammatory process, culminating with bowel necrosis. This is a case on a female patient who developed immediate postsurgical NOMI following hip arthroplasty ...

Cited by: 2

Author: Maria Auxiliadora-Martins, Gil Cezar Alk...

Publish Year: 2010

[PDF] Case series ISSN 2576-6716 - applispublishers.com

<https://applispublishers.com/wp-content/uploads/>

激活 Windows

转到“设置”以激活 Windows。





ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

55,900 Results

Any time ▾

## Fulminant Nonocclusive Mesenteric Ischemia Just after Hip ...

<https://www.hindawi.com/journals/crim/2010/250436> ▾

Abstract. Nonocclusive **mesenteric ischemia** (NOMI) is not a rare clinical entity in intensive medicine, and it can be a consequence of several clinical or surgical situations. This pathology results from reduced intestinal microvascular blood supply associated with an acute inflammatory process, culminating with bowel necrosis. This is a **case** on a female patient who developed immediate postsurgical NOMI following hip **arthroplasty** ...

Cited by: 2

Author: Maria Auxiliadora-Martins, Gil Cezar Alkmi...

Publish Year: 2010

## Non-occlusive mesenteric ischemia ... - Surgical Case Reports

<https://surgicalcasereports.springeropen.com/...> ▾

Feb 20, 2019 · Background. Non-occlusive **mesenteric ischemia** (NOMI) is a rare but life-threatening complication of early postoperative **enteral feeding**. We herein report two patients who developed NOMI during **enteral feeding after** esophagectomy.

Cited by: 5

Author: Daisuke Kurita, Takeo Fujita, Yasumasa Ho...

Publish Year: 2019

## [PDF] Case series ISSN 2576-6716 - applispublishers.com

<https://applispublishers.com/wp-content/uploads/...>

inadequate blood flow through the mesenteric vessels resulting in ischemia and eventual gangrene of the bowel wall. Although relatively rare, it is a potentially life threatening condition. To our knowledge, acute superior **mesenteric artery** (SMA) **occlusion after total knee arthroplasty** (TKA) has been never reported.

## [PDF] High-dose intravenous immunoglobulin to treat spontaneous ...

<https://onlinelibrary.wiley.com/doi/epdf/10.1111/jth.14411>

For unknown reasons, many **cases** occur **after total knee arthroplasty**. A 52-year-old woman presented 12 days posttotal knee replacement (**aspirin thromboprophylaxis**) with gastrointestinal bleeding (superior **mesenteric vein** thrombosis); the platelet count was 63 9 109 L<sup>-1</sup>. After bowel resection and a brief course of heparin, treatment

## Chronic mesenteric ischemia in childhood and adolescence ...

<https://www.sciencedirect.com/science/article/pii/0741521485901387>

Nov 01, 1985. Chronic mesenteric ischemia is uncommon in the orthopaedic age group but is