



[Utility of Radiomics for Predicting Patient Survival in ...](#)

<https://pubmed.ncbi.nlm.nih.gov/33178598>

Introduction: This study aimed to develop and validate the combination of radiomic features and clinical characteristics that can predict patient survival in hepatocellular carcinoma (HCC) with portal vein...

Author: Kui Wu, Yongjie Shui, Wenzheng Sun, ... Publish Year: 2020

[A radiomics nomogram for the prediction of overall ...](#)

<https://pubmed.ncbi.nlm.nih.gov/33198809>

Background: Hepatocellular carcinoma (HCC) is associated with a dismal prognosis, and prediction of

ALL IMAGES VIDEOS

12,300 Results Any time ▾ Open links in new tab

Including results for comprehensive radiomics nomogram for predicting survival of patients with combined hepatocellular carcinoma and **cholangiocarcinoma**.
Do you want results only for Comprehensive radiomics nomogram for predicting survival of patients with combined hepatocellular carcinoma and cholangiocarcinom ?

Radiomics predict postoperative survival of patients with ...

<https://pubmed.ncbi.nlm.nih.gov/32793665>

Background: Radiomics can be used to determine the prognosis of liver cancer, but it might vary among cancer types. This study aimed to explore the clinicopathological features, radiomics, and survival of patients with hepatocellular carcinoma (HCC), mass-type cholangiocarcinoma (MCC), and combined hepatocellular-cholangiocarcinoma (CHCC).

Cited by: 3 Author: Jiahui Zhang, Xiaoli Wang, Lixia Zhang, Lin...
Publish Year: 2020

A radiomics nomogram for the prediction of overall ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC33198809>

Background. HCC is the fifth most common malignancy and ranks as the third most common cause of cancer-related death worldwide [1, 2]. Surgical resection is the preferred treatment option for individuals with HCC [3]. However, the long-term prognosis of patients with hepatocellular carcinoma after resection is dismal, as the 5-year survival rate is only 25–55% and the 5-year recurrence rate is ...

[PDF] Integrated nomograms to predict overall survival and ...

<https://paperchase-aging.s3-us-west-1.amazonaws.com/...>

Search Tools

Turn off Hover Translation (关闭翻译)

国内版

国际版

vComprehensive radiomics nomogram for predicting survival of pa



ALL

IMAGES

VIDEOS

7,070 Results

Any time ▾

[A radiomics nomogram for the prediction of overall ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC33198809>

Background. HCC is the fifth most common malignancy and ranks as the third most common cause of cancer-related death worldwide [1, 2]. Surgical resection is the preferred treatment option for individuals with HCC [3]. However, the long-term prognosis of patients with hepatocellular carcinoma after resection is dismal, as the 5-year survival rate is only 25–55% and the 5-year recurrence rate is ...

[PDF] [A radiomics nomogram for the prediction of overall ...](#)

<https://www.researchgate.net/publication/346908771...>

A radiomics nomogram for the prediction of overall survival in patients with hepatocellular carcinoma after ... Overall survival, Prediction, Nomogram

[PDF] [A radiomics nomogram for the prediction of overall ...](#)

<https://www.semanticscholar.org/paper/A-radiomics...>

Background Hepatocellular carcinoma (HCC) is associated with a dismal prognosis, and prediction of the prognosis of HCC can assist in therapeutic decision-makings. An increasing number of studies have shown that the texture parameters of images can reflect the heterogeneity of tumors, and may have the potential to predict the prognosis of patients with HCC after surgical resection.

[A radiomics nomogram for the prediction of overall ...](#)

<https://cancerimagingjournal.biomedcentral.com/...>

Nov 16, 2020 · HCC is the fifth most common malignancy and ranks as the third most common cause of cancer-related death worldwide [1, 2]. Surgical resection is the preferred treatment option for individuals with HCC [3]. However, the long-term prognosis of patients with hepatocellular carcinoma after resection is dismal, as the 5-year survival rate is only 25–55% and the 5-year recurrence rate is 60–100% [4,5 ...

Cited by: 1

Author: Qinqin Liu, Qinqin Liu, Qinqin Liu, Jing Li,...

Publish Year: 2020

[A radiomics nomogram for preoperatively predicting ...](#)

<https://www.semanticscholar.org/paper/A-radiomics-nomogram-for-preoperatively...>

Background: Increasing studies have indicated that biomarkers based on quantitative radiomics features