

Predictors of radial nerve palsy recovery in humeral shaft ...<https://www.sciencedirect.com/science/article/pii/S1877056816302444>

Apr 01, 2017 · Older age, gross nerve damage, major fracture displacement and high-grade open fracture can be viewed as predictors of the outcome of radial nerve palsy related to humeral shaft...

Cited by: 4

Author: N. Nachev, V. Bariatsky, S. Sulimovic, ...

Publish Year: 2017

Radial nerve palsy associated with closed humeral shaft ...<https://europepmc.org/article/PMC/PMC7966639> ▾

Apr 13, 2020 · Results. Forty studies reporting on 1758 patients with closed humeral shaft fractures were included. The incidence of primary RNP was 10%. There was no difference in the recovery rate of...

PEOPLE ALSO ASK

What is the recovery time for humeral shaft fracture? ▾

When is a spiral fracture of the humeral shaft required? ▾

What is the recovery time for neuropraxia? ▾

What is radial nerve exploration? ▾

[Feedback](#)**Radial nerve palsy associated with closed humeral shaft ...**<https://link.springer.com/article/10.1007/s00402-020-03446-y> ▾

Apr 13, 2020 · Humeral shaft fractures are often associated with radial nerve palsy (RNP) (8–16%). The primary aim of this systematic review was to assess the incidence of primary and secondary RNP ...

Cited by: 1

Author: Laurent A M Hendrickx, Laurent A M Hen...

Publish Year: 2021

Management of Radial Nerve Palsy Following Fractures of ...<https://musculoskeletalkey.com/management-of...> ▾

Oct 06, 2017 · Radial nerve palsy is the most common peripheral nerve injury following a humerus

ALL

IMAGES

VIDEOS

3,870 Results

Any time ▾

[Predictors of radial nerve palsy recovery in humeral shaft ...](#)

<https://www.sciencedirect.com/science/article/pii/S1877056816302444>

Apr 01, 2017 · To clarify this issue, we retrospectively reviewed patients with preoperative or postoperative **radial nerve** palsy related to a **humeral shaft fracture**. The dual objective was to identify predictors of non-recovery of the **radial nerve** palsy and to assess the usefulness of **radial nerve exploration** in patients with preoperative palsy.

Cited by: 7

Author: N. Nachev, V. Bariatinsky, S. Sulimovic, C. F...

Publish Year: 2017

[Radial nerve palsy associated with closed humeral shaft ...](#)

<https://link.springer.com/article/10.1007/s00402-020-03446-y> ▾

Apr 13, 2020 · The **recovery** rate of **primary RNP** in operatively treated **humeral shaft fractures** was 95%. 62 out of 65 **primary RNPs** showed full **recovery without** reintervention. In 41 of these 65, the **radial nerve** was explored during surgery, of which 40 (98%) showed full **recovery**.

Cited by: 1

Author: Laurent A M Hendrickx, Laurent A M Hendri...

Publish Year: 2021

Estimated Reading Time: 7 mins


People also ask

How often does a humeral shaft fracture cause radial nerve palsy? ▾

18-Aug-2021 06:28:11M

2233 words • 5 matches • 5 sources

FAQ

iThenticate®

67047-Review-check.docx

Quotes Excluded
Bibliography Excluded
4%
SIMILARITY

Name of Journal: World Journal of Clinical Cases

Manuscript NO: 67047

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Radial nerve recovery following closed nailing of humeral shaft fractures without radial nerve exploration: A retrospective observational study

Yeh KL *et al.* Nerve recovery from humeral fracture

Kuei-Lin Yeh, Chen-Kun Liaw, Tai-Yin Wu, Chung-Pei Chen

Match Overview

1

Crossref 19 words
Nikolaus Wilhelm Lang, Roman Christian Oettermann, Cathrin Arthold, Julian Joestl, Patrick Platzer. "Retrospective case

1%

2

Internet 14 words
crawled on 27-Dec-2020
www.science.gov

1%

3

Crossref 13 words
Anastasios V. Koromplilas, Marinos G. Lykissas, Ioannis P. Kostas-Agnantis, Marinos D. Volkris et al. "Approach to radial

1%

4

Crossref 13 words
Clausen, Franka M A P, Rinne M, Peters, Diederik O, Verhulst, David L, Hallett, and David Ring. "Factors associated wi

1%

5

Crossref 12 words
Vahid Entezari, Jeffrey J. Olson, Heather A. Vallier. "Predictors of traumatic nerve injury and nerve recovery following

1%

1

2

PAGE: 1 OF 8

Text-Only Report

国内版

国际版

Radial nerve recovery following closed nailing of humeral shaft fra



ALL

IMAGES

VIDEOS

6,360 Results

Any time ▾

[PDF] Radial nerve palsy following closed unreamed nailing of ...

<https://www.oatext.com/pdf/GOS-4-181.pdf>

Chris S (21) Radial nerve palsy following closed unreamed nailing of the humeral diaphysis: A case report Glob Surg, 21 doi: 10.11GOS.111 Volume 4(2): 2-4 territory supplied by the radial nerve. He was transferred urgently to the operating room (within 12 hours from the primary procedure) for radial nerve exploration.

Radial nerve palsy following closed unreamed nailing of ...

<https://www.oatext.com/radial-nerve-palsy...> ▾



Abstract

Background

Case Report

Discussion

Conclusion



Background: Intramedullary nail gains increasing popularity as an option to treat fractures of the humeral shaft. The proximity of the radial nerve to the fracture site is always a concern for iatrogenic nerve damage during nailing. However, there is no documented report of direct radial nerve palsy due to nailing process. Case report: A forty-two years old man was involved in a road traffic accident and he sustained a close fracture of his left humeral diaphysis and a close fracture of the diaphysis of his ips...

[See more on oatext.com](#)

Management of Radial Nerve Palsy Following Fractures of ...

<https://musculoskeletalkey.com/management-of...> ▾

Oct 06, 2017 · Radial nerve palsy is the most common peripheral nerve injury following a humerus fracture, occurring in 2% to 17% of cases. Radial nerve palsies associated with closed humerus fractures have traditionally been treated with observation, with late exploration restricted to cases without spontaneous nerve recovery at 3 to 6 months.

Estimated Reading Time: 12 mins

Predictors of radial nerve palsy recovery in humeral shaft ...

<https://www.sciencedirect.com/science/article/pii/S1877056816302444>

Apr 01, 2017 · To clarify this issue, we retrospectively reviewed patients with preoperative or postoperative radial nerve palsy related to a humeral shaft fracture. The dual objective was to identify predictors of