

ALL

IMAGES

VIDEOS

12,300 Results

Any time ▾

Frontiers | Abnormal Resting-State Functional Connectivity ...

<https://www.frontiersin.org/articles/10.3389/fpsy.2017.00200> ▾

Oct 11, 2017 · The **aberrant function and** structure of the **insula** have been investigated in patients with psychiatric diseases such as **schizophrenia** (36–38), **mood disorder** (39–42), autism spectrum disorder ...

Cited by: 21

Author: Qihua Zhao, Hui Li, Xiaoyan Yu, Fang Huan...

Publish Year: 2017

Network Connectivity Abnormality Profile Supports a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4213949>

The SAL network of **anterior insula and anterior cingulate connectivity** is involved in salience detection(Menon and Uddin, 2010), including behavioral monitoring and error detection(Ullsperger, et al.,...

Depression is associated with hyperconnectivity of an ...

<https://www.sciencedirect.com/science/article/pii/S0165032720301464>

Sep 01, 2020 · Sep 01, 2020 · While depressive symptoms were associated with increased FC of brain regions that form an introspective socio-affective network, such as the **precuneus**, bilateral **anterior**...

Functional and effective connectivity of anterior insula ...

https://www.researchgate.net/publication/225290667_Functional_and_effective...

The **anterior insula** has been proposed to play a crucial role in eating **disorders**. However, it is still poorly

<https://www.sciencedirect.com/science/article/pii/S0165032720301464> olved in anorexia nervosa (AN) and bulimia ...

Attention Deficit Hyperactivity Disorder

Medical condition

Symptoms

Diagnosis

Causes

Treatments

>

Attention-deficit/hyperactivity disorder (ADHD) is a brain disorder marked by an ongoing pattern of inattention and/or hyperactivity-impulsivity that interferes with functioning or development.

NIH

Symptoms

There are three categories of ADHD symptoms in addition to three types of the disorder. Symptoms are classified as:

- inattention: getting distracted easily, having poor concentration and organizational skills
- impulsivity: interrupting, taking risks...

[Read more on Healthline](#)

Causes

The cause of ADHD isn't known. Researchers say several things may lead



67091_Auto_Edited.docx

Quotes Excluded
Bibliography Excluded8%
SIMILAR**Name of Journal:** *World Journal of Psychiatry***Manuscript NO:** 67091**Manuscript Type:** ORIGINAL ARTICLE*Basic Study***Differential Aberrant Connectivity of Precuneus and Anterior Insula May Underpin the Diagnosis of Schizophrenia and Mood Disorders**

Abberant connectivity of precuneus

Katrin Aryutova, Rositsa Paunova, Sevdalina Kandilarova, Kristina Stoyanova, Michael HJ Maes, Drozdstoy Stoyanov

Match Overview

1	Internet 94 words crawled on 14-Apr-2021 www.preprints.org	2%
2	Crossref 67 words Drozdstoy Stoyanov, Katrin Aryutova, Sevdalina Kandilarov a, Rositsa Paunova et al. "Diagnostic Task Specific Activati	1%
3	Crossref 59 words Katrin Aryutova, Rositsa Paunova, Sevdalina Kandilarova, A nna Todeva-Radneva, Drozdstoy Stoyanov. "Implications fr	1%
4	Crossref 47 words Elizabeth B. Liddle, Darren Price, Lena Palaniyappan, Matth ew J. Brookes et al. "Abnormal salience signaling in schiz ...	1%
5	Internet 46 words crawled on 14-Jan-2021 profiles.stanford.edu	1%
6	Crossref 17 words Takahiko Koike, Hiroki C Tanabe, Saori Adachi-Abe, Shuntar o Okazaki et al. "Role of the right anterior insular cortex in ...	<1%
7	Internet 17 words crawled on 29-Jan-2020 www.mdpi.com	<1%
8	Internet 15 words crawled on 27-Jan-2015	<1%



ALL

IMAGES

VIDEOS



Add the Give with Bing extension >

12,300 Results

Any time ▾

[Medial Prefrontal and Anterior Insular Connectivity in ...](#)

<https://ir.lib.uwo.ca/cgi/viewcontent.cgi?article=1282&context=brainpub>

Medial Prefrontal **and Anterior Insular Connectivity** in Early **Schizophrenia** and Major Depressive Disorder: A Resting Functional MRI Evaluation of Large-Scale Brain Network Models. Jacob Penner
Department of Psychiatry, University of Western Ontario, London, ON, ...

Cited by: 30**Author:** Jacob Penner, Jacob Penner, Jacob Pen...**Publish Year:** 2016

Search Tools

[Turn off Hover Translation \(关闭取词\)](#)

[Effect of Risperidone Monotherapy on Dynamic Functional ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7147596>

Sep 05, 2019 · Objective. The **insula** consists of functionally diverse subdivisions, and each division plays different roles in **schizophrenia** neuropathology. The current study aimed to investigate the abnormal patterns of dynamic functional **connectivity** (dFC) of insular subdivisions in **schizophrenia** and the effect of antipsychotics on these connections.

Cited by: 13**Author:** Xujun Duan, Maolin Hu, Maolin Hu, Maoli...**Publish Year:** 2020

[Aberrant Spontaneous and Task-Dependent Functional ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4851245>

As reviewed above, growing evidence suggests altered brain **connectivity** across the anxiety **disorders**. Given that **connectivity** is **aberrant** across several neural regions (amygdala-frontal, frontal-striatal) and across several canonical neural networks (DMN, SN), a more accurate depiction of anxiety pathophysiology **may** therefore involve widespread ...