

Microsoft Bing

国内版

国际版

Diagnosis of focal liver lesions with deep learning-based multi-cha

Sign in

ALL

IMAGES

VIDEOS

12,300 ResultsAny time

Diagnosis of focal liver lesions from ultrasound using ...

<https://www.researchgate.net/publication/332051690...>

Schmauch et al. proposed a **deep learning** model based on ResNet for the **detection** and classification of **focal liver lesions** into the abovementioned diseases, as well as **focal nodular hyperplasia** ...

Deep learning based classification of focal liver lesions ...

<https://www.researchgate.net/publication/261717006...>

In this paper, we propose a **deep learning**-based multi-scale and multi-level fusing approach of CNNs for liver lesion **diagnosis** on **magnetic resonance** images, termed as MMF-CNN.

Estimated Reading Time: 9 mins

The overview of the deep learning integrated into the ...

<https://link.springer.com/article/10.1007/s12072-021-10229-z>

Jul 15, 2021 · **Deep learning** (DL) is a recently developed artificial intelligent method that can be integrated into numerous fields. For the **imaging diagnosis** of liver disease, several remarkable outcomes have been achieved with the application of DL currently. This advanced algorithm takes part in various sections of **imaging** processing such as liver segmentation, lesion delineation, disease ...

Author: Kaijie Xiang, Baihui Jiang, Dong Shang Publish Year: 2021

Deep learning assisted differentiation of hepatocellular ...

<https://link.springer.com/article/10.1007/s00261-020-02485-8>

Mar 30, 2020 · Purpose To evaluate whether a three-phase dynamic **contrast-enhanced** CT protocol, when combined with a **deep learning** model, has similar accuracy in differentiating hepatocellular


Search Tools

Turn off Hover Translation (关闭翻译)

13-Aug-2021 03:12PM

3762 words • 4 matches • 2 sources

FAQ

 iThenticate®

67143_Auto_Edited.docx

Quotes Excluded
Bibliography Excluded

1%
similarity

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 67143

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Diagnosis of focal liver lesions with deep learning-based multi-channel analysis of hepatocyte-specific contrast-enhanced magnetic resonance imaging

Liver tumor classification with DenseNets

Róbert Stollmayer, Bettina K Budai, Ambrus Tóth, Ildikó Kalina, Erika Hartmann, Péter Szoldán, Viktor Bérczi, Pál Maurovich-Horvat, Pál N Kaposi

Match Overview

1

Internet 40 words
crawled on 09-Apr-2021
doctorspenguin.com

1%






2

Internet 13 words
crawled on 13-Apr-2020
www.lanlondon.com

<1%

1 2

PAGE 1 OF 14

Text-Only Report

国内版

国际版

Diagnosis of focal liver lesions with deep learning-based multi-cha



ALL

IMAGES

VIDEOS

11,900 Results

Any time ▾

Deep learning based classification of focal liver lesions ...

<https://www.researchgate.net/publication/261717006...>

In this paper, we propose a deep learning-based multi-scale and multi-level fusing approach of CNNs for liver lesion diagnosis on magnetic resonance images, termed as MMF-CNN.

Estimated Reading Time: 9 mins

The overview of the deep learning integrated into the ...

<https://link.springer.com/article/10.1007/s12072-021-10229-z> ▾

Jul 15, 2021 · Deep learning (DL) is a recently developed artificial intelligent method that can be integrated into numerous fields. For the imaging diagnosis of liver disease, several remarkable outcomes have been achieved with the application of DL currently. This advanced algorithm takes part in various sections of imaging processing such as liver segmentation, lesion delineation, disease ...

Author: Kailai Xiang, Baihui Jiang, Dong Shang Publish Year: 2021

Deep learning assisted differentiation of hepatocellular ...

<https://link.springer.com/article/10.1007/s00261-020-02485-8> ▾

Mar 30, 2020 · Purpose To evaluate whether a three-phase dynamic contrast-enhanced CT protocol, when combined with a deep learning model, has similar accuracy in differentiating hepatocellular carcinoma (HCC) from other focal liver lesions (FLLs) compared with a four-phase protocol. Methods Three hundred and forty-two patients (mean age 49.1 ± 10.5 years, range 19–86 years, 65.8% male) ...

Cited by: 9

Author: Wenqi Shi, Sichi Kuang, Sue Cao, Bing ...

Publish Year: 2020

Estimated Reading Time: 11 mins

Automatic Detection and Classification of Focal Liver ...

https://www.researchgate.net/publication/348879697_Automatic_Detection_and...

Jan 29, 2021 · Focal Liver Lesions in Multi-phase CT Images Using A Multi-channel & Multi-scale CNN, Conference proceedings: Annual International Conference of the IEEE Engineering in Medicine and Biology Society.

Automated detection and delineation of hepatocellular ...

<https://link.springer.com/article/10.1007/s00261-020-02604-5> ▾

Jun 04, 2020 · Purpose Liver Imaging Reporting and Data System (LI-RADS) uses multiphasic contrast-enhanced imaging for hepatocellular carcinoma (HCC) diagnosis. The goal of this feasibility