



67178\_Auto\_Edited.docx

Quotes Excluded  
Bibliography Excluded

8%  
SIMILAR

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 67178

**Manuscript Type:** CASE REPORT

**Retroperitoneal laparoscopic partial nephrectomy for unilateral synchronous multifocal renal carcinoma with different pathological types: A case report**

Zhou KZ *et al.* Retroperitoneal laparoscopic partial nephrectomy for USMRC

Shu-Kui Zhou, Ying-Ming Xiao, Sheng-Ke Yang, Ying Wang, Dun Mao, Fang-Lei Duan

## Match Overview

1	<b>Internet</b> 50 words crawled on 08-Oct-2020 <a href="http://www.hindawi.com">www.hindawi.com</a>	2%
2	<b>Crossref</b> 17 words MICHAEL L. BLUTE, GREGORY P. THIBAUT, BRADLEY C. LEBOVICH, JOHN C. CHEVILLE, CHRISTINE M. LOH	1%
3	<b>Crossref</b> 16 words Aurélien Beaugerie, François Audenet, Virginie Verkarre, Christophe Delavaud et al. "Pathological heterogeneity in sp	1%
4	<b>Crossref</b> 16 words Jay Simhan, Daniel J. Canter, Steven N. Sterious, Marc C. Smaldone et al. "Pathological Concordance and Surgical O	1%
5	<b>Crossref</b> 14 words Wenwen Zheng, Weiwei Zhu, Shengqiang Yu, Kangqi Li, Yuxia Ding, Qingna Wu, Qiling Tang, Quan Zhao, Congxiao	1%
6	<b>Internet</b> 13 words crawled on 09-Jun-2009	1%



ALL

IMAGES

VIDEOS

16,200 Results

Any time ▾

## Unilateral Synchronous Multiple Kidney Tumors Managed by ...

<https://www.ncbi.nlm.nih.gov/pubmed/31779775>

Unilateral synchronous multifocal renal tumors are rare. Due to the limited data in the literature and challenges in the technique, there is still doubt on the application of laparoscopic partial nephrectomy (LPN) for the management of such tumors.

Author: Mehmet Necmettin Mercimek, Latif M... Publish Year: 2019

## Partial and Radical Nephrectomy for Unilateral Synchronous ...

<https://www.sciencedirect.com/science/article/pii/S0090429515002101>

Jun 01, 2015 · Renal cortical tumors are multifocal in 3.5%-25% of patients. 1 Traditionally, patients with unilateral, synchronous, multifocal disease were treated with radical nephrectomy (RN), thus avoiding possible residual ipsilateral lesions and achieving maximal oncologic benefit, despite the negative effects on renal function and risk of subsequent chronic kidney disease (CKD).2, 3 Recent ...

Cited by: 11 Author: Roy Mano, Matthew Kent, Yaniv Larish, A...

Publish Year: 2015

## Partial and Radical Nephrectomy for Unilateral Synchronous ...

<https://www.researchgate.net/publication/275047920...>

In the open partial nephrectomy group 59 of 865 cases (7%, 95% CI 5-9) and in the laparoscopic partial nephrectomy group 2 of 164 (1.2%, 95% CI 0.01-4) were converted.

## [Synchronous bilateral chromophobe cell renal carcinoma: a ...

<https://www.ncbi.nlm.nih.gov/pubmed/19827620>

We planned primary unilateral partial nephrectomy, followed by secondary contralateral radical nephrectomy. Left partial nephrectomy was performed and 4 months later, laparoscopic right renal nephrectomy was performed without serious postoperative renal dysfunction. Pathological diagnosis of both tumors was chromophobe renal carcinoma.

Cited by: 2 Author: Masatoshi Mukai, Ryoichi Imamura, Hito...

Publish Year: 2009

## Pathological Concordance and Surgical Outcomes of ...

<https://www.sciencedirect.com/science/article/pii/S0022534712047118>

Jan 01, 2013 · Jan 01, 2013 · Pathological Concordance and Surgical Outcomes of Sporadic

Retroperitoneal laparoscopic partial nephrectomy for unilateral sync



ALL

IMAGES

VIDEOS

12,100 Results

Any time ▾

## Unilateral Synchronous Multiple Kidney Tumors Managed by ...

<https://www.ncbi.nlm.nih.gov/pubmed/31779775>

**Unilateral synchronous multifocal renal** tumors are rare. Due to the limited data in the literature and challenges in the technique, there is still doubt on the application of **laparoscopic partial nephrectomy** (LPN) for the management of such tumors.

**Author:** Mehmet Necmettin Mercimek, Latif ...

**Publish Year:** 2019

## Partial and Radical Nephrectomy for Unilateral Synchronous ...

<https://www.sciencedirect.com/science/article/pii/S0090429515002101>

Jun 01, 2015 · **Renal** cortical tumors are **multifocal** in 3.5%-25% of patients. 1 Traditionally, patients with **unilateral, synchronous, multifocal** disease were treated with radical **nephrectomy** (RN), thus avoiding possible residual ipsilateral lesions and achieving maximal oncologic benefit, despite the negative effects on **renal** function and risk of subsequent chronic kidney disease (CKD).2, 3 Recent ...

**Cited by:** 11

**Author:** Roy Mano, Matthew Kent, Yaniv Larish, ...

**Publish Year:** 2015

## Partial and Radical Nephrectomy for Unilateral Synchronous ...

<https://www.researchgate.net/publication/275047920...>

With respect to management, Mano et al., in their retrospective analysis, reported a shift in practice over the years for the surgical treatment of **unilateral synchronous multifocal** RCCs, as 82% ...

## Partial nephrectomy with retroperitoneal laparoscopy ...

[https://www.researchgate.net/publication/12730778\\_Partial\\_nephrectomy\\_with...](https://www.researchgate.net/publication/12730778_Partial_nephrectomy_with...)

Request PDF | **Partial nephrectomy** with **retroperitoneal** laparoscopy | Laparoscopy has gradually gained acceptance for a variety of ablative procedures of the **retroperitoneal** organs, and the ...

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

Show language tabs

12,100 Results

Any time ▾

## Unilateral Synchronous Multiple Kidney Tumors Managed by ...

<https://www.ncbi.nlm.nih.gov/pubmed/31779775>

**Unilateral synchronous multifocal renal** tumors are rare. Due to the limited data in the literature and challenges in the technique, there is still doubt on the application of **laparoscopic partial nephrectomy** (LPN) for the management of such tumors.

**Author:** Mehmet Necmettin Mercimek, Latif Mu...**Publish Year:** 2019

## Partial and Radical Nephrectomy for Unilateral Synchronous ...

<https://www.sciencedirect.com/science/article/pii/S0090429515002101>

Jun 01, 2015 · **Renal** cortical tumors are **multifocal** in 3.5%-25% of patients. 1 Traditionally, patients with **unilateral, synchronous, multifocal** disease were treated with radical **nephrectomy** (RN), thus avoiding possible residual ipsilateral lesions and achieving maximal oncologic benefit, despite the negative effects on **renal** function and risk of subsequent chronic kidney disease (CKD).2, 3 Recent reports ...

**Cited by:** 11**Author:** Roy Mano, Matthew Kent, Yaniv Larish, And...**Publish Year:** 2015

## [Synchronous bilateral chromophobe cell renal carcinoma: a ...

<https://www.ncbi.nlm.nih.gov/pubmed/19827620>

We planned primary **unilateral partial nephrectomy**, followed by secondary contralateral radical **nephrectomy**. Left **partial nephrectomy** was performed and 4 months later, **laparoscopic right renal nephrectomy** was performed without serious postoperative **renal** dysfunction. **Pathological** diagnosis of both tumors was chromophobe **renal carcinoma**.

**Cited by:** 2**Author:** Masatoshi Mukai, Ryoichi Imamura, Hitoshi...**Publish Year:** 2009

## Pathological Concordance and Surgical Outcomes of Sporadic ...

<https://www.sciencedirect.com/science/article/pii/S0022534712047118>

Jan 01, 2013 · **Pathological** Concordance and Surgical Outcomes of Sporadic **Synchronous Unilateral Multifocal Renal** Masses Treated with **Partial Nephrectomy** Author links open overlay panel Jay Simhan a \* Daniel J. Canter c \* Steven N. Sterious a Marc C. Smaldone a Kevin J. Tsai a Tianyu Li b Rosalia Viterbo a David Y.T. Chen a Richard E. Greenberg a ...

**Cited by:** 18**Author:** Jay Simhan, Daniel J. Canter, Steven N. Ste...**Publish Year:** 2013