

 [Add the Give with Bing extension >](#)

 [Add the Give with Bing extension >](#)

Upper gastrointestinal
bleeding

Gastrointestinal Bleeding

Symptoms Diagnosis >

Upper gastrointestinal bleeding is gastrointestinal bleeding in the upper gastrointestinal tract, commonly defined as bleeding arising from the esophagus, stomach, or duodenum. Blood may be observed in vomit or in altered form as black stool. Depending on the amount of the blood loss, symptoms may include shock.

Upper gastrointestinal bleeding is gastrointestinal bleeding in the upper gastrointestinal tract, commonly defined as bleeding arising from the esophagus, stomach, or duodenum. Blood may be observed in vomit or in altered form as black stool. Depending on the amount of the blood loss, symptoms may include shock.

Upper gastrointestinal bleeding is gastrointestinal bleeding in the upper gastrointestinal tract, commonly defined as bleeding arising from the esophagus, stomach, or duodenum. Blood may be observed in vomit or in altered form as black stool. Depending on the amount of the blood loss, symptoms may include shock.

Upper gastrointestinal bleeding is gastrointestinal bleeding in the upper gastrointestinal tract, commonly defined as bleeding arising from the esophagus, stomach, or duodenum. Blood may be observed in vomit or in altered form as black stool. Depending on the amount of the blood loss, symptoms may include shock.

Upper gastrointestinal bleeding is gastrointestinal bleeding in the upper gastrointestinal tract, commonly defined as bleeding arising from the esophagus, stomach, or duodenum. Blood may be observed in vomit or in altered form as black stool. Depending on the amount of the blood loss, symptoms may include shock.

[Is the AIMS65 score useful in predicting outcomes in ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3930983>

Feb 21, 2014 · Acute **upper gastrointestinal (GI) bleeding** is a common emergency associated with high morbidity and medical expense. The yearly incidence of acute **upper GI bleeding** is 50-150 per 100000 of the population, with a mortality rate of 10%-14%. A major cause of acute **upper gastrointestinal bleeding** is **peptic ulcer bleeding**.

Cited by: 26

Author: Sung Hoon Jung, Jung Hwan Oh, Hye Yeo...

Publish Year: 2014

[Nonvariceal upper gastrointestinal tract bleeding – risk ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3832819>

Oct 31, 2013 · **Upper gastrointestinal tract bleeding** (UGIB) is a frequently encountered acute surgical emergency and the most frequent complication of **peptic ulcer** disease. It is estimated to occur in 50–172/100 000 people annually. The incidence of UGIB increases in populations with the lowest socioeconomic status [1, 2].

Cited by: 4

Author: Pawel Wierzbowski, Stanislaw Dabrowie...

Publish Year: 2013

People also ask

What are the side effects of a peptic ulcer?




What should the nutritional value be for a peptic ulcer?



22-Aug-2021 10:28PM

2704 words • 0 matches • 0 sources

FAQ

 iThenticate

67358_Auto_Edited.docx

Quotes Excluded
Bibliography Included0%
0/2704

Match Overview

There are no matching sources for this report.

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 67358

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Serum gastrin-17 concentration for prediction of upper gastrointestinal tract bleeding risk among peptic ulcer patients

Serum G-17 and bleeding ulcer risk

Junxian Wang, Yuping Cao, Peng Su, Wei He, Xiaoping LJ, Yameng Zhu

国内版

国际版

Serum gastrin-17 concentration for prediction of upper gastrointes



ALL

IMAGES

VIDEOS

14,800 Results

Any time ▾

Is the AIMS65 score useful in predicting outcomes in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3930983>

Feb 21, 2014 · Acute upper gastrointestinal (GI) bleeding is a common emergency associated with high morbidity and medical expense. The yearly incidence of acute upper GI bleeding is 50-150 per 100000 of the population, with a mortality rate of 10%-14%. A major cause of acute upper gastrointestinal bleeding is peptic ulcer bleeding.

Cited by: 26

Author: Sung Hoon Jung, Jung Hwan Oh, Hye Ye...

Publish Year: 2014

Long-Term Risk of Upper Gastrointestinal Hemorrhage after ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4348674>

Mar 06, 2015 · Introduction. The risk of upper gastrointestinal bleeding (UGIB) in patients with CKD or ESRD is reportedly greater than that observed in the general population (1,2). Additionally, patients with ESRD who developed UGIB have higher mortality than those without ESRD who developed UGIB (3-6). While several uremia-specific factors, including platelet dysfunction and impaired platelet-vessel ...

Cited by: 24

Author: Pei-Chen Wu, Pei-Chen Wu, Chih-Jen W...

Publish Year: 2015

People also ask

What are the side effects of a peptic ulcer?



What should the nutritional value be for a peptic ulcer?



Which is more common perforation or bleeding peptic ulcer?



What's the average age of a gastric ulcer?



Feedback

The vital threat of an upper gastrointestinal bleeding ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4087577>

Jun 14, 2006 · Acute bleeding from the upper gastrointestinal (UGI) tract remains a major cause of