

PEER-REVIEW REPORT

Name of journal: *World Journal of Orthopedics*

Manuscript NO: 67527

Title: Allergic Dermatitis After Knee Arthroscopy with Repeated Exposure to Dermabond Prineo™ in Pediatric Patients: A Report of Two Cases

Reviewer's code: 05269643

Position: Peer Reviewer

Academic degree: MD

Professional title: Attending Doctor, Chief Physician, Deputy Director, Doctor, Surgeon

Reviewer's Country/Territory: China

Author's Country/Territory: United States

Manuscript submission date: 2021-04-30

Reviewer chosen by: AI Technique

Reviewer accepted review: 2021-06-20 23:48

Reviewer performed review: 2021-06-24 08:15

Review time: 3 Days and 8 Hours

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input checked="" type="checkbox"/> Grade A: Priority publishing <input type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input checked="" type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Peer-reviewer statements	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
<https://www.wjgnet.com>

SPECIFIC COMMENTS TO AUTHORS

[Introduction] - Language is good - There is no need to cite the topical application of Prineo™ from manufacture's guideline. Therefore, I suggest deleting Line 80-83 (It is intended for ... guidelines). [Case presentations] - Very well written in clear language - The author stated that the first patient's TED hose were discontinued until the blisters dried up, but did not mention the second patient's TED hose during the treatment. [Discussion] - Generally, Discussion section is well written but too verbose. - For example, the authors provided 3 paragraphs (line 241-267) to describe a noticeable reduction in operating time in the use of Prineo™. I think such points should be in brief, because this manuscript highlighted the rare complication of Prineo™ rather than the advantages of Prineo™. [Conclusion] - The first sentence is not the real conclusion from this case report; please delete it. - Line 280 and 282, I prefer "case report" to "case series" because there are only 2 cases in this manuscript. [Figures] - Figure legends need to be rephrased to provide robust and "stand alone" information, if a reader viewed only that Figure without reading the text. [References] - Appropriate

PEER-REVIEW REPORT

Name of journal: *World Journal of Orthopedics*

Manuscript NO: 67527

Title: Allergic Dermatitis After Knee Arthroscopy with Repeated Exposure to Dermabond Prineo™ in Pediatric Patients: A Report of Two Cases

Reviewer's code: 05112656

Position: Peer Reviewer

Academic degree: MD, PhD

Professional title: Associate Professor, Chief Doctor

Reviewer's Country/Territory: South Korea

Author's Country/Territory: United States

Manuscript submission date: 2021-04-30

Reviewer chosen by: AI Technique

Reviewer accepted review: 2021-06-19 10:35

Reviewer performed review: 2021-06-26 00:37

Review time: 6 Days and 14 Hours

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input checked="" type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input checked="" type="checkbox"/> Grade A: Priority publishing <input type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input checked="" type="checkbox"/> Rejection
Re-review	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Peer-reviewer statements	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
<https://www.wjgnet.com>

SPECIFIC COMMENTS TO AUTHORS

In the case where several studies have already been conducted, even if the subject of the cases are pediatric patients, it is not considered to be a unique or new message.

PEER-REVIEW REPORT

Name of journal: *World Journal of Orthopedics*

Manuscript NO: 67527

Title: Allergic Dermatitis After Knee Arthroscopy with Repeated Exposure to Dermabond Prineo™ in Pediatric Patients: A Report of Two Cases

Reviewer's code: 05172135

Position: Peer Reviewer

Academic degree: MD

Professional title: Doctor

Reviewer's Country/Territory: Italy

Author's Country/Territory: United States

Manuscript submission date: 2021-04-30

Reviewer chosen by: AI Technique

Reviewer accepted review: 2021-06-19 07:37

Reviewer performed review: 2021-07-02 22:22

Review time: 13 Days and 14 Hours

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Peer-reviewer statements	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
<https://www.wjgnet.com>

SPECIFIC COMMENTS TO AUTHORS

well written, facing an underestimated complication of a device of increasing use. the schematic approach is excellent. Good is the final discussion.