

Urotensin II levels in patients with inflammatory bowel disease



ALL

IMAGES

VIDEOS

176,000 Results

Any time ▼

Exercise in patients with inflammatory bowel diseases ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5743119>

Dec 22, 2017 · A total of 53%–58% of **IBD patients** classified themselves as inactive while 24%–25% described moderate activity **levels** and 18%–20% reported high activity **levels**.⁴⁸ A recent survey of 877...

A review of liver disorders in inflammatory bowel disease ...

<https://www.oatext.com/a-review-of-liver-disorders...> ▼

Abstract. Disorders of the liver and the biliary tract are frequently the extraintestinal manifestations of **inflammatory bowel disease (IBD)**. The etiology of these hepato-biliary conditions is deemed secondary[†].

PEOPLE ALSO ASK

How are immunosuppressants used to treat inflammatory bowel disease? ▼

What are the nutritional considerations in inflammatory bowel disease? ▼

Is there a genetic predisposition for inflammatory bowel disease? ▼

When to use calcium supplementation for inflammatory bowel disease? ▼

Feedback

The Association of Disease Activity, BMI and Phase Angle

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 67600

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Urotensin II levels in patients with inflammatory bowel disease

Urotensin II in IBD

Damir Alicic, Dinko Martinovic, Doris Rusic, Piero Marin Zivkovic, Ivana Tadin
 Hadjina, Marino Vilovic, Marko Kumric, Daria Tokic, Daniela Supe-Domic, Slaven
 Lupi-Ferandin, Josko Bozic

Match Overview

1	Crossref 57 words Darko Brnić, Dinko Martinovic, Piero Marin Zivkovic, Dari a Tokic et al. "Serum adropin levels are reduced in patie ...	2%
2	Internet 39 words crawled on 22-Sep-2020 www.wjgnet.com	1%
3	Internet 31 words crawled on 02-Nov-2020 www.nature.com	1%
4	Crossref 18 words Qing-qing Yu, Da-xin Cheng, Li-ran Xu, Yan-kui Li et al. "Urotensin II and urantide exert opposite effects on the (...)	1%
5	Internet 16 words hdl.handle.net	<1%
6	Crossref 15 words AHMED FAHIM, MICHAEL G. CROOKS, RACHEL WILM OT, ANNE P. CAMPBELL, ALYN H. MORICE, SIMON P.	<1%
7	Internet 14 words crawled on 09-Sep-2019 tessera.spandidos-publications.com	<1%
8	Internet 13 words crawled on 14-Apr-2020 www.mdpi.com	<1%
9	Crossref 12 words Cristina Bauset, Laura Gisbert-Ferrándiz, Jesús Cosín-Ro ger. "Metabolomics as a Promising Resource Identifying ...	<1%

国内版

国际版



Urotensin II levels in patients with inflammatory bowel disease



All

Images

Videos

322,000 Results

Urotensin II receptor expression in patients with ...

<https://pubmed.ncbi.nlm.nih.gov/31293119>

Background: **Urotensin II** (U-II) is a vasoactive peptide that interacts with a specific receptor named UTR. Recently, our group has demonstrated increased UTR expression in both human colon adenocarcinoma cell lines and adenomatous polyps, as well as in colon carcinoma samples if compared to healthy colon samples of the same **patients**.

Cited by: 1

Author: Antonietta G Gravina, Marcello Dallio, Conc...

Publish Year: 2020

Clinical significance of C-reactive protein levels in ...

<https://pubmed.ncbi.nlm.nih.gov/25501922>

Clinical significance of C-reactive protein **levels** in predicting responsiveness to iron therapy **in patients with inflammatory bowel disease** and iron deficiency anemia Dig Dis Sci . 2015 May;60(5):1375-81. doi: 10.1007/s10620-014-3460-4.

Cited by: 23

Author: Tariq Iqbal, Jürgen Stein, Naveen Sharma, ...

Publish Year: 2015

Images of Urotensin II levels in patients with Inflammatory Bowel ...

<bing.com/images>