

[\[PDF\] Multimodality imaging features of desmoid tumors: a head ...](#)<https://insightsimaging.springeropen.com/track/pdf/10.1186/s13244-020-00908-0>

Abstract **Desmoid tumors** (DTs) are a rare and biologically heterogeneous group of locally aggressive fibroblastic neoplasm: their biological behavior spectrum ranges from indolent to aggressive **tumors**. DTs are classified as intra-abdominal, extra-abdominal, and within the abdominal wall lesions.

[Multimodality imaging features of desmoid tumors: a head ...](#)<https://insightsimaging.springeropen.com/articles/10.1186/s13244-020-00908-0> ▾

Sep 25, 2020 · **Desmoid tumors** (DTs) are a rare and biologically heterogeneous group of locally aggressive fibroblastic neoplasm: their biological behavior spectrum ranges from indolent to aggressive **tumors**. DTs are classified as intra-abdominal, extra-abdominal, and within the abdominal wall lesions.

Cited by: [2](#)

Author: F. Rosa, C. Martinetti, F. Piscopo, D. Buccic...

Publish Year: 2020

Estimated Reading Time: 9 mins

## PEOPLE ALSO ASK

Which is the best description of a desmoid tumor? ▾

What causes a desmoid tumor in the thigh? ▾

Can a desmoid tumor be positive for SMA? ▾

**Desmoid tumor mimics local recurrence of extremity ...**<https://pubmed.ncbi.nlm.nih.gov/32212166>

We extracted clinical, pathologic, radiographic, and operative data for the primary neoplasms and desmoid tumors. Results: Four patients with postresection surveillance magnetic resonance imaging suspicious for local recurrence underwent further analysis showing desmoid tumors. Patients underwent image-guided needle biopsy, with specimens demonstrating fibromatosis-type histologic ...

Cited by: 1

Author: Samir Sabharwal, Shivani Ahlawat, Adam...

Publish Year: 2020

**[PDF] Role of Imaging in Management of Desmoid-type ...**<https://pubs.rsna.org/doi/pdf/10.1148/rg.2016150153>

Desmoid-type fibromatosis (DF) is a locally aggressive fibroblastic neoplasm that has variable clinical and biologic behaviors ranging from indolent tumors that can undergo spontaneous regression to aggressive tumors with a tendency toward local invasion and recur-rence. The management of DF has evolved considerably in the last

## PEOPLE ALSO ASK

What are the radiographic features of a desmoid tumor? ▾

Is the desmoid tumor the same as Fibromatosis? ▾

Which is more sensitive to local tumor extension? ▾

[Feedback](#)**Multimodality imaging features of desmoid tumors: a head ...**<https://insightsimaging.springeropen.com/articles/10.1186/s13244-020-00908-0> ▾

Sep 25, 2020 · Desmoid tumors (DTs) are a rare and biologically heterogeneous group of locally aggressive fibroblastic neoplasm: their biological behavior spectrum ranges from indolent to aggressive tumors. DTs are classified as intra-abdominal, extra-abdominal, and within the abdominal wall lesions. It is well known that abdominal and extra-abdominal DTs are associated with familial adenomatous ...

Cited by: 3

Author: F. Rosa, C. Martinetti, F. Piscopo, D. Bu...

Publish Year: 2020

Estimated Reading Time: 10 mins



国内版

国际版

Analysis of the clinical and imaging features of desmoid tumors of



ALL

IMAGES

VIDEOS

73,700 Results

Any time ▾

### Desmoid tumor mimics local recurrence of extremity ...

<https://pubmed.ncbi.nlm.nih.gov/32212166>

We extracted clinical, pathologic, radiographic, and operative data for the primary neoplasms and **desmoid tumors**. Results: Four patients with postresection surveillance magnetic resonance **imaging** suspicious for local recurrence underwent further **analysis** showing **desmoid tumors**. Patients underwent image-guided needle biopsy, with specimens demonstrating fibromatosis-type histologic ...

Cited by: 1

Author: Samir Sabharwal, Shivani Ahlawat, Adam...

Publish Year: 2020

### Multimodality imaging features of desmoid tumors: a head ...

<https://insightsimaging.springeropen.com/articles/10.1186/s13244-020-00908-0> ▾

Sep 25, 2020 · Desmoid tumors (DTs) are a rare and biologically heterogeneous group of locally aggressive fibroblastic neoplasm: their biological behavior spectrum ranges from indolent to aggressive **tumors**. DTs are classified as intra-abdominal, extra-abdominal, and within the abdominal wall lesions. It is well known that abdominal and extra-abdominal DTs are associated with familial adenomatous ...

Cited by: 3

Author: F. Rosa, C. Martinetti, F. Piscopo, D. Bu...

Publish Year: 2020

Estimated Reading Time: 10 mins

#### PEOPLE ALSO ASK

What are the radiographic features of a desmoid tumor? ▾

Is the desmoid tumor the same as Fibromatosis? ▾

How is MR imaging used to diagnose soft tissue tumors? ▾

What are the features of a benign fibrous soft tumor? ▾

Feedback

### [PDF] Multimodality imaging features of desmoid tumors: a ...

<https://insightsimaging.springeropen.com/track/pdf/10.1186/s13244-020-00908-0>

Abstract Desmoid tumors (DTs) are a rare and biologically heterogeneous group of locally aggressive fibroblastic neoplasm: their biological behavior spectrum ranges from indolent to aggressive **tumors**. DTs