

[Successful anesthetic management of laparoscopic ...

<https://pubmed.ncbi.nlm.nih.gov/25693344>

A 70-year-old man with Becker muscular dystrophy (BMD) underwent laparoscopic rectopexy under general anesthesia. For anesthetic induction, we administered total 0.6 mg · kg⁻¹ of rocuronium with titration. Eight minutes later, train-of-four (TOF) count reached to 0 and the patient was intubated smoo ...

Cited by: 1

Author: Satoshi Yamaguchi, Giichiro Ohno, Jiro Kita...

Publish Year: 2014

Anesthetic implications of muscular dystrophies ...

<https://journals.lww.com/rca/Fulltext/2018/09000/...>

The anesthetic management of patients with muscular dystrophies is particularly difficult because of the risk of rhabdomyolysis leading to hyperkalemia and cardiac arrest, malignant arrhythmias, increased muscle weakness, airway management problems, and exacerbation of the respiratory failure.

PEOPLE ALSO ASK

Why is anesthetic management difficult for Muscular dystrophies patients? ▾

How are Duchenne and Becker muscular dystrophy the same? ▾

Why are muscular dystrophies so difficult to manage? ▾

How often is general anesthesia given to children? ▾

Feedback

Anesthesia management in pediatric patients with laryngeal ...

<https://pubmed.ncbi.nlm.nih.gov/21907420>

Anesthesia management in pediatric patients with laryngeal papillomatosis undergoing suspension laryngoscopic surgery and a review of the literature Int J Pediatr Otorhinolaryngol. 2011 Nov;75(11):1442-5. doi: 10.1016/j.ijporl.2011.08.012. Epub 2011 Sep 9. Authors ...

Cited by: 16

Author: Lin Bo, Bing Wang, Shi-Yu Shu, Shi-Yu Shu

Publish Year: 2011

Laparoscopic gynecological surgery in an adult woman with ...

<https://pubmed.ncbi.nlm.nih.gov/32311965>

Rationale: **Becker muscular dystrophy** (BMD) and Duchenne **muscular dystrophy** (DMD) are progressive neuromuscular disorders caused by mutations in the dystrophin gene. The **management of anesthesia** in patients with BMD is complicated because they are highly sensitive to the conventional anesthetics such as volatile anesthetics and muscle relaxants.

Cited by: 1

Author: Shi-Yao Zhou, Dan Wang, Chang Liu, Shi ...

Publish Year: 2020

PEOPLE ALSO ASK


Why is anesthetic management difficult for Muscular dystrophies patients? ▾

How are Duchenne and Becker muscular dystrophy the same? ▾

When do you need surgery for Muscular dystrophies? ▾

How often do pediatric patients get general anesthesia? ▾

28-Jul-2021 10:56PM1931 words • 3 matches • 3 sourcesFAQ

68293_Auto_Edited - check.docx

Quotes Excluded
Bibliography Included2%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 68293

Manuscript Type: CASE REPORT

Anesthesia management in a pediatric patient with Becker muscular dystrophy undergoing laparoscopic surgery: A case report

Peng L *et al.* Anesthesia in a Becker muscular dystrophy patient

Ling Peng, Wei Wei

Match Overview

1Internet14 words
crawled on 16-Sep-2017
[clinicaltrials.gov](#)1%

2Internet14 words
crawled on 09-Jul-2019
[www.karger.com](#)1%

3Internet13 words
crawled on 22-Jul-2021
[www.ejghet.com](#)1%

国内版

国际版

Anesthesia management in a pediatric patient with Becker muscula



ALL

IMAGES

VIDEOS

12,200 Results

Any time ▾

Anesthesia management in pediatric patients with laryngeal ...

<https://pubmed.ncbi.nlm.nih.gov/21907420>

Anesthesia management in pediatric patients with laryngeal papillomatosis undergoing suspension laryngoscopic surgery and a review of the literature Int J Pediatr Otorhinolaryngol. 2011 Nov;75(11):1442-5. doi: 10.1016/j.ijporl.2011.08.012. Epub 2011 Sep 9. Authors ...

Cited by: 16

Author: Lin Bo, Bing Wang, Shi-Yu Shu, Shi-Yu S...

Publish Year: 2011

Anesthetic management of a patient with limb-girdle ...

<https://bmcanesthesiol.biomedcentral.com/articles/10.1186/s12871-019-0813-8> ▾

Aug 17, 2019 · Anesthetic management of 877 pediatric patients undergoing muscle biopsy for neuromuscular disorders: a 20-year review. Paediatr Anaesth. 2016;26(7):710–21. Article Google Scholar 18. Richa F C. Anaesthetic management of a patient with limb-girdle muscular dystrophy for laparoscopic cholecystectomy[J].

Cited by: 1

Author: X. Q. Cao, K. Joypaul, F. Cao, L. L. Gui, ...

Publish Year: 2019

Estimated Reading Time: 10 mins

PEOPLE ALSO ASK

Why is anesthetic management difficult for Muscular dystrophies patients? ▾

When to use an anesthetic for LGMD surgery? ▾

How are Duchenne and Becker muscular dystrophy the same? ▾

What are the risks of limb girdle muscular dystrophy? ▾

Feedback

[Successful anesthetic management of laparoscopic ...

<https://www.thesearchenterprise.com/article/...> ▾

A 70-year-old man with Becker muscular dystrophy (BMD) underwent laparoscopic rectopexy under general anesthesia. For anesthetic induction, we administered total 0.6 mg · kg⁻¹ of rocuronium with titration. Eight minutes later, train-of-four (TOF) count reached to 0 and the patient ...