

## PEER-REVIEW REPORT

**Name of journal:** World Journal of Diabetes

**Manuscript NO:** 68536

**Title:** Utility of oral glucose tolerance test in predicting type 2 diabetes following gestational diabetes: Towards personalized care

**Reviewer's code:** 05449455

**Position:** Peer Reviewer

**Academic degree:** MD, PhD

**Professional title:** Professor

**Reviewer's Country/Territory:** Japan

**Author's Country/Territory:** United Arab Emirates

**Manuscript submission date:** 2021-05-31

**Reviewer chosen by:** AI Technique

**Reviewer accepted review:** 2021-05-31 08:13

**Reviewer performed review:** 2021-05-31 10:32

**Review time:** 2 Hours

<b>Scientific quality</b>	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
<b>Language quality</b>	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
<b>Conclusion</b>	<input type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input checked="" type="checkbox"/> Major revision <input type="checkbox"/> Rejection
<b>Re-review</b>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<b>Peer-reviewer statements</b>	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No



**Baishideng  
Publishing  
Group**

7041 Koll Center Parkway, Suite  
160, Pleasanton, CA 94566, USA  
**Telephone:** +1-925-399-1568  
**E-mail:** bpgoffice@wjgnet.com  
<https://www.wjgnet.com>

#### **SPECIFIC COMMENTS TO AUTHORS**

In this manuscript, the authors investigated the incidence of T2DM among GDM patients (9 years of follow-up period). 1) "Introduction" could be shortened. 2) What are cut-off values of FPG and/or 2h PPG for the development of T2D from GDM? 3) The authors concluded that both FPG and 2h PPG at diagnosis of GDM can predict future development of T2DM. However, specificity is lacking. 4) Novelty of this manuscript should be clarified because it is well-established that GDM is high risk for T2DM.