

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 69246

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Comparison of the impact of endoscopic retrograde
cholangiopancreatography between pre-COVID-19 and current COVID-19
outbreaks in South Korea – retrospective survey

Kim KH *et al.* Impact of ERCP following COVID-19

Match Overview

1	Crossref 132 words Kook Hyun Kim, Sung Bum Kim, Tae Nyeun Kim. "Changes i n endoscopic patterns before and during COVID-19 outbrea ...	3%
2	Internet 40 words crawled on 21-Oct-2020 www.wjgnet.com	1%
3	Internet 23 words crawled on 15-Apr-2021 www.tandfonline.com	1%
4	Internet 13 words crawled on 11-Mar-2020 link.springer.com	<1%

Comparison of the impact of endoscopic retrograde cholangiopan



ALL

IMAGES

VIDEOS

9,220 Results

Any time ▼

[Healthcare Equipment | Disinfection & Sterilization ...](#)

<https://www.cdc.gov/infectioncontrol/guidelines/...> ▼

May 24, 2019 · A **retrospective** study of 12,505 arthroscopic procedures found an infection rate of 0.04% (five infections) when arthroscopes were soaked in 2% glutaraldehyde for 15–20 minutes. Four infections were caused by *S. aureus*; the fifth was an anaerobic streptococcal infection.

[Challenges in COVID-19 drug treatment in patients with ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC33362383>

Dec 14, 2020 · Core Tip: The coronavirus disease 2019 (**COVID-19**) pandemic put the health care systems of many countries under great pressure, and it has been particularly challenging because of the lack of prediction parameters and effective pharmacotherapies for treating **COVID-19** in advanced liver disease. Here, we provided a stepwise approach to treat **COVID-19** in advanced liver disease, hoping ...

Cited by: 2

Author: Amr Shaaban Hanafy, Sherief Abd-Elsalam

Publish Year: 2020

[Risk Factors | Scholars@Duke](#)

<https://scholars.duke.edu/display/meshD012307> ▼

A Meta-analysis of the Relationship **Between** Renin-Angiotensin-Aldosterone System Inhibitors and **COVID-19**. A Missense Variant in PTPN22 is a Risk Factor for Drug-induced Liver Injury. A Modified Integrated Genetic Model for Risk Prediction in Younger Patients with Acute Myeloid Leukemia.

[Endoscopic Retrograde Cholangiopancreatography–Associated ...](#)

https://www.researchgate.net/publication/274260004_Endoscopic_Retrograde

Search Tools

Turn off Hover Translation (关闭取词)