

# World Journal of *Critical Care Medicine*

*World J Crit Care Med* 2022 May 9; 11(3): 115-200



## Contents

Bimonthly Volume 11 Number 3 May 9, 2022

## EDITORIAL

- 115 Cough as a neurological sign: What a clinician should know  
*Al-Biltagi M, Bediwy AS, Saeed NK*

## MINIREVIEWS

- 129 Presentation and outcome of myocardial infarction with non-obstructive coronary arteries in coronavirus disease 2019  
*John K, Lal A, Sharma N, ElMeligy A, Mishra AK*

## ORIGINAL ARTICLE

## Case Control Study

- 139 Plasma D-dimer level in early and late-onset neonatal sepsis  
*Al-Biltagi M, Hantash EM, El-Shanshory MR, Badr EA, Zahra M, Anwar MH*

## Retrospective Study

- 149 Stress cardiomyopathy in critical care: A case series of 109 patients  
*Pancholi P, Emami N, Fazzari MJ, Kapoor S*

## Observational Study

- 160 Need for oxygen therapy and ventilatory support in premature infants in a hospital in Southern Brazil  
*Meier A, Kock KS*
- 169 Critical care practices in the world: Results of the global intensive care unit need assessment survey 2020  
*Nawaz FA, Deo N, Surani S, Maynard W, Gibbs ML, Kashyap R*

## META-ANALYSIS

- 178 Diuretic combinations in critically ill patients with respiratory failure: A systematic review and meta-analysis  
*Côté JM, Goulamhoussen N, McMahon BA, Murray PT*

## CASE REPORT

- 192 Ball-shaped right atrial mass in renal cell carcinoma: A case report  
*Pothiawala S, deSilva S, Norbu K*

## LETTER TO THE EDITOR

- 198 Ideal scoring system for acute pancreatitis: Quest for the Holy Grail  
*Juneja D*

**ABOUT COVER**

Peer Reviewer of *World Journal of Critical Care Medicine*, Athanasia Papazafiropoulou, MD, MSc, PhD, Attending Doctor, Research Scientist, 1st Department of Internal Medicine and Diabetes Center, Tzaneio General Hospital of Piraeus, Piraeus 18536, Greece. pathan@ath.forthnet.gr

**AIMS AND SCOPE**

The primary aim of the *World Journal of Critical Care Medicine (WJCCM, World J Crit Care Med)* is to provide scholars and readers from various fields of critical care medicine with a platform to publish high-quality basic and clinical research articles and communicate their research findings online.

WJCCM mainly publishes articles reporting research results and findings obtained in the field of critical care medicine and covering a wide range of topics including acute kidney failure, acute respiratory distress syndrome and mechanical ventilation, application of bronchofiberscopy in critically ill patients, cardiopulmonary cerebral resuscitation, coagulant dysfunction, continuous renal replacement therapy, fluid resuscitation and tissue perfusion, hemodynamic monitoring and circulatory support, ICU management and treatment control, sedation and analgesia, severe infection, etc.

**INDEXING/ABSTRACTING**

The WJCCM is now indexed in PubMed, PubMed Central, Reference Citation Analysis, China National Knowledge Infrastructure, China Science and Technology Journal Database, and Superstar Journals Database.

**RESPONSIBLE EDITORS FOR THIS ISSUE**

Production Editor: Yi-Xuan Cai, Production Department Director: Xiang Li, Editorial Office Director: Li-Li Wang.

**NAME OF JOURNAL**

*World Journal of Critical Care Medicine*

**ISSN**

ISSN 2220-3141 (online)

**LAUNCH DATE**

February 4, 2012

**FREQUENCY**

Bimonthly

**EDITORS-IN-CHIEF**

Hua-Dong Wang

**EDITORIAL BOARD MEMBERS**

<https://www.wjnet.com/2220-3141/editorialboard.htm>

**PUBLICATION DATE**

May 9, 2022

**COPYRIGHT**

© 2022 Baishideng Publishing Group Inc

**INSTRUCTIONS TO AUTHORS**

<https://www.wjnet.com/bpg/gerinfo/204>

**GUIDELINES FOR ETHICS DOCUMENTS**

<https://www.wjnet.com/bpg/GerInfo/287>

**GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH**

<https://www.wjnet.com/bpg/gerinfo/240>

**PUBLICATION ETHICS**

<https://www.wjnet.com/bpg/GerInfo/288>

**PUBLICATION MISCONDUCT**

<https://www.wjnet.com/bpg/gerinfo/208>

**ARTICLE PROCESSING CHARGE**

<https://www.wjnet.com/bpg/gerinfo/242>

**STEPS FOR SUBMITTING MANUSCRIPTS**

<https://www.wjnet.com/bpg/GerInfo/239>

**ONLINE SUBMISSION**

<https://www.f6publishing.com>

# Ball-shaped right atrial mass in renal cell carcinoma: A case report

Sohil Pothiwala, Savan deSilva, Kunzang Norbu

**Specialty type:** Critical care medicine

**Provenance and peer review:** Invited article; Externally peer reviewed.

**Peer-review model:** Single blind

**Peer-review report's scientific quality classification**

Grade A (Excellent): 0  
Grade B (Very good): B  
Grade C (Good): C  
Grade D (Fair): D  
Grade E (Poor): 0

**P-Reviewer:** Benekli M, Turkey; Yang RM, China

**Received:** October 24, 2021

**Peer-review started:** October 24, 2021

**First decision:** December 2, 2021

**Revised:** December 8, 2021

**Accepted:** March 15, 2022

**Article in press:** March 15, 2022

**Published online:** May 9, 2022



**Sohil Pothiwala**, Department of Emergency Medicine, Woodlands Health, Singapore 768024, Singapore

**Savan deSilva, Kunzang Norbu**, Department of Emergency Medicine, Sengkang General Hospital, Singapore 544886, Singapore

**Corresponding author:** Sohil Pothiwala, MBBS, MD, Doctor, Department of Emergency Medicine, Woodlands Health, Yishun Central 2, Tower E, Level 5, Yishun Community Hospital, Singapore 768024, Singapore. [drsohilpothiwala@yahoo.com](mailto:drsohilpothiwala@yahoo.com)

## Abstract

### BACKGROUND

Renal cell carcinoma (RCC) is an aggressive tumor, with an incidental discovery in most patients. Classic presentation is rare, and it has a high frequency of local and distant metastasis at the time of detection.

### CASE SUMMARY

We present a rare case of a 58-year-old man with a ball-shaped thrombus in the right atrium at the time of first incidental identification of RCC in the emergency department. Cardiac metastasis, especially thrombus in the right atrium, is rare. It could either be a bland thrombus or a tumor thrombus, and physicians should consider this potentially fatal complication of RCC early at the time of initial presentation.

### CONCLUSION

Ball-shaped lesions in the right atrium are rare, and bland thrombus should be differentiated from tumor thrombus secondary to intracardiac metastasis.

**Key Words:** Renal cell carcinoma; Metastasis; Tumor thrombus; Bland thrombus; Right atrium; Case report

©The Author(s) 2022. Published by Baishideng Publishing Group Inc. All rights reserved.

**Core Tip:** The classic presentation of renal cell carcinoma is rare, and patients can present with atypical symptoms and local or distant metastasis at the time of initial detection. Cardiac metastasis, especially thrombus in the right atrium, is rare and emergency physicians should consider it early at the time of presentation. Detection of a ball-shaped lesion in the right atrium is rare, and the patient should undergo appropriate evaluation with the aim to differentiate bland thrombus from a tumor thrombus secondary to intracardiac metastasis, as it aids in therapeutic management and prognosis.

**Citation:** Poithiawala S, deSilva S, Norbu K. Ball-shaped right atrial mass in renal cell carcinoma: A case report. *World J Crit Care Med* 2022; 11(3): 192-197

**URL:** <https://www.wjgnet.com/2220-3141/full/v11/i3/192.htm>

**DOI:** <https://dx.doi.org/10.5492/wjccm.v11.i3.192>

## INTRODUCTION

Renal cell carcinoma (RCC) is an aggressive tumor constituting about 3% of all adult malignancies, with a peak incidence in the sixth and seventh decades of life. The classic triad of flank pain, abdominal mass and hematuria is seen in 10% of the cases. Most cases have an incidental discovery[1,2] with local or distant metastases in 25% of the cases at the time of detection. About 10% of these patients have tumor extension into the renal vein and inferior vena cava[3], while only 1% of the total cases have the tumor extending into the right atrium[4]. We present a rare case of a 58-year-old man with a right atrial ball thrombus secondary to metastasis at the time of first incidental identification of RCC in the emergency department (ED).

## CASE PRESENTATION

### Chief complaints

A 58-year-old man presented to the ED with complaints of breathlessness and reduced effort tolerance for 1 wk.

### History of present illness

A 58-year-old man presented to the ED with complaints of breathlessness and reduced effort tolerance for 1 wk. He denied chest pain, orthopnea or paroxysmal nocturnal dyspnea. He also noted a 10 kg weight loss over the last 2 mo. He went to a family physician where he was found to have hematuria and proteinuria on urine examination, and hence referred to the ED. He denied hematuria, lower urinary tract symptoms or fever.

### History of past illness


He had no past medical history and was not on any long-term medication.

### Physical examination

On presentation, his vital signs were stable but he appeared pale and had bilateral pitting lower limb edema up to the knees. Abdominal examination revealed a left sided large, palpable abdominal mass, but there was no rectal bleeding or melena. Examination of respiratory, cardiac and neurological systems was normal.

### Laboratory examinations

His electrocardiogram showed normal sinus rhythm with T-wave inversions and ST-segment flattening in all leads, along with deep T inversions in leads V2-V4. Bedside ultrasound showed a large heterogeneous mass arising from the left kidney suspicious of RCC. Bedside echocardiogram showed a ball-like structure in the right atrium (Figure 1), oscillating between the right atrium and right ventricle intermittently during cardiac cycles, suspicious for a tumor thrombus. There was no pericardial effusion but the right ventricle appeared larger than the left ventricle, suggestive of signs of right heart strain. Blood investigations showed hemoglobin 7.3 g/dL, elevated serum creatinine 155 mol/L (1.75 mg/dL) and N-terminal pro-B type natriuretic peptide 7325 pg/mL. The remaining blood tests, including liver panel, troponin-T, prothrombin time/activated partial thromboplastin time and severe acute respiratory syndrome coronavirus 2 polymerase chain reaction, were normal.



DOI: 10.5492/wjccm.v11.i3.192 Copyright ©The Author(s) 2022.

**Figure 1** Bedside ultrasound showing ball-shaped thrombus in the right atrium (arrow).

### **Imaging examinations**

Chest X-ray revealed mild pulmonary venous congestion. Computed tomography (CT) of the abdomen and pelvis (Figure 2) revealed a 13.9 cm × 15.8 cm × 16 cm irregular, heterogeneous left renal mass, suspicious of RCC, with extension of tumor into left renal vein and inferior vena cava (IVC) and metastasis to the liver. CT pulmonary-angiogram showed extensive right pulmonary embolism (Figure 3) with evidence of right heart strain and pulmonary arterial hypertension, as well as pulmonary metastasis (Figure 4). A thrombus was noted in the enlarged right ventricle and right atrial appendage.

## **MULTIDISCIPLINARY EXPERT CONSULTATION**

The patient was commenced on subcutaneous enoxaparin 80 mg and admitted to a high dependency unit. Histopathology after imaging-guided biopsy of the left renal tumor revealed clear cell RCC. After discussion at the multidisciplinary tumor board meeting, he was not scheduled for cytoreductive nephrectomy and thrombectomy in view of metastatic burden.

## **FINAL DIAGNOSIS**

He was diagnosed to have left RCC with ball-shaped thrombus in the right atrium, with associated right pulmonary embolism as well as pulmonary metastasis.

## **TREATMENT**

He was treated with enoxaparin 80 mg twice daily and tyrosine kinase inhibitor (TKI) pazopanib 800 mg once daily.

## **OUTCOME AND FOLLOW-UP**

He was discharged and scheduled for outpatient follow-up with a hematologist and oncologist (Figure 5).

## **DISCUSSION**


RCC can present as a solitary metastatic lesion or as a widespread systemic disease, but cardiac metastasis from RCC is extremely rare. The incidence of a thrombus in the right atrium is 0.75%, which is significantly lower than that of a thrombus in the left atrium[5]. Thrombus in the right atrium is usually located at the atrial appendage or atrial wall. A ball thrombus in the right atrium is even rarer [5].






DOI: 10.5492/wjccm.v11.i3.192 Copyright ©The Author(s) 2022.

**Figure 2** Computerized tomography scan of abdomen and pelvis showing left renal cell carcinoma (thin arrow) invading in to the hepatic portion of inferior vena cava (thick arrow).



DOI: 10.5492/wjccm.v11.i3.192 Copyright ©The Author(s) 2022.


**Figure 3** Large filling-defects in the right segmental and subsegmental branches and right lobar and interlobar arteries suggestive of right-sided pulmonary embolism. A: Right segmental and subsegmental branches; B: Right lobar and interlobar arteries suggestive of right-sided pulmonary embolism.



DOI: 10.5492/wjccm.v11.i3.192 Copyright ©The Author(s) 2022.

**Figure 4** Multiple pulmonary nodules of varying sizes in the lungs suggestive of pulmonary metastasis. A: Multiple bilateral pulmonary nodules; B: Prominent right sided pulmonary metastasis.

The ball-shaped lesion in our patient's right atrium could either have been a bland thrombus or a tumor thrombus that spread along the IVC. In patients with malignancy, bland thrombus is usually a venous thrombus. Pathogenesis of ball thrombus is still unclear and it can be difficult to make a diagnosis. The challenge is to correctly differentiate bland thrombus from a tumor thrombus secondary to intracardiac metastasis, as it aids in appropriate therapeutic management as well as prognosis. On perfusion magnetic resonance imaging (MRI), heterogeneous enhancement of this ball-shaped lesion



DOI: 10.5492/wjccm.v11.i3.192 Copyright ©The Author(s) 2022.

**Figure 5 Timeline following case report guidelines.** ED: Emergency department; CT: Computerized tomography; RCC: Renal cell carcinoma; MRI: Magnetic resonance imaging.

and presence of blood products within it suggests a tumor thrombus secondary to RCC metastases. On the contrary, a bland thrombus shows unrestricted diffusion and complete nulling of the mass on MR perfusion imaging[6]. Bland thrombus may resolve after thrombolytic and anticoagulant therapy, unlike tumor thrombus. Our patient unfortunately died before further evaluation could be conducted.

Combining cytoreductive nephrectomy and/or metastasectomy with chemotherapy helps in palliation. The possible surgical option for metastatic RCC extending into the right atrium and causing pulmonary embolism, in this patient, was cardiopulmonary bypass with deep hypothermic circulatory arrest, which is a safe and efficient method for removal of the tumor and thrombus[7]. Manual repositioning of the tumor thrombus out of the right atrium into the IVC on the beating heart is also a safe approach with low risk of tumor thrombembolization[8]. In recent times, the progression free survival has improved due to advances in chemotherapy, immunotherapy and TKI[9]. The overall long-term prognosis of patients with metastatic RCC is poor, with a median survival of 6-12 mo.

## CONCLUSION

The classic presentation of RCC is rare, and patients can present with atypical symptoms and local or distant metastasis at the time of initial detection. Cardiac metastasis, especially thrombus in the right atrium, is rare and emergency physicians should consider it early at the time of presentation. Detection of a ball-shaped lesion in the right atrium is rare, and the patient should undergo appropriate evaluation with an aim to differentiate bland thrombus from a tumor thrombus secondary to intracardiac metastasis, as it aids in therapeutic management and prognosis.



## FOOTNOTES

**Author contributions:** Pothiwala S lead conceptualization and wrote the original draft, reviewed and edited the draft; de Silva S and Norbu K wrote the original draft, reviewed and edited the draft.

**Informed consent statement:** Informed written consent was obtained from the patient for publication of this report and any accompanying images.

**Conflict-of-interest statement:** The authors declare that they have no conflict of interest.

**CARE Checklist (2016) statement:** The authors have read the CARE Checklist (2016), and the manuscript was prepared and revised according to the CARE Checklist (2016).

**Open-Access:** This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <https://creativecommons.org/licenses/by-nc/4.0/>

**Country/Territory of origin:** Singapore

**ORCID number:** Sohil Pothiwala 0000-0002-4789-4326; Savan deSilva 0000-0002-3518-1740; Kunzang Norbu 0000-0002-2475-9578.

**S-Editor:** Guo XR

**L-Editor:** Kerr C

**P-Editor:** Guo XR

## REFERENCES

- 1 **Sountoulides P**, Metaxa L, Cindolo L. Atypical presentations and rare metastatic sites of renal cell carcinoma: a review of case reports. *J Med Case Rep* 2011; **5**: 429 [PMID: 21888643 DOI: 10.1186/1752-1947-5-429]
- 2 **Doshi D**, Saab M, Singh N. Atypical presentation of renal cell carcinoma: a case report. *J Med Case Rep* 2007; **1**: 26 [PMID: 17553142 DOI: 10.1186/1752-1947-1-26]
- 3 **Hunsaker RP**, Stone JR. Images in clinical medicine. Renal-cell carcinoma extending into the vena cava and right side of the heart. *N Engl J Med* 2001; **345**: 1676 [PMID: 11759646 DOI: 10.1056/NEJM980108]
- 4 **Lu HT**, Chong JL, Othman N, Vendargon S, Omar S. An uncommon and insidious presentation of renal cell carcinoma with tumor extending into the inferior vena cava and right atrium: a case report. *J Med Case Rep* 2016; **10**: 109 [PMID: 27142514 DOI: 10.1186/s13256-016-0888-5]
- 5 **Zhang B**, Tian ZW, Zhang J, Yuan KM, Yu H. Calcified ball thrombus in the right atrium: A case report. *Iran J Radiol* 2020; **17**: e95169 [DOI: 10.5812/iranradiol.95169]
- 6 **Elgendy A**. Intracardiac metastasis from known renal cell cancer. Available from: <https://radiopaedia.org/cases/intracardiac-metastasis-from-known-renal-cell-cancer>
- 7 **Posacioglu H**, Ayik MF, Zeytunlu M, Amanvermez D, Engin C, Apaydin AZ. Management of renal cell carcinoma with intracardiac extension. *J Card Surg* 2008; **23**: 754-758 [PMID: 19017006 DOI: 10.1111/j.1540-8191.2008.00664.x]
- 8 **Schneider M**, Hadaschik B, Hallscheidt P, Jakobi H, Fritz M, Motsch J, Pahernik S, Hohenfellner M. Manual repositioning of intra-atrial kidney cancer tumor thrombus: a technique reducing the need for cardiopulmonary bypass. *Urology* 2013; **81**: 909-914 [PMID: 23414691 DOI: 10.1016/j.urology.2012.10.064]
- 9 **Barata PC**, Rini BI. Treatment of renal cell carcinoma: Current status and future directions. *CA Cancer J Clin* 2017; **67**: 507-524 [PMID: 28961310 DOI: 10.3322/caac.21411]



Published by **Baishideng Publishing Group Inc**  
7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

**Telephone:** +1-925-3991568

**E-mail:** [bpgoffice@wjgnet.com](mailto:bpgoffice@wjgnet.com)

**Help Desk:** <https://www.f6publishing.com/helpdesk>

<https://www.wjgnet.com>

