

## PEER-REVIEW REPORT

Name of journal: World Journal of Cardiology

Manuscript NO: 73325

Title: Global longitudinal strain is superior to ejection fraction for detecting myocardial

dysfunction in end-stage renal disease with hyperparathyroidism

Provenance and peer review: Unsolicited Manuscript; Externally peer reviewed

Peer-review model: Single blind

**Reviewer's code:** 02623966 **Position:** Editorial Board

Academic degree: MD, MSc, PhD

**Professional title:** Attending Doctor, Research Scientist

Reviewer's Country/Territory: Greece

Author's Country/Territory: Mexico

Manuscript submission date: 2021-11-17

Reviewer chosen by: AI Technique

Reviewer accepted review: 2021-12-04 17:47

Reviewer performed review: 2021-12-04 17:47

Review time: 1 Hour

Scientific quality	[ ] Grade A: Excellent [Y] Grade B: Very good [ ] Grade C: Good [ ] Grade D: Fair [ ] Grade E: Do not publish
Language quality	[ ] Grade A: Priority publishing [ Y] Grade B: Minor language polishing [ ] Grade C: A great deal of language polishing [ ] Grade D: Rejection
Conclusion	[ ] Accept (High priority) [ Y] Accept (General priority) [ ] Minor revision [ ] Major revision [ ] Rejection
Re-review	[Y]Yes []No



https://www.wjgnet.com

Peer-reviewer

Peer-Review: [ ] Anonymous [Y] Onymous

statements

Conflicts-of-Interest: [ ] Yes [Y] No

## SPECIFIC COMMENTS TO AUTHORS

It is a well-design study adding new information to the literature. According to my knowledge, it is a novel paper in its field opening new horizons for further evidence. Authors, succeed to present their findings in a clear way. In addition, the object as well as the results are appropriately discussed in the context of previous literature explaining the importance of the manuscript in its field. Authors succeed to present their data in a clear way adding information to the existing literature. Therefore, I have no corrections or further work to propose for the improvement of the manuscript and therefore it can be published unaltered.



## PEER-REVIEW REPORT

Name of journal: World Journal of Cardiology

Manuscript NO: 73325

Title: Global longitudinal strain is superior to ejection fraction for detecting myocardial

dysfunction in end-stage renal disease with hyperparathyroidism

Provenance and peer review: Unsolicited Manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 05382551 Position: Editorial Board Academic degree: PhD

**Professional title:** Associate Professor

Reviewer's Country/Territory: Spain

**Author's Country/Territory:** Mexico

Manuscript submission date: 2021-11-17

Reviewer chosen by: AI Technique

Reviewer accepted review: 2021-12-15 01:18

Reviewer performed review: 2021-12-15 01:57

Review time: 1 Hour

Scientific quality	[ ] Grade A: Excellent [ ] Grade B: Very good [Y] Grade C: Good [ ] Grade D: Fair [ ] Grade E: Do not publish
Language quality	[ ] Grade A: Priority publishing [ Y] Grade B: Minor language polishing [ ] Grade C: A great deal of language polishing [ ] Grade D: Rejection
Conclusion	[ ] Accept (High priority) [ ] Accept (General priority) [ Y] Minor revision [ ] Major revision [ ] Rejection
Re-review	[Y]Yes []No



# Baishideng **Publishing**

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

**Telephone:** +1-925-399-1568 E-mail: bpgoffice@wjgnet.com

https://www.wjgnet.com

Peer-reviewer

Peer-Review: [Y] Anonymous [] Onymous

statements Conflicts-of-Interest: [ ] Yes [Y] No

## SPECIFIC COMMENTS TO AUTHORS

The article is within the scope of the journal. The topic is interesting for the knowledge It is well written and structured. However, some improvements are needed: a) The introduction to the state of the art should be extended. b) The conclusions should better explain what the scientific contribution is and propose a set of future lines of work.



# PEER-REVIEW REPORT

Name of journal: World Journal of Cardiology

Manuscript NO: 73325

Title: Global longitudinal strain is superior to ejection fraction for detecting myocardial

dysfunction in end-stage renal disease with hyperparathyroidism

Provenance and peer review: Unsolicited Manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 00503249 Position: Peer Reviewer Academic degree: MD

**Professional title:** Director, Professor

Reviewer's Country/Territory: Italy

Author's Country/Territory: Mexico

Manuscript submission date: 2021-11-17

Reviewer chosen by: AI Technique

Reviewer accepted review: 2021-12-15 09:33

Reviewer performed review: 2021-12-20 09:38

Review time: 5 Days

Scientific quality	[ ] Grade A: Excellent [ ] Grade B: Very good [ ] Grade C: Good [ Y] Grade D: Fair [ ] Grade E: Do not publish
Language quality	[ ] Grade A: Priority publishing [ ] Grade B: Minor language polishing [ Y] Grade C: A great deal of language polishing [ ] Grade D: Rejection
Conclusion	[ ] Accept (High priority) [ ] Accept (General priority) [ ] Minor revision [ Y] Major revision [ ] Rejection
Re-review	[Y] Yes [] No



7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA **Telephone:** +1-925-399-1568

E-mail: bpgoffice@wjgnet.com

https://www.wjgnet.com

Peer-reviewer

Peer-Review: [Y] Anonymous [ ] Onymous

statements

Conflicts-of-Interest: [ ] Yes [Y] No

## SPECIFIC COMMENTS TO AUTHORS

This paper by Carrasco-Ruiz et al., entitled "Global Longitudinal Strain overcomes ejection fraction for detecting myocardial dysfunction in End-Stage Renal Disease with hyperparathyroidism" demonstrates in a small study the superiority of GLS on EF to identify LV dysfunction in asymptomatic patients with ESRD. It remains unclear why Authors emphasized the presence of hyparathyroidism, that is usually common in ESRD patients as a consequence of ESRD. Specific Comments 1. Left atrial volume (LAV) was reported in the literature as an important tool predicting diastolic dysfunction in ESRD patients (Tripepi G. et al. J Am Soc Nephrol 2007; Hypertension 2009). Data on LAV should be included in Table 5 and compared with those of the above mentioned references; also they should be tested as a variable potentially influencing GLS (Table 4). 2. Natriuretic peptides (NPs) were reported to be linked to cardiac remodeling (Cataliotti A. et al., Mayo Clin Proc 2001), survival (Zoccali C. et al., J Am Soc Nephrol 2001) and volume expansion-related left ventricular disorders (Enia G. et al. Nephrol Dial Transplant 2001) in patients with ESRD. Their well recognized diagnostic role in ESRD patients should be recalled, as previously emphasized (Mallamaci F. et al., Kidney Int 2001). Did Authors measure NPs? 3. Sympathetic overactivity was reported to be stricly linked to left ventricular disorders and volume excess in ESRD patients (Abd ElHafeez S. et al.J Nephrol 2015). This concept should be argued in the Discussion, as one of the most important pathophysiological mechanisms leading to LV dysfunction in these patients. 4. Discussion should be reorganised, mostly focused on the superiority of GLS on EF to identify LV dysfunction. 5. Taable 5: Cociente E/é should actually run as E/e' ratio. 6. In the title the word "overcomes" should be changed in "superior than". 7.



Extensive English revision is needed.