

World Journal of *Clinical Cases*

World J Clin Cases 2022 June 26; 10(18): 5934-6340



MINIREVIEWS

- 5934** Development of clustered regularly interspaced short palindromic repeats/CRISPR-associated technology for potential clinical applications
Huang YY, Zhang XY, Zhu P, Ji L
- 5946** Strategies and challenges in treatment of varicose veins and venous insufficiency
Gao RD, Qian SY, Wang HH, Liu YS, Ren SY
- 5957** Diabetes mellitus susceptibility with varied diseased phenotypes and its comparison with phenome interactome networks
Rout M, Kour B, Vuree S, Lulu SS, Medicherla KM, Suravajhala P

ORIGINAL ARTICLE**Clinical and Translational Research**

- 5965** Identification of potential key molecules and signaling pathways for psoriasis based on weighted gene co-expression network analysis
Shu X, Chen XX, Kang XD, Ran M, Wang YL, Zhao ZK, Li CX
- 5984** Construction and validation of a novel prediction system for detection of overall survival in lung cancer patients
Zhong C, Liang Y, Wang Q, Tan HW, Liang Y

Case Control Study

- 6001** Effectiveness and postoperative rehabilitation of one-stage combined anterior-posterior surgery for severe thoracolumbar fractures with spinal cord injury
Zhang B, Wang JC, Jiang YZ, Song QP, An Y

Retrospective Study

- 6009** Prostate sclerosing adenopathy: A clinicopathological and immunohistochemical study of twelve patients
Feng RL, Tao YP, Tan ZY, Fu S, Wang HF
- 6021** Value of magnetic resonance diffusion combined with perfusion imaging techniques for diagnosing potentially malignant breast lesions
Zhang H, Zhang XY, Wang Y
- 6032** Scar-centered dilation in the treatment of large keloids
Wu M, Gu JY, Duan R, Wei BX, Xie F
- 6039** Application of a novel computer-assisted surgery system in percutaneous nephrolithotomy: A controlled study
Qin F, Sun YF, Wang XN, Li B, Zhang ZL, Zhang MX, Xie F, Liu SH, Wang ZJ, Cao YC, Jiao W

- 6050** Influences of etiology and endoscopic appearance on the long-term outcomes of gastric antral vascular ectasia

Kwon HJ, Lee SH, Cho JH

Randomized Controlled Trial

- 6060** Evaluation of the clinical efficacy and safety of TST33 mega hemorrhoidectomy for severe prolapsed hemorrhoids

Tao L, Wei J, Ding XF, Ji LJ

- 6069** Sequential chemotherapy and icotinib as first-line treatment for advanced epidermal growth factor receptor-mutated non-small cell lung cancer

Sun SJ, Han JD, Liu W, Wu ZY, Zhao X, Yan X, Jiao SC, Fang J

Randomized Clinical Trial

- 6082** Impact of preoperative carbohydrate loading on gastric volume in patients with type 2 diabetes

Lin XQ, Chen YR, Chen X, Cai YP, Lin JX, Xu DM, Zheng XC

META-ANALYSIS

- 6091** Efficacy and safety of adalimumab in comparison to infliximab for Crohn's disease: A systematic review and meta-analysis

Yang HH, Huang Y, Zhou XC, Wang RN

CASE REPORT

- 6105** Successful treatment of acute relapse of chronic eosinophilic pneumonia with benralizumab and without corticosteroids: A case report

Izhakian S, Pertzov B, Rosengarten D, Kramer MR

- 6110** Pembrolizumab-induced Stevens-Johnson syndrome in advanced squamous cell carcinoma of the lung: A case report and review of literature

Wu JY, Kang K, Yi J, Yang B

- 6119** Hepatic epithelioid hemangioendothelioma after thirteen years' follow-up: A case report and review of literature

Mo WF, Tong YL

- 6128** Effectiveness and safety of ultrasound-guided intramuscular lauromacrogol injection combined with hysteroscopy in cervical pregnancy treatment: A case report

Ye JP, Gao Y, Lu LW, Ye YJ

- 6136** Carcinoma located in a right-sided sigmoid colon: A case report

Lyu LJ, Yao WW

- 6141** Subcutaneous infection caused by *Mycobacterium abscessus* following cosmetic injections of botulinum toxin: A case report

Deng L, Luo YZ, Liu F, Yu XH

- 6148** Overlapping syndrome of recurrent anti-N-methyl-D-aspartate receptor encephalitis and anti-myelin oligodendrocyte glycoprotein demyelinating diseases: A case report
Yin XJ, Zhang LF, Bao LH, Feng ZC, Chen JH, Li BX, Zhang J
- 6156** Liver transplantation for late-onset ornithine transcarbamylase deficiency: A case report
Fu XH, Hu YH, Liao JX, Chen L, Hu ZQ, Wen JL, Chen SL
- 6163** Disseminated strongyloidiasis in a patient with rheumatoid arthritis: A case report
Zheng JH, Xue LY
- 6168** CYP27A1 mutation in a case of cerebrotendinous xanthomatosis: A case report
Li ZR, Zhou YL, Jin Q, Xie YY, Meng HM
- 6175** Postoperative multiple metastasis of clear cell sarcoma-like tumor of the gastrointestinal tract in adolescent: A case report
Huang WP, Li LM, Gao JB
- 6184** Toripalimab combined with targeted therapy and chemotherapy achieves pathologic complete response in gastric carcinoma: A case report
Liu R, Wang X, Ji Z, Deng T, Li HL, Zhang YH, Yang YC, Ge SH, Zhang L, Bai M, Ning T, Ba Y
- 6192** Presentation of Boerhaave's syndrome as an upper-esophageal perforation associated with a right-sided pleural effusion: A case report
Tan N, Luo YH, Li GC, Chen YL, Tan W, Xiang YH, Ge L, Yao D, Zhang MH
- 6198** Camrelizumab-induced anaphylactic shock in an esophageal squamous cell carcinoma patient: A case report and review of literature
Liu K, Bao JF, Wang T, Yang H, Xu BP
- 6205** Nontraumatic convexal subarachnoid hemorrhage: A case report
Chen HL, Li B, Chen C, Fan XX, Ma WB
- 6211** Growth hormone ameliorates hepatopulmonary syndrome and nonalcoholic steatohepatitis secondary to hypopituitarism in a child: A case report
Zhang XY, Yuan K, Fang YL, Wang CL
- 6218** Vancomycin dosing in an obese patient with acute renal failure: A case report and review of literature
Xu KY, Li D, Hu ZJ, Zhao CC, Bai J, Du WL
- 6227** Insulinoma after sleeve gastrectomy: A case report
Lobaton-Ginsberg M, Sotelo-González P, Ramirez-Renteria C, Juárez-Aguilar FG, Ferreira-Hermosillo A
- 6234** Primary intestinal lymphangiectasia presenting as limb convulsions: A case report
Cao Y, Feng XH, Ni HX
- 6241** Esophagogastric junctional neuroendocrine tumor with adenocarcinoma: A case report
Kong ZZ, Zhang L

- 6247** Foreign body granuloma in the tongue differentiated from tongue cancer: A case report
Jiang ZH, Xu R, Xia L
- 6254** Modified endoscopic ultrasound-guided selective N-butyl-2-cyanoacrylate injections for gastric variceal hemorrhage in left-sided portal hypertension: A case report
Yang J, Zeng Y, Zhang JW
- 6261** Management of type IIb dens invaginatus using a combination of root canal treatment, intentional replantation, and surgical therapy: A case report
Zhang J, Li N, Li WL, Zheng XY, Li S
- 6269** Clivus-involved immunoglobulin G4 related hypertrophic pachymeningitis mimicking meningioma: A case report
Yu Y, Lv L, Yin SL, Chen C, Jiang S, Zhou PZ
- 6277** De novo brain arteriovenous malformation formation and development: A case report
Huang H, Wang X, Guo AN, Li W, Duan RH, Fang JH, Yin B, Li DD
- 6283** Coinfection of *Streptococcus suis* and *Nocardia asiatica* in the human central nervous system: A case report
Chen YY, Xue XH
- 6289** Dilated left ventricle with multiple outpouchings – a severe congenital ventricular diverticulum or left-dominant arrhythmogenic cardiomyopathy: A case report
Zhang X, Ye RY, Chen XP
- 6298** Spontaneous healing of complicated crown-root fractures in children: Two case reports
Zhou ZL, Gao L, Sun SK, Li HS, Zhang CD, Kou WW, Xu Z, Wu LA
- 6307** Thyroid follicular renal cell carcinoma excluding thyroid metastases: A case report
Wu SC, Li XY, Liao BJ, Xie K, Chen WM
- 6314** Appendiceal bleeding: A case report
Zhou SY, Guo MD, Ye XH
- 6319** Spontaneous healing after conservative treatment of isolated grade IV pancreatic duct disruption caused by trauma: A case report
Mei MZ, Ren YF, Mou YP, Wang YY, Jin WW, Lu C, Zhu QC
- 6325** Pneumonia and seizures due to hypereosinophilic syndrome – organ damage and eosinophilia without synchronisation: A case report
Ishida T, Murayama T, Kobayashi S
- 6333** Creutzfeldt-Jakob disease presenting with bilateral hearing loss: A case report
Na S, Lee SA, Lee JD, Lee ES, Lee TK

LETTER TO THE EDITOR

- 6338** Stem cells as an option for the treatment of COVID-19
Cuevas-González MV, Cuevas-González JC

ABOUT COVER

Editorial Board Member of *World Journal of Clinical Cases*, Cristina Tudoran, PhD, Assistant Professor, Department VII, Internal Medicine II, Discipline of Cardiology, "Victor Babes" University of Medicine and Pharmacy Timisoara, Timisoara 300041, Timis, Romania. cristina13.tudoran@gmail.com

AIMS AND SCOPE

The primary aim of *World Journal of Clinical Cases* (WJCC, *World J Clin Cases*) is to provide scholars and readers from various fields of clinical medicine with a platform to publish high-quality clinical research articles and communicate their research findings online.

WJCC mainly publishes articles reporting research results and findings obtained in the field of clinical medicine and covering a wide range of topics, including case control studies, retrospective cohort studies, retrospective studies, clinical trials studies, observational studies, prospective studies, randomized controlled trials, randomized clinical trials, systematic reviews, meta-analysis, and case reports.

INDEXING/ABSTRACTING

The WJCC is now indexed in Science Citation Index Expanded (also known as SciSearch®), Journal Citation Reports/Science Edition, Scopus, PubMed, and PubMed Central. The 2021 Edition of Journal Citation Reports® cites the 2020 impact factor (IF) for WJCC as 1.337; IF without journal self cites: 1.301; 5-year IF: 1.742; Journal Citation Indicator: 0.33; Ranking: 119 among 169 journals in medicine, general and internal; and Quartile category: Q3. The WJCC's CiteScore for 2020 is 0.8 and Scopus CiteScore rank 2020: General Medicine is 493/793.

RESPONSIBLE EDITORS FOR THIS ISSUE

Production Editor: *Ying-Yi Yuan*, Production Department Director: *Xu Guo*, Editorial Office Director: *Jin-Lei Wang*.

NAME OF JOURNAL

World Journal of Clinical Cases

ISSN

ISSN 2307-8960 (online)

LAUNCH DATE

April 16, 2013

FREQUENCY

Thrice Monthly

EDITORS-IN-CHIEF

Bao-Gan Peng, Jerzy Tadeusz Chudek, George Kontogeorgos, Maurizio Serati, Ja Hyeon Ku

EDITORIAL BOARD MEMBERS

<https://www.wjgnet.com/2307-8960/editorialboard.htm>

PUBLICATION DATE

June 26, 2022

COPYRIGHT

© 2022 Baishideng Publishing Group Inc

INSTRUCTIONS TO AUTHORS

<https://www.wjgnet.com/bpg/gerinfo/204>

GUIDELINES FOR ETHICS DOCUMENTS

<https://www.wjgnet.com/bpg/GerInfo/287>

GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH

<https://www.wjgnet.com/bpg/gerinfo/240>

PUBLICATION ETHICS

<https://www.wjgnet.com/bpg/GerInfo/288>

PUBLICATION MISCONDUCT

<https://www.wjgnet.com/bpg/gerinfo/208>

ARTICLE PROCESSING CHARGE

<https://www.wjgnet.com/bpg/gerinfo/242>

STEPS FOR SUBMITTING MANUSCRIPTS

<https://www.wjgnet.com/bpg/GerInfo/239>

ONLINE SUBMISSION

<https://www.f6publishing.com>



Stem cells as an option for the treatment of COVID-19

Maria Veronica Cuevas-González, Juan Carlos Cuevas-González

Specialty type: Medicine, research and experimental

Provenance and peer review: Invited article; Externally peer reviewed.

Peer-review model: Single blind

Peer-review report's scientific quality classification

Grade A (Excellent): 0
Grade B (Very good): B
Grade C (Good): C
Grade D (Fair): 0
Grade E (Poor): 0

P-Reviewer: Al-Omari B, United Arab Emirates; Emran TB, Bangladesh

Received: February 6, 2022

Peer-review started: February 6, 2022

First decision: March 23, 2022

Revised: April 1, 2022

Accepted: May 12, 2022

Article in press: May 12, 2022

Published online: June 26, 2022



Maria Veronica Cuevas-González, Institute of Biomedical Sciences, Universidad Autonoma de Ciudad Juarez, Juarez 32310, Chihuahua, Mexico

Juan Carlos Cuevas-González, Institute of Biomedical Sciences, Autonomous University of Ciudad Juárez, Ciudad Juarez 32310, Chihuahua, Mexico

Corresponding author: Juan Carlos Cuevas-González, PhD, Academic Research, Institute of Biomedical Sciences, Autonomous University of Ciudad Juárez, Av. Benjamín Franklin No. 4650, Zona Pronaf Condominio La Plata, Ciudad Juarez 32310, Chihuahua, Mexico.
cuevas_gonzalez@hotmail.com

Abstract

The application of stem cells is among the many strategies currently available for the treatment of multiple diseases. Stem cells are characterized as undifferentiated cells that have the ability to differentiate towards multiple lineages and self-renewal, among other attributes. Since the first umbilical cord stem cell transplant for the treatment of Fanconi anemia, the use of stem cells for the treatment of multiple diseases, including coronavirus disease 2019, has increased, showing promising results that require evaluation through research studies that include a longer follow-up time. Therefore, the main objective of this Letter is to provide an update on the use of stem cells in the treatment of severe acute respiratory syndrome coronavirus 2, as well as identify the main challenges and limitations presented by this type of therapy.

Key Words: COVID-19; Stem cells; Multiple diseases; Undifferentiated cells; Appropriate treatment; Cytokines granulocyte-macrophage colony-stimulating factor

©The Author(s) 2022. Published by Baishideng Publishing Group Inc. All rights reserved.

Core Tip: The stem-cell-derived microvesicles improve the oxygenation conditions of patients, thereby avoiding mechanical oxygenation methods. They demonstrate the ability to modulate the inflammatory response by reducing the levels of proinflammatory cytokines within the first few hours of their intravenous application because these microvesicles contain cytokines, growth factors, and microRNAs, which function as anti-inflammatory agents.

Citation: Cuevas-González MV, Cuevas-González JC. Stem cells as an option for the treatment of COVID-19. *World J Clin Cases* 2022; 10(18): 6338-6340

URL: <https://www.wjgnet.com/2307-8960/full/v10/i18/6338.htm>

DOI: <https://dx.doi.org/10.12998/wjcc.v10.i18.6338>

TO THE EDITOR

The current pandemic we are experiencing due to coronavirus disease 2019 (COVID-19) undoubtedly represents a significant challenge for medical and research domains. The magnitude of the disease is evident with millions of lives lost; therefore, the need to find appropriate treatment is urgent. One of the main effects that this type of virus triggers in the human body is the overproduction of pro-inflammatory cytokines [interleukins (ILs)], such as IL-1 α / β , IL-2, IL-6, IL-12, interferon (IFN)- α / β / γ , and the anti-tumor necrosis factor (TNF), which cause damage to multiple organs[1]. Zheng[2] published a very interesting study in which they carried out a review of the effects of stem cells in the treatment of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2). It covers the ability of stem cells to secrete immunomodulatory factors and to improve the adverse effects of respiratory syndrome by reducing fibrosis.

Since the first umbilical cord stem cell transplant for the treatment of Fanconi anemia[3], the use of stem cells for the treatment of multiple diseases, including COVID-19, has increased. Among the various positive effects of stem cells is their capacity for immunoregulation by controlling inflammatory processes. The evidence we have on the use of stem cells for the SARS-CoV-2 infection is from transplanting mesenchymal cord cells by intravenous infusion, in which there is a significant decrease in the cytokines granulocyte-macrophage colony-stimulating factor, IFN- γ , IL-5, IL-6, IL-7, TNF- α , TNF-, platelet-derived growth factor-BB, and RANTES, which in turn decrease the mortality rate and the recovery time of patients[4]. Also, the application of umbilical stem cells has shown – through imaging analysis – that it improves the damage to lung tissue by reducing the solid component, which may be related to fibrosis[5].

Stem cells influence the regulation of cytokine expression by promoting the polarization of macrophages from a pro-inflammatory to an anti-inflammatory phenotype through the production of different types of cytokines, such as prostaglandin E2, TNF-stimulated gene 6 protein lactate, kynurenic acid, and spermidine, all of which in turn have an effect on the adaptive immune system by preventing the activation of effector T cells and promoting the regulation of regulatory T cells[6].

The efficacy and safety of the application of stem-cell-derived microvesicles have also been evaluated, which improve the oxygenation conditions of patients, thereby avoiding mechanical oxygenation methods and demonstrating the ability to modulate the inflammatory response by reducing the levels of proinflammatory cytokines within the first few hours of their intravenous application[7]. This is because these microvesicles contain cytokines, growth factors, and microRNAs that function as anti-inflammatory agents[8].

Although clinical trials have shown that stem-cell-based therapy has great advantages that have a direct impact on the survival of patients with severe disease, there are significant technical and biological limitations with this type of therapy: (1) The methods of obtaining stem cells – for example, those that come from adults; and (2) The quantity and quality of these stem cells depend on the age of the donor and their exposure to environmental stress, which could affect cell proliferation and differentiation[9]. Obtaining stem cells is still a challenge due to the lack of consensus of ethics committees. Another major challenge is the *in vitro* manipulation given to the cells: Keeping them in expansion for long periods of time can limit the characteristics of the cells regarding their regeneration potential and genomic stability[10].

The conclusion of this Letter is that although encouraging results have been obtained, we believe it is necessary to continue with long-term clinical trials that (1) Include a greater number of patients that allow adequate evaluation; (2) Design studies with a longer follow-up time, months or years, which allows an adequate assessment of the possible biological risks of the application of stem cells; and (3) Include the evaluation of molecular studies in order to analyze the gene expression of stem cells within the body. These three clinical trial points will aid in obtaining approval from the international institutions that sanction the use of medical drugs (including stem cells).

FOOTNOTES

Author contributions: Cuevas-González MV and Cuevas-González JC wrote the manuscript.

Conflict-of-interest statement: None.

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by

external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <https://creativecommons.org/licenses/by-nc/4.0/>

Country/Territory of origin: Mexico

ORCID number: Maria Veronica Cuevas-González 0000-0003-3112-4893; Juan Carlos Cuevas-González 0000-0002-6981-8025.

S-Editor: Fan JR

L-Editor: Filipodia

P-Editor: Fan JR

REFERENCES

- 1 **Yang B**, Fan J, Huang J, Guo E, Fu Y, Liu S, Xiao R, Liu C, Lu F, Qin T, He C, Wang Z, Qin X, Hu D, You L, Li X, Wang T, Wu P, Chen G, Zhou J, Li K, Sun C. Clinical and molecular characteristics of COVID-19 patients with persistent SARS-CoV-2 infection. *Nat Commun* 2021; **12**: 3501 [PMID: 34108465 DOI: 10.1038/s41467-021-23621-y]
- 2 **Zheng ZX**. Stem cell therapy: A promising treatment for COVID-19. *World J Clin Cases* 2021; **9**: 11148-11155 [PMID: 35071545 DOI: 10.12998/wjcc.v9.i36.11148]
- 3 **Charitos IA**, Ballini A, Cantore S, Boccellino M, Di Domenico M, Borsani E, Nocini R, Di Cosola M, Santacroce L, Bottalico L. Stem Cells: A Historical Review about Biological, Religious, and Ethical Issues. *Stem Cells Int* 2021; **2021**: 9978837 [PMID: 34012469 DOI: 10.1155/2021/9978837]
- 4 **Lanzoni G**, Linetsky E, Correa D, Messinger Cayetano S, Alvarez RA, Kouroupis D, Alvarez Gil A, Poggioli R, Ruiz P, Martos AC, Hirani K, Bell CA, Kusack H, Rafkin L, Baidal D, Pastewski A, Gawri K, Leñero C, Mantero AMA, Metalonis SW, Wang X, Roque L, Masters B, Kenyon NS, Ginzburg E, Xu X, Tan J, Caplan AI, Glassberg MK, Alejandro R, Ricordi C. Umbilical cord mesenchymal stem cells for COVID-19 acute respiratory distress syndrome: A double-blind, phase 1/2a, randomized controlled trial. *Stem Cells Transl Med* 2021; **10**: 660-673 [PMID: 33400390 DOI: 10.1002/sctm.20-0472]
- 5 **Shi L**, Huang H, Lu X, Yan X, Jiang X, Xu R, Wang S, Zhang C, Yuan X, Xu Z, Huang L, Fu JL, Li Y, Zhang Y, Yao WQ, Liu T, Song J, Sun L, Yang F, Zhang X, Zhang B, Shi M, Meng F, Song Y, Yu Y, Wen J, Li Q, Mao Q, Maeurer M, Zumla A, Yao C, Xie WF, Wang FS. Effect of human umbilical cord-derived mesenchymal stem cells on lung damage in severe COVID-19 patients: a randomized, double-blind, placebo-controlled phase 2 trial. *Signal Transduct Target Ther* 2021; **6**: 58 [PMID: 33568628 DOI: 10.1038/s41392-021-00488-5]
- 6 **Shi Y**, Wang Y, Li Q, Liu K, Hou J, Shao C. Immunoregulatory mechanisms of mesenchymal stem and stromal cells in inflammatory diseases. *Nat Rev Nephrol* 2018; **14**: 493-507 [PMID: 29895977 DOI: 10.1038/s41581-018-0023-5]
- 7 **Sengupta V**, Sengupta S, Lazo A, Woods P, Nolan A, Bremer N. Exosomes Derived from Bone Marrow Mesenchymal Stem Cells as Treatment for Severe COVID-19. *Stem Cells Dev* 2020; **29**: 747-754 [PMID: 32380908 DOI: 10.1089/scd.2020.0080]
- 8 **Yu B**, Zhang X, Li X. Exosomes derived from mesenchymal stem cells. *Int J Mol Sci* 2014; **15**: 4142-4157 [PMID: 24608926 DOI: 10.3390/ijms15034142]
- 9 **Brown C**, McKee C, Bakshi S, Walker K, Hakman E, Halassy S, Svinarich D, Dodds R, Govind CK, Chaudhry GR. Mesenchymal stem cells: Cell therapy and regeneration potential. *J Tissue Eng Regen Med* 2019; **13**: 1738-1755 [PMID: 31216380 DOI: 10.1002/term.2914]
- 10 **Saleh FA**, Ghazzawi J. Clinical update on the use of mesenchymal stem cells in COVID-19. *Am J Transl Res* 2021; **13**: 12195-12205 [PMID: 34956446]



Published by **Baishideng Publishing Group Inc**
7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: bpgoffice@wjgnet.com

Help Desk: <https://www.f6publishing.com/helpdesk>

<https://www.wjgnet.com>

