

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA **Telephone:** +1-925-399-1568 **E-mail:** bpgoffice@wjgnet.com https://www.wjgnet.com

PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 76147

Title: A Prospective Single-center Feasible Study of Innovative Auto-release Bile duct

Supporter to Delayed Adverse Events after Endoscopic Papillectomy

Provenance and peer review: Unsolicited Manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 05226178 Position: Peer Reviewer Academic degree: PhD

Professional title: Professor, Director

Reviewer's Country/Territory: Japan

Author's Country/Territory: China

Manuscript submission date: 2022-03-05

Reviewer chosen by: AI Technique

Reviewer accepted review: 2022-03-07 04:07

Reviewer performed review: 2022-03-11 02:03

Review time: 3 Days and 21 Hours

Scientific quality	[] Grade A: Excellent [] Grade B: Very good [Y] Grade C: Good [] Grade D: Fair [] Grade E: Do not publish
Language quality	[] Grade A: Priority publishing [Y] Grade B: Minor language polishing [] Grade C: A great deal of language polishing [] Grade D: Rejection
Conclusion	[] Accept (High priority) [] Accept (General priority) [Y] Minor revision [] Major revision [] Rejection
Re-review	[Y]Yes []No



Baishideng Publishing

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-399-1568 E-mail: bpgoffice@wjgnet.com

https://www.wjgnet.com

Peer-reviewer

Peer-Review: [Y] Anonymous [] Onymous

statements

Conflicts-of-Interest: [] Yes [Y] No

SPECIFIC COMMENTS TO AUTHORS

This is a study aimed to evaluate the usefulness, convenience, safety and short-term results of a novel auto-release bile supporter after endoscopic papillectomy (EP) procedure. The authors concluded that auto-release bile supporter could decrease the frequency of procedure-associated complications. However this study was consisted of very small size of cases, and the wound was closed with hemoclips, fibrin glue was sprayed on the wound. So, the actual usefulness of the auto-release bile supporter is not clear. 1. The authors should alter the title as " A prospective single-center feasible study of auto-release bile supporter to delayed adverse events after endoscopic snare papillectomy" 2. The authors use the term of endoscopic snare papillectomy (ESP) and endoscopic papillectomy (EP). I recommend to unify them and use the term of EP. 3. In table 1., the authors misspelled adenoma as adnoma in cases 1 and 4.



7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA **Telephone:** +1-925-399-1568 **E-mail:** bpgoffice@wjgnet.com https://www.wjgnet.com

PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 76147

Title: A Prospective Single-center Feasible Study of Innovative Auto-release Bile duct

Supporter to Delayed Adverse Events after Endoscopic Papillectomy

Provenance and peer review: Unsolicited Manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 02548230 **Position:** Editorial Board

Academic degree: FASGE, MD, MSc, PhD

Professional title: Associate Professor

Reviewer's Country/Territory: Brazil

Author's Country/Territory: China

Manuscript submission date: 2022-03-05

Reviewer chosen by: AI Technique

Reviewer accepted review: 2022-03-14 19:27

Reviewer performed review: 2022-03-15 14:36

Review time: 19 Hours

Scientific quality	[] Grade A: Excellent [] Grade B: Very good [] Grade C: Good [Y] Grade D: Fair [] Grade E: Do not publish
Language quality	[] Grade A: Priority publishing [Y] Grade B: Minor language polishing [] Grade C: A great deal of language polishing [] Grade D: Rejection
Conclusion	[] Accept (High priority) [] Accept (General priority) [] Minor revision [] Major revision [Y] Rejection
Re-review	[]Yes [Y]No



7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA **Telephone:** +1-925-399-1568 **E-mail:** bpgoffice@wjgnet.com

https://www.wjgnet.com

Peer-reviewer

Peer-Review: [Y] Anonymous [] Onymous

statements Conflicts-of-Interest: [] Yes [Y] No

SPECIFIC COMMENTS TO AUTHORS

1 Title. Does the title reflect the main subject/hypothesis of the manuscript? Yes, the title reflects and highlights the authors' hypothesis regarding the study. 2 Summary. Does the abstract summarize and reflect the work described in the manuscript? yes 3 Keywords. Do the keywords reflect the focus of the manuscript? yes 4 Background. Does the manuscript adequately describe the background, current status and importance of the study? yes 5 Methods. Does the manuscript describe methods (eg, experiments, data analysis, research and clinical trials, etc.) in adequate detail? Yes, it does, but it's kind of confusing about the ideal time to implant the new device and where they put it, was it in the pancreas or in the bile duct? 6 Results. Are the research objectives achieved by the experiments used in this study? What contributions has the study made to the progress of research in this field? For the authors, the interposition of this device was essential to avoid the complications of PE that reach more than 20%. In this study, the authors report that there were no complications. To verify this hypothesis, authors should evaluate a larger number of cases. 7 Discussion. Does the manuscript interpret the findings adequately and adequately, highlighting key points concisely, clearly and logically? Are the findings and their applicability/relevance to the literature stated clearly and defined? Is the discussion accurate and does it sufficiently discuss the article's scientific significance and/or relevance to clinical practice? Yes, initially because a series of cases can be considered difficult, but that can be treated as a series of patients can be considered difficult. 8 Illustrations and tables. Are the figures, diagrams and tables sufficient, of good quality and adequately illustrate the content of the article? Do figures require labeling with arrows, asterisks, etc., better captions? Figure 1 is very confusing, it



7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA **Telephone:** +1-925-399-1568 **E-mail:** bpgoffice@wjgnet.com https://www.wjgnet.com

should be more didactic. 9 Biostatistics. Does the manuscript meet the requirements of biostatistics? No 10 units. Does the manuscript meet the requirements for using SI units? No 11 References. Does the manuscript adequately cite the most recent, important, and authoritative references in the introduction and discussion sections? Does the author cite, omit, misquote, and/or overcite references? No