



## PEER-REVIEW REPORT

**Name of journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 77519

**Title:** Application of digital positioning guide plates for the surgical extraction of multiple impacted supernumerary teeth: A case report

**Provenance and peer review:** Unsolicited Manuscript; Externally peer reviewed

**Peer-review model:** Single blind

**Reviewer's code:** 03728140

**Position:** Peer Reviewer

**Academic degree:** MDS

**Professional title:** Associate Professor, Professor

**Reviewer's Country/Territory:** India

**Author's Country/Territory:** China

**Manuscript submission date:** 2022-05-05

**Reviewer chosen by:** AI Technique

**Reviewer accepted review:** 2022-05-14 05:17

**Reviewer performed review:** 2022-05-23 04:53

**Review time:** 8 Days and 23 Hours

<b>Scientific quality</b>	<input checked="" type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
<b>Language quality</b>	<input checked="" type="checkbox"/> Grade A: Priority publishing <input type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
<b>Conclusion</b>	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
<b>Re-review</b>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No



**Baishideng  
Publishing  
Group**

7041 Koll Center Parkway, Suite  
160, Pleasanton, CA 94566, USA  
**Telephone:** +1-925-399-1568  
**E-mail:** bpgoffice@wjgnet.com  
**https://**www.wjgnet.com

<b>Peer-reviewer statements</b>	Peer-Review: [ <input checked="" type="checkbox"/> ] Anonymous [ <input type="checkbox"/> ] Onymous Conflicts-of-Interest: [ <input type="checkbox"/> ] Yes [ <input checked="" type="checkbox"/> ] No
-------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### **SPECIFIC COMMENTS TO AUTHORS**

The manuscript is quite interesting. To use digital technology CBCT and CAD-CAM for accurate diagnosis of the STs and then making surgical guides that will help during surgical extraction is an useful tool. However, it would make the treatment more expensive to the patient as the investigations and manufacturing of the guide plates would increase the expenditure.



## PEER-REVIEW REPORT

**Name of journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 77519

**Title:** Application of digital positioning guide plates for the surgical extraction of multiple impacted supernumerary teeth: A case report

**Provenance and peer review:** Unsolicited Manuscript; Externally peer reviewed

**Peer-review model:** Single blind

**Reviewer's code:** 03850246

**Position:** Editorial Board

**Academic degree:** MD, PhD

**Professional title:** Doctor, Professor

**Reviewer's Country/Territory:** Italy

**Author's Country/Territory:** China

**Manuscript submission date:** 2022-05-05

**Reviewer chosen by:** AI Technique

**Reviewer accepted review:** 2022-06-09 09:23

**Reviewer performed review:** 2022-06-09 09:32

**Review time:** 1 Hour

<b>Scientific quality</b>	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
<b>Language quality</b>	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
<b>Conclusion</b>	<input type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input checked="" type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
<b>Re-review</b>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No



**Baishideng  
Publishing  
Group**

7041 Koll Center Parkway, Suite  
160, Pleasanton, CA 94566, USA  
**Telephone:** +1-925-399-1568  
**E-mail:** bpgoffice@wjgnet.com  
**https://**www.wjgnet.com

<b>Peer-reviewer statements</b>	Peer-Review: [ <input checked="" type="checkbox"/> ] Anonymous [ <input type="checkbox"/> ] Onymous Conflicts-of-Interest: [ <input type="checkbox"/> ] Yes [ <input checked="" type="checkbox"/> ] No
-------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### **SPECIFIC COMMENTS TO AUTHORS**

This report presents a rare case of seven impacted STs in the bilateral upper and lower arch that were successfully extracted with the use of digital positioning guide plates. The manuscript is clear and presented in a well structured manner. The study is well designed. Materials and methods are described in detail. Figures properly show the case. The conclusion is that the application of a digital positioning guide plate is useful for the individualized and minimalized extraction procedure of impacted supernumerary teeth. Please consider that you have submitted the edited version (mod rev) and there are some comments to manage which are asking if editing affected the meaning.