

PEER-REVIEW REPORT

Name of journal: World Journal of Psychiatry Manuscript NO: 88761 Title: Keep in mind sex differences when prescribing psychotropic drugs Provenance and peer review: Invited manuscript; Externally peer reviewed Peer-review model: Single blind Reviewer's code: 00784262 Position: Editorial Board Academic degree: DSc, FRCP (C), MD Professional title: Emeritus Professor, Professor Emerita Reviewer's Country/Territory: Canada Author's Country/Territory: Italy Manuscript submission date: 2023-10-08 Reviewer chosen by: AI Technique Reviewer accepted review: 2023-10-15 01:54

Reviewer performed review: 2023-10-15 02:35

Review time: 1 Hour

	[] Grade A: Excellent [] Grade B: Very good [Y] Grade C:
Scientific quality	Good
	[] Grade D: Fair [] Grade E: Do not publish
Novelty of this manuscript	[] Grade A: Excellent [] Grade B: Good [Y] Grade C: Fair [] Grade D: No novelty
Creativity or innovation of this manuscript	 [] Grade A: Excellent [] Grade B: Good [Y] Grade C: Fair [] Grade D: No creativity or innovation



Baishideng

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA Telephone: +1-925-399-1568 E-mail: office@baishideng.com https://www.wjgnet.com

Scientific significance of the conclusion in this manuscript	[] Grade A: Excellent [] Grade B: Good [Y] Grade C: Fair [] Grade D: No scientific significance
Language quality	[] Grade A: Priority publishing [Y] Grade B: Minor language polishing [] Grade C: A great deal of language polishing [] Grade D: Rejection
Conclusion	 [] Accept (High priority) [] Accept (General priority) [] Minor revision [Y] Major revision [] Rejection
Re-review	[Y]Yes []No
Peer-reviewer statements	Peer-Review: [] Anonymous [Y] Onymous Conflicts-of-Interest: [] Yes [Y] No

SPECIFIC COMMENTS TO AUTHORS

This is an editorial warning clinicians to note differences in pharmacokinetics and pharmacodynamics between men and women when prescribing and monitoring psychoactive drug. It is a well written and cogent paper on an important topic. questions: "Women largest users of psychoactive drugs" This depends on the drugs in question. It is true, however, that women use the most number of different drugs, which complicates things because of interactions and protein binding. This needs tobe noted. "Women have most side effects" This is true but moderated by readiness to report, pain threshold, nature of the side effect, adherence to prescription, therapeutic alliance, genetic differences. What is meant by "get sick differently?" "tendency to accumulate drugs" depends if they're lipophilic or not I don't think women use antipsychotics more than men - what is the reference? "On the other hand" (hand omitted) Many statement have no reference. If there is a limit to the number of citations allowed, try to find reviews that containmany of the points stated. It is also possible in an editorial to say "In my opinion..." Some of the references seem dated - there are very many papers on this topic perhaps limit references to last 2-3 years. I do not find the illustrations helpful. Examples



of psychoactive drugs that require different doses in men and women would be helpful. Please emphasize that differences apply to men and women ON AVERAGE and not necessarily to individuals who differ on age, bodybuild, genetics, gut microbes that metabolize drugs, tendency to report side effects etc.



PEER-REVIEW REPORT

Name of journal: World Journal of Psychiatry

Manuscript NO: 88761

Title: Keep in mind sex differences when prescribing psychotropic drugs

Provenance and peer review: Invited manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 06000750

Position: Peer Reviewer

Academic degree: MD

Professional title: Doctor

Reviewer's Country/Territory: Oman

Author's Country/Territory: Italy

Manuscript submission date: 2023-10-08

Reviewer chosen by: Yu-Lu Chen

Reviewer accepted review: 2023-11-25 07:06

Reviewer performed review: 2023-11-25 07:54

Review time: 1 Hour

	[] Grade A: Excellent [Y] Grade B: Very good [] Grade C:
Scientific quality	Good
	[] Grade D: Fair [] Grade E: Do not publish
Novelty of this manuscript	[] Grade A: Excellent [Y] Grade B: Good [] Grade C: Fair [] Grade D: No novelty
Creativity or innovation of this manuscript	 [] Grade A: Excellent [Y] Grade B: Good [] Grade C: Fair [] Grade D: No creativity or innovation



Baishideng

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA Telephone: +1-925-399-1568 E-mail: office@baishideng.com https://www.wjgnet.com

Scientific significance of the conclusion in this manuscript	[Y] Grade A: Excellent [] Grade B: Good [] Grade C: Fair [] Grade D: No scientific significance
Language quality	[] Grade A: Priority publishing [Y] Grade B: Minor language polishing [] Grade C: A great deal of language polishing [] Grade D: Rejection
Conclusion	 [] Accept (High priority) [Y] Accept (General priority) [] Minor revision [] Major revision [] Rejection
Re-review	[]Yes [Y]No
Peer-reviewer statements	Peer-Review: [Y] Anonymous [] Onymous Conflicts-of-Interest: [] Yes [Y] No

SPECIFIC COMMENTS TO AUTHORS

Dear authors, Thank you for giving me the opportunity to review an interesting topic written as an editorial entitled: keep in mind sex differences when prescribing psychotropic drugs. The editorial discusses the importance of considering sex differences in the prescription of psychotropic drug, noting that women are the majority of patients with psychiatric diagnoses and the largest users of psychotropic drugs. It emphasizes the need for sex-specific research to optimize treatment efficacy and safety. Here are some suggestions for improvement: Abstract: • please check some spelling mistakes that I specified in the main document. Introduction: • Check some grammar mistakes. • There is no need to abbreviate CNS as it has been used only two times in the text. • The opening sentence of the first and second paragraphs are too long, consider making them more concise. Woman and psychoactive drugs: future perspectives of research • Sometimes the authors used psychotropic sometimes psychoactive. Be consistent with using one term if they are used interchangeable. If you want to highlight the difference, the two words needs to be explained so reader can better understand. General remarks • There are two figures in this editorial which were not refer to in the



text. Please consider referring to the figures.



RE-REVIEW REPORT OF REVISED MANUSCRIPT

Name of journal: World Journal of Psychiatry Manuscript NO: 88761 Title: Keep in mind sex differences when prescribing psychotropic drugs Provenance and peer review: Invited manuscript; Externally peer reviewed Peer-review model: Single blind Reviewer's code: 00784262 Position: Editorial Board Academic degree: DSc, FRCP (C), MD Professional title: Emeritus Professor, Professor Emerita Reviewer's Country/Territory: Canada Author's Country/Territory: Italy Manuscript submission date: 2023-10-08 Reviewer chosen by: Jing-Jie Wang Reviewer accepted review: 2023-12-04 12:07

Reviewer performed review: 2023-12-04 12:33

Review time: 1 Hour

Scientific quality	[] Grade A: Excellent [] Grade B: Very good [Y] Grade C: Good [] Grade D: Fair [] Grade E: Do not publish
Language quality	 [] Grade A: Priority publishing [Y] Grade B: Minor language polishing [] Grade C: A great deal of language polishing [] Grade D: Rejection
Conclusion	 [] Accept (High priority) [] Accept (General priority) [Y] Minor revision [] Major revision [] Rejection
Peer-reviewer statements	Peer-Review: [Y] Anonymous [] Onymous Conflicts-of-Interest: [] Yes [Y] No



SPECIFIC COMMENTS TO AUTHORS

This editorial continues to be a valuable contribution. 1. There needs to be a very careful overhaul of the English, including misspellings but also inappropriate wording and sentence structure. This includes abstract, core tip, and text. 2. The main differences between men and women in drug kinetics disappear at menopause. This needs to be underscored. 3. The recommendations are not clear. What is the recommendation to practising physicians? What is the recommendation to the medical school curriculum? What is the recommendation for researchers? What is the recommendation for treatment guidelines? Are there recommendations for patients?