

PEER-REVIEW REPORT

Name of journal: *World Journal of Clinical Cases*

Manuscript NO: 90193

Title: Chaiqin Chengqi Decoction as an adjuvant treatment for mild/moderately severe hypertriglyceridemic acute pancreatitis: a retrospective study

Provenance and peer review: Unsolicited Manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 03475330

Position: Peer Reviewer

Academic degree: MD, PhD

Professional title: Professor, Surgeon

Reviewer's Country/Territory: Japan

Author's Country/Territory: China

Manuscript submission date: 2023-11-26

Reviewer chosen by: Jia-Ru Fan

Reviewer accepted review: 2024-01-07 00:49

Reviewer performed review: 2024-01-07 01:46

Review time: 1 Hour

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Novelty of this manuscript	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Good <input checked="" type="checkbox"/> Grade C: Fair <input type="checkbox"/> Grade D: No novelty
Creativity or innovation of this manuscript	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Good <input checked="" type="checkbox"/> Grade C: Fair <input type="checkbox"/> Grade D: No creativity or innovation

Scientific significance of the conclusion in this manuscript	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Good <input checked="" type="checkbox"/> Grade C: Fair <input type="checkbox"/> Grade D: No scientific significance
Language quality	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input checked="" type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Peer-reviewer statements	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous
	Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

The manuscript entitled " Chaiqin Chengqi Decoction as an adjuvant treatment for mild/moderately severe hypertriglyceridemic acute pancreatitis: a retrospective study" has been reviewed. This paper evaluates the efficacy of CQCQD on TG and APOA1 levels, bowel movement recovery time and gastrointestinal function in HTG-AP patients. The paper is interesting, but needs some revision. Is CT used to assess pancreatitis? How many days is the CQCQD taken internally? In other words, do people stop taking it when their symptoms improve? Or do they continue to take it internally after that? When should oral medication be stopped? This paper is a RETROSPECTIVE STUDY, so a detailed analysis would be possible. How many people had no effect? Are there any characteristics of the people who had no effect? On the other hand, what are the characteristics of those who are more likely to respond to the CQCQD? What side effects do they have?

PEER-REVIEW REPORT

Name of journal: *World Journal of Clinical Cases*

Manuscript NO: 90193

Title: Chaiqin Chengqi Decoction as an adjuvant treatment for mild/moderately severe hypertriglyceridemic acute pancreatitis: a retrospective study

Provenance and peer review: Unsolicited Manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 03647199

Position: Peer Reviewer

Academic degree: MD, PhD

Professional title: Doctor

Reviewer's Country/Territory: Japan

Author's Country/Territory: China

Manuscript submission date: 2023-11-26

Reviewer chosen by: Jia-Ru Fan

Reviewer accepted review: 2024-01-06 11:18

Reviewer performed review: 2024-01-08 10:03

Review time: 1 Day and 22 Hours

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input checked="" type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Novelty of this manuscript	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Good <input type="checkbox"/> Grade C: Fair <input type="checkbox"/> Grade D: No novelty
Creativity or innovation of this manuscript	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Good <input type="checkbox"/> Grade C: Fair <input type="checkbox"/> Grade D: No creativity or innovation

Scientific significance of the conclusion in this manuscript	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Good <input checked="" type="checkbox"/> Grade C: Fair <input type="checkbox"/> Grade D: No scientific significance
Language quality	<input checked="" type="checkbox"/> Grade A: Priority publishing <input type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input checked="" type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Peer-reviewer statements	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous
	Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

As a reviewer, I have meticulously assessed the manuscript detailing the impact of Chaqin Chengqi Decoction (CQCQD) in the treatment of hypertriglyceridemia-induced acute pancreatitis (HTG-AP). The study presents a retrospective analysis of 39 HTG-AP patients, comparing the efficacy of CQCQD against a conventional treatment regimen. The authors report that CQCQD significantly lowers triglyceride (TG) and Apolipoprotein A1 (APOA1) levels, improves gastrointestinal function, and reduces the inflammatory response. Summary of the Study: The study focuses on HTG-AP, a condition increasing in prevalence and often associated with severe outcomes. It evaluates the therapeutic potential of CQCQD, a traditional Chinese medicinal decoction, in comparison to conventional HTG-AP treatment. Results indicate that CQCQD is more effective in lowering TG levels, improving bowel movements, and reducing inflammation markers compared to the control group. Major Criticisms: Imaging Findings and Post-Treatment Changes: The study lacks detailed information on imaging findings such as CT scans, which are crucial for diagnosing and assessing the severity of acute pancreatitis. It is important to include and discuss the imaging results both at the



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: office@baishideng.com
https://www.wjgnet.com

time of admission and after treatment to understand the impact of CQCQD and conventional treatment on the progression of HTG-AP. Adverse Events of CQCQD: The manuscript does not sufficiently address the potential adverse events associated with CQCQD. It is essential to provide detailed information on any side effects, complications, or risks involved in the treatment with CQCQD to ensure a comprehensive understanding of the safety profile of this treatment modality. Comparison of Adverse Events Between Groups: There is a need for a detailed comparison of adverse events between the CQCQD group and the control group. This comparison should include the nature, frequency, severity, and management of any adverse events that occurred during the treatment course. Such an analysis is vital for evaluating the safety and tolerability of CQCQD in comparison to conventional treatments. Mention of Hospital Stay Duration: The duration of hospital stay for patients in both treatment groups is not mentioned in the study. This information is significant as it can provide insights into the efficiency of the treatment modalities in terms of recovery time and resource utilization. Sample Size and Diversity: The sample size of 39 patients is relatively small for a conclusive comparative study. A larger sample would enhance the reliability of the results. Additionally, the demographic diversity of the patient population is not extensively discussed, which could impact the generalizability of the findings. Study Design: Being a retrospective study, there is a potential for selection and information bias. Prospective studies or randomized controlled trials would provide more robust evidence. Control Group Treatment: The study lacks clarity on the specifics of the conventional treatment regimen provided to the control group. Detailing this would allow for a more accurate comparison. Statistical Analysis: While the study employs statistical methods, there is a need for more robust statistical tools to analyze the data, particularly given the small sample size and the potential for confounding variables. Long-Term Effects and Follow-Up: The study does not discuss the long-term effects of CQCQD treatment and



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: office@baishideng.com
<https://www.wjgnet.com>

lacks follow-up data. Understanding the long-term efficacy and safety of CQCQD is crucial. Minor Criticisms: Mechanism of Action: While the study hints at the possible mechanisms of action of CQCQD, it does not delve deeply into how these effects are achieved. A more detailed biochemical or molecular analysis would be beneficial. Reporting of Adverse Effects: The manuscript does not thoroughly report any adverse effects or complications associated with CQCQD, which is vital for a comprehensive understanding of the treatment's safety profile. Inclusion and Exclusion Criteria: The criteria for patient selection could be more clearly defined to understand the study population better. Data Presentation: Some of the data, particularly in graphical form, could be presented more clearly for ease of interpretation. Literature Contextualization: While the study references existing literature, there is room for a more thorough comparison with previous studies, which would provide a broader context for the findings. In conclusion, the study provides interesting insights into the potential benefits of CQCQD in treating HTG-AP. However, addressing the aforementioned major and minor criticisms would significantly strengthen the validity and impact of the findings.