

Epithelial-to-mesenchymal transition in pancreatic ductal adenocarcinoma: chara

全部 图片 视频 新闻 购物 地图 图书

找到约 21,200 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Epithelial-to-mesenchymal transition in pancreatic ductal adenocarcinoma: characterization in a 3D-cell culture model](#)

[... epithelial cell model and a three-dimensional culture ...](#) - Weaver - 被引用次数: 168

[Fibroblast-derived 3D matrix differentially regulates the ...](#) - Serebriiskii - 被引用次数: 90

[... 3D invasion of human pancreatic cancer cells via MMP ...](#) - Botta - 被引用次数: 23

[PDF] [Epithelial-To-Mesenchymal Transition in Pancreatic Ductal ...](#)

[openventio.org/.../Epithelial_To_Mesenchymal_Transition_in_Pancreatic_Ductal_Adenocarcinoma_Fiction_or_Fact_POJ_1_e001.pdf](#)

17 Nov 2015 ... Pancreatic Ductal Adenocarcinoma (PDAC) is one of the most aggressive ... to a "phenotypic switch" of epithelial cells to mesenchymal cells.³ ... The EMT-related phenotype of carcinoma cells is characterized ... strongly support the previously suggested role of 3D cell cultures as a ... fold chamber model.

[Organotypic Culture Model of Pancreatic Cancer Demonstrates that ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC2716963/](#)

Pancreatic cancer is characterized by an intense stromal reaction. polarity when grown in 3D culture models; and differentiation from single cell the possibility of changes in other markers for epithelial-mesenchymal transition such as ... β -Catenin and E-Cadherin Immunostaining of Pancreatic Ductal Tissues. Go to: ...

[GLI1 inhibition promotes epithelial-to-mesenchymal transition in ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC3251693/](#)

15 Nov 2011 ... Epithelial-to-mesenchymal transition (EMT) is a process in which cells lose Pancreatic cancer cell lines suitable for this assay were chosen according to in non-PDAC cell types and block keratinocyte invasiveness in 3D culture (43-45) Pancreatic ductal adenocarcinoma is characterized by the vast ...

Full Text: Molecular Cancer Research

Name of Journal: World Journal of Gastroenterology

Manuscript NO: 24264

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Epithelial-to-mesenchymal transition in pancreatic ductal adenocarcinoma: characterization in a 3D-cell culture model

Nicoletta Gagliano, Giuseppe Celesti, Lorenza Tacchini, Stefano Pluchino, Chiarella Sforza, Marco Rasile, Vincenza Valerio, Luigi Laghi, Vincenzo Conte, Patrizia Procacci

Abstract

AIM: To analyze the effect of the 3D-arrangement on the expression of epithelial-to-mesenchymal transition (EMT) markers in pancreatic adenocarcinoma (PDAC) cells.

METHODS: HPAF-III, HPAC and PL45 PDAC cells were cultured either in 2D-

Match Overview

1	Internet 246 words crawled on 12-Mar-2012 www.oncohelp.it	5%
2	Internet 116 words crawled on 29-Oct-2015 www.mltj.org	2%
3	CrossCheck 104 words Nicoletta Gagliano, "Malignant phenotype of renal cell / ... rcinoma cells is switched by Ukrain administration in vitr	2%
4	Internet 56 words crawled on 05-Feb-2016 doras.dcu.ie	1%
5	CrossCheck 53 words Colombo, G., "Oxidative damage in human gingival fibro... blasts exposed to cigarette smoke", Free Radical Biolog	1%
6	Internet 39 words crawled on 30-Jan-2016 jcb.rupress.org	1%
7	Internet 38 words crawled on 23-Apr-2009 clincancerres.aacrjournals.org	1%
8	CrossCheck 37 words Ledda, M., "Changes with age in the Golgi apparatus o... abbit spinal ganglion neurons", Tissue and Cell, 20010	1%

Epithelial-to-mesenchymal transition in pancreatic ductal adenocarcinoma: chara

全部 图片 视频 新闻 购物 地图 图书

找到约 20,200 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Epithelial-to-mesenchymal transition in pancreatic ductal adenocarcinoma: characterization in a 3D-cell culture model](#)

[Modeling tissue-specific signaling and organ function ...](#) - Schmeichel - 被引用次数: 455
[... epithelial cell model and a three-dimensional culture ...](#) - Weaver - 被引用次数: 169
[... 3D invasion of human pancreatic cancer cells via MMP ...](#) - Botta - 被引用次数: 23

[PDF] [Epithelial-To-Mesenchymal Transition in Pancreatic Ductal ...](#)

[openventio.org/.../Epithelial_To_Mesenchymal_Transition_in_Pancreatic_Ductal_Adenocarcinoma_Fiction_or_Fact_POJ_1_e001.pdf](#)

17 Nov 2015 ... Pancreatic Ductal Adenocarcinoma (PDAC) is one of the most aggressive ... to a "phenotypic switch" of epithelial cells to mesenchymal cells.³ ... The EMT-related phenotype of carcinoma cells is characterized ... strongly support the previously suggested role of 3D cell cultures as a ... fold chamber model.

[Organotypic Culture Model of Pancreatic Cancer Demonstrates that ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC2716963/](#)

Pancreatic cancer is characterized by an intense stromal reaction. polarity when grown in 3D culture models; and differentiation from single cell the possibility of changes in other markers for epithelial-mesenchymal transition such as ... β -Catenin and E-Cadherin Immunostaining of Pancreatic Ductal Tissues. Go to: ...

[A novel 3-dimensional culture system uncovers growth stimulatory ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC3166497/](#)

1 Aug 2011 ... Moreover, in this novel 3D model, concomitant treatment with TGF β 1 and ... Pancreatic ductal adenocarcinoma (PDAC) is the fourth leading cause of ... Optimization of 3D culture system for pancreatic cancer cells. linked to mesenchymal-like and epithelial-to-mesenchymal transition (EMT) characteristics ...

[Pancreatic Ductal Membranopapillary and the Pdx1 Homeodomain](#)

全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 96,800 条结果 (用时 0.63 秒)

Google 学术 : Epithelial-to-mesenchymal transition in pancreatic ductal adenocarcinoma: characterization in a 3D-cell culture model

Modeling tissue-specific signaling and organ function ... - Schmeichel - 被引用次数 : 457

... epithelial cell model and a three-dimensional culture ... - Weaver - 被引用次数 : 169

... 3D invasion of human pancreatic cancer cells via MMP ... - Botta - 被引用次数 : 23

[PDF] Epithelial-To-Mesenchymal Transition in Pancreatic Ducta...

openventio.org/.../Epithelial_To_Mesenchymal_Transition_in_... ▾ 翻译此页

2015年11月17日 - Pancreatic Ductal Adenocarcinoma (PDAC) is one of the most aggressive and lethal ... tion (EMT), leading to a "phenotypic switch" of epithelial cells to mesenchymal cells.3 ... this model, invasive carcinoma cells may adopt a collective ... strongly support the previously suggested role of 3D cell cultures as a ...

A novel 3-dimensional culture system uncovers growth ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : LF Sempere - 2011 - 被引用次数 : 23 - 相关文章

2011年8月1日 - Moreover, in this novel 3D model, concomitant treatment with TGFβ1 and ... Pancreatic ductal adenocarcinoma (PDAC) is the fourth leading cause of ... Optimization of 3D culture system for pancreatic cancer cells. linked to mesenchymal-like and epithelial-to-mesenchymal transition (EMT) characteristics ...

Organotypic Culture Model of Pancreatic Cancer ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : FFM Eroglu - 2009 - 被引用次数 : 64 - 相关文章