

Match Overview

[Details] [Close]

1	CrossCheck (11 words) "Primary intestinal lymphangiectasia" (7 words) (100%)	7%
2	CrossCheck (31 words) "Primary intestinal lymphangiectasia" (10 words) (100%)	1%
3	Internet (11 words) "Primary intestinal lymphangiectasia" (10 words) (100%)	1%
4	Internet (10 words) "Primary intestinal lymphangiectasia" (10 words) (100%)	<1%

Name of journal: World Journal of Gastroenterology

ESPJ Manuscript NO: 16542

Content: CASE REPORT

Primary intestinal lymphangiectasia with generalized warts

Seon-Jae Lee, Hyun-Joo Song, Sun-Jin Bae, Soo-Young Na, Hwang-Up Kim, Chang-Lim Hyun

Abstract

Primary intestinal lymphangiectasia (PIL) is a rare protein-losing enteropathy with lymphatic leakage into the small intestine. Dilated lymphatics in the small intestinal wall and mesentery are observed in the disease. Laboratory test of PIL patients revealed hypalbuminemia, lymphocytopenia, hypogammaglobulinemia and increased stool α -1 antitrypsin clearance. Due to loss of lymphocytes, cell-mediated



Primary intestinal lymphangiectasia with generalized warts



网页

图片

视频

新闻

购物

更多 ▾

搜索工具

找到约 28,100 条结果 (用时 0.49 秒)

Google 学术: Primary intestinal lymphangiectasia with generalized warts

... objectives of treatment for intestinal lymphangiectasia? - Takahashi - 被引用次数: 21

... formation in a patient with intestinal lymphangiectasia ... - Ward - 被引用次数: 18

... syndrome—Primary lymphedema with myelodysplasia ... - Mansour - 被引用次数: 26

Primary intestinal lymphangiectasia (Waldmann's disease)

www.ojrd.com/content/3/1/5 ▾ 翻译此页

作者: S Vignes - 2008 - 被引用次数: 133 - 相关文章

2008年2月22日 - Primary intestinal lymphangiectasia (PIL) is a rare disorder In general, these syndromes are easily distinguishable by the presence of facial Widespread viral warts may be associated with a primary immune deficiency in ...

[PDF] Case 1: Protein - losing Enteropathy with Generalized W...

www.gie.or.kr/event/meeting/old_data/2014_64/.../f11.pdf ▾ 翻译此页

2014年11月29日 - He presented with generalized warts over his entire body, including both ... Primary intestinal lymphangiectasia (PIL) is a congenital and rare ...

Primary intestinal lymphangiectasia (Waldmann's disease)

www.ncbi.nlm.nih.gov ▸ ... ▸ PubMed Central (PMC) ▾ 翻译此页

作者: S Vignes - 2008 - 被引用次数: 133 - 相关文章

2008年2月22日 - Primary intestinal lymphangiectasia (PIL) is a rare disorder In general, these syndromes are easily distinguishable by the presence of facial Widespread viral warts may be associated with a primary immune deficiency in ...

[网页](#) [图片](#) [视频](#) [购物](#) [新闻](#) [更多 ▾](#) [搜索工具](#)

找到约 28,100 条结果 (用时 0.55 秒)

Google 学术 : Primary intestinal lymphangiectasia with generalized warts

... objectives of treatment for intestinal lymphangiectasia? - Takahashi - 被引用次数 : 21

... formation in a patient with intestinal lymphangiectasia ... - Ward - 被引用次数 : 18

... syndrome—Primary lymphedema with myelodysplasia ... - Mansour - 被引用次数 : 26

Primary intestinal lymphangiectasia (Waldmann's disease)www.ojrd.com/content/3/1/5 ▾ 翻译此页

作者 : S Vignes - 2008 - 被引用次数 : 134 - 相关文章

2008年2月22日 - Primary intestinal lymphangiectasia (PIL) is a rare disorder ... In

general, these syndromes are easily distinguishable by the presence of facial

Widespread viral warts may be associated with a primary immune deficiency in ...

Primary intestinal lymphangiectasia (Waldmann's disease)www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : S Vignes - 2008 - 被引用次数 : 134 - 相关文章

2008年2月22日 - Primary intestinal lymphangiectasia (PIL) is a rare disorder In

general, these syndromes are easily distinguishable by the presence of facial

Widespread viral warts may be associated with a primary immune deficiency in ...

Malignant lymphoma and extensive viral wart formation in a ...www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : M Ward - 1977 - 被引用次数 : 18 - 相关文章

... and extensive viral wart formation in a patient with intestinal lymphangiectasia and

lymphocyte ... and mosaic warts associated with generalized lymphatic hypoplasia.