



[全部](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多](#) [搜索工具](#)

找到约 16,900 条结果 (用时 0.76 秒)

Von Willebrand factor as new noninvasive predictor of portal ...

onlinelibrary.wiley.com/doi/10.1002/hep.25806/full [翻译此页](#)

作者: M Ferlitsch - 2012 - 被引用次数: 46 - 相关文章

2012年8月27日 - Liver Failure/Cirrhosis/Portal Hypertension ... von Willebrand factor antigen (vWF-Ag) is elevated in patients with liver cirrhosis, but the clinical significance is unclear. active infections, diabetes, anticoagulant therapy, antiplatelet drugs, cardiovascular disease, Expert Opinion on Therapeutic Targets, ...

Von Willebrand Factor in Cardiovascular Disease - Circulation

circ.ahajournals.org/content/117/11/1449.full [翻译此页](#)

作者: AD Spiel - 2008 - 被引用次数: 248 - 相关文章

This central role of vWF in thrombogenesis has made it a promising target for ... the relevance of therapeutic interventions targeting vWF for acute coronary ... as a risk factor for cardiovascular disease, plasma vWF antigen and plasma vWF predict clinical outcome in patients with cirrhosis and portal hypertension Gut .

vWF, a screening tool for detection of hepatopulmonary ...

https://www.researchgate.net/.../262075763_vWF_a_screening_... [翻译此页](#)

vWF, a screening tool for detection of hepatopulmonary syndrome in patients with liver ... to play a central role in its pathogenesis. von Willebrand factor antigen (vWF-Ag), ... in patients with liver cirrhosis, portal hypertension and in experimental HPS. and recent knowledge regarding pathogenesis and therapeutic targets.

Effects of Sapropterin on Portal and Systemic ... - Nature

www.nature.com > ... > Archive > Original Contributions - [翻译此页](#)

作者: E Reverter - 2015



Name of Journal: *World Journal of Gastroenterology*

ESPS manuscript NO: 24275

Manuscript Type: LETTERS TO THE EDITOR

von Willebrand factor antigen as a therapeutic target of portal hypertension in cirrhosis

Kalambokis GN *et al.* vWF-Ag and cirrhosis-related portal hypertension

Georgios N Kalambokis, Gerasimos Baltayiannis, Dimitrios Christodoulou

Abstract

Increased thrombotic potential within the liver sinusoids due to local endothelial production of von Willebrand factor antigen macromolecules could represent an additional therapeutic target of portal hypertension in patients with cirrhosis. In this case, anti-inflammatory and antithrombotic

Match Overview

1	CrossCheck 30 words Hamed, A. A., Y. W. Darwish, and M. H. El-Sayed. "ADAM TS13 Levels in Young Patients With -Thalassemia Major	1%
2	Internet 19 words crawled on 07-Oct-2015 www.ncbi.nlm.nih.gov	1%
3	CrossCheck 11 words Giannini, Edoardo G., R. Todd Stravitz, and Stephen H. Caldwell. "Portal vein thrombosis and chronic liver disea...	1%
4	Internet 10 words crawled on 21-Sep-2013 ccforum.com	<1%
5	CrossCheck 10 words Lopes, A.A. "Abnormalities in circulating von Willebran ... factor and survival in pulmonary hypertension", <i>The Ame</i>	<1%
6	Internet 10 words crawled on 29-Sep-2014 palmta.org	<1%
7	CrossCheck 10 words Garbuzenko, Dmitry Victorovich. "Contemporary conce... s. of the medical therapy of nortaj hypertension under live	<1%



全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 58,900 条结果 (用时 0.78 秒)

Google 学术: von Willebrand factor antigen and cirrhosis-related portal hypertension

von Willebrand factor as new noninvasive predictor of ... - Ferlitsch - 被引用次数: 48

Von Willebrand factor could be an index of endothelial ... - Albornoz - 被引用次数: 51

A randomized unblinded pilot study comparing albumin ... - Fernández - 被引用次数: 178

von Willebrand factor as new noninvasive predictor of portal ...

www.ncbi.nlm.nih.gov/pubmed/22532296 ▾ 翻译此页

作者: M Ferlitsch - 被引用次数: 47 - 相关文章

2012年8月27日 - von Willebrand factor antigen (vWF-Ag) is elevated in patients with ... (HVPG), and predict clinically significant portal hypertension (CSPH); ... vWF-Ag levels were measured by enzyme-linked immunosorbent assay. During follow-up, complications of liver cirrhosis, death or transplantation were recorded.

Standard PDF (601.2 KB) - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1002/hep.25806/pdf ▾ 翻译此页

作者: M Ferlitsch - 2012 - 被引用次数: 47 - 相关文章

2012年4月13日 - of Portal Hypertension, Decompensation and Mortality in Patients With Liver Cirrhosis ... von Willebrand factor antigen (vWF-Ag) is elevated in patients with liver cirrhosis, but the ... mmHg) is associated with a higher risk of liver-related mortality ... patients with liver cirrhosis, elevated levels of vWF-Ag.



全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 20,400 条结果 (用时 0.61 秒)

Google 学术 : von Willebrand factor antigen as a therapeutic target of portal hypertension in cirrhosis

von Willebrand factor as new noninvasive predictor of ... - Ferlitsch - 被引用次数 : 48

Thrombocytopenia associated with chronic liver ... - Afdhal - 被引用次数 : 219

Bacterial translocation (BT) in cirrhosis - Wiest - 被引用次数 : 544

Von Willebrand factor as new noninvasive predictor of portal ...

onlinelibrary.wiley.com/doi/10.1002/hep.25806/abstract ▾ 翻译此页

作者 : M Ferlitsch - 2012 - 被引用次数 : 48 - 相关文章

2012年8月27日 - Liver Failure/Cirrhosis/Portal Hypertension ... von Willebrand factor antigen (vWF-Ag) is elevated in patients with liver cirrhosis, but the clinical ...

The VITRO Score (Von Willebrand Factor Antigen ...

journals.plos.org/plosone/article?id=10.1371/journal.pone... ▾ 翻译此页

作者 : S Hametner - 2016

2016年2月19日 - Background Clinically significant portal hypertension (CSPH), defined as ... improves the diagnostic accuracy of detecting cirrhosis/ fibrosis in HCV patients. ... (HVPG), and the result is also used for prognostic and therapeutic purposes. ... Von Willebrand factor antigen (VWF-Ag) is released by activated ...

vWF, a screening tool for detection of hepatopulmonary ...

https://www.researchgate.net/.../262075763_vWF_a_screening_... - 翻译此页

vWF, a screening tool for detection of hepatopulmonary syndrome in patients with liver ... to play a central role in its pathogenesis. von Willebrand factor antigen (vWF-Ag), ... in patients with liver cirrhosis, portal hypertension and in experimental HPS. ...