



35647-Review check.doc

Quotes Excluded
Bibliography Excluded1%
SIMILAR

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 35647

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Mitofusin-2 mediated mitochondrial Ca²⁺ uptake 1/2 induced liver injury in rat remote ischemic preconditioning liver transplantation and AML12 hypoxia cell line models

Liang RP *et al.* Mitofusin-2 mediated MICUs-induced liver injury

Ruo-Peng Liang, Jun-Jun Liu, Jian-Hui Li, Ning He, Yan-Fei Zhou, Li Jiang,

Match Overview

1

Internet 17 words
crawled on 09-Jul-2017
www.labome.org

<1%

2

Crossref 13 words
Kumar, S.. "Cdk2 nitrosylation and loss of mitochondrial ...
tentia mediate NO-dependent biphasic effect on HL-60 cel

<1%

3

Crossref 12 words
Molecular Pathology Library, 2011.

<1%

73%

↑ 0.09K/s
↓ 0.4K/s



全部

图片

新闻

购物

地图

更多

设置

工具

找到约 5,430 条结果 (用时 0.52 秒)

小提示: 仅限搜索简体中文结果。您可以在设置中指定搜索语言

The Effects of Remote Ischemic Preconditioning and N-Acetylcysteine ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: Al Uysal - 2014 - 被引用次数: 10 - 相关文章

2014年1月8日 - Remote ischemic preconditioning (RIP) and pharmacological ... and N-Acetylcysteine (NAC) with RIP in the rat hepatic IR injury model. ... The hepatic histopathological injury scores of RIP + IR and RIP + ... Liver ischemia/reperfusion injury (IRI) may occur during surgery, like Transplantation Reviews.

Conventional, but not remote ischemic preconditioning, reduces iNOS ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: B Björnsson - 2014 - 被引用次数: 9 - 相关文章

2014年7月28日 - METHODS: Seventy-two male rats were randomized into 3 groups: the ... The iNOS and the IL-1 receptor mRNA in the liver tissue was ... has been shown to reduce ischemia/reperfusion injury (IRI) in the liver. ... This study shows that ischemic preconditioning (IPC) but not remote liver. Transplant Proc.

Hypoxia-inducible factor 1 is required for remote ischemic ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pubmed/24101519> - 翻译此页

作者: Z Cai - 2013 - 被引用次数: 69 - 相关文章

2013年10月7日 - In this study, we demonstrate that remote ischemic preconditioning increases ... Exposure of C2C12 mouse myocytes to cyclic hypoxia and ... the Il10 gene was induced when myocytes were subjected to cyclic hypoxia and reoxygenation. ... Cell Hypoxia; Cell Line; Hypoxia-Inducible Factor 1/antagonists & ...

[XLS] 2013年医学院发表SCI收录论文<https://www.ncbi.nlm.nih.gov/pubmed/24101519>

学术搜索

获得 11 条结果 (用时0.06秒)

文章

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

我的图书馆

[HTML] The **mitochondrial** calcium uniporter matches energetic supply with cardiac workload during stress and modulates permeability transition
TS Luongo, JP Lambert, A Yuan, X Zhang, P Gross... - Cell reports, 2015 - Elsevier
... Numerous genetic components have been shown to **mediate** the passage of Ca^{2+} across ...
MCU-Mediated mCa^{2+} Uptake Is a Significant Contributor to Myocardial IR Injury. ... I, we next isolated **mitochondria** from hearts and employed the classical **mitochondrial**-swelling assay ...

[HTML] sciencedirect.com

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

被引用次数: 59 相关文章 所有 11 个版本 引用 保存

[HTML] Amino acid transamination is crucial for **ischaemic** cardioprotection in normal and **preconditioned** isolated rat hearts—focus on l-glutamate
B Løfgren, JA Povlsen, LE Rasmussen... - Experimental ..., 2010 - Wiley Online Library
... involves activation of signalling pathways that reduce the ischaemia-reperfusion-mediated **mitochondrial** dysfunction that ... glutamate may play a key role for the regulation of **mitochondrial** function in ... The combination of IPC and glutamate did not **mediate** an additional significant ...

[HTML] wiley.com

不限语言

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

被引用次数: 26 相关文章 所有 10 个版本 引用 保存

创建快讯

Mitofusin 2 mediates Sirtuin 1 induced autophagy to suppress liver ischemia/reperfusion injury
TG Biel - 2014 - search.proquest.com
... Mitofusin 1 (MFN1) and Mitofusin 2 (MFN2) were identified as acetylated proteins that form a complex with SIRT1. ... 44. pharmacological, surgical and genetic approaches to stimulate SIRT1 **mediate** cytoprotection during I/R to the heart, lung ... (A) Chaperone mediated autophagy. ...
相关文章 所有 2 个版本 引用 保存

Novel therapeutic strategies for cardioprotection
JPG Sluijter, G Condorelli, SM Davidson... - Pharmacology & ..., 2014 - Elsevier
The morbidity and mortality from ischemic heart disease (IHD) remain significant

学术搜索

获得 11 条结果 (用时0.16秒)

文章

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

我的图书馆

[HTML] The **mitochondrial** calcium uniporter matches energetic supply with cardiac workload during stress and modulates permeability transition
[TS Luongo](#), [JP Lambert](#), [A Yuan](#), [X Zhang](#), [P Gross](#)... - *Cell reports*, 2015 - Elsevier
... Numerous genetic components have been shown to **mediate** the passage of Ca^{2+} across ...
MCU-Mediated m Ca^{2+} Uptake Is a Significant Contributor to Myocardial IR Injury. ... I, we next isolated **mitochondria** from hearts and employed the classical **mitochondrial**-swelling assay ...

[\[HTML\] sciencedirect.com](#)

时间不限

2017以来

2016以来

2013以来

自定义范围...

被引用次数: 59 相关文章 所有 11 个版本 引用 保存

按相关性排序

按日期排序

[HTML] Amino acid transamination is crucial for **ischaemic** cardioprotection in normal and **preconditioned** isolated rat hearts—focus on L-glutamate
[B Løfgren](#), [JA Povlsen](#), [LE Rasmussen](#)... - *Experimental ...*, 2010 - Wiley Online Library
... involves activation of signalling pathways that reduce the ischaemia-reperfusion-mediated **mitochondrial** dysfunction that ... glutamate may play a key role for the regulation of **mitochondrial** function in ... The combination of IPC and glutamate did not **mediate** an additional significant ...

[\[HTML\] wiley.com](#)

不限语言

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

被引用次数: 26 相关文章 所有 10 个版本 引用 保存

创建快讯

Mitofusin 2 mediates Sirtuin 1 induced autophagy to suppress liver ischemia/reperfusion injury
[TG Biel](#) - 2014 - [search.proquest.com](#)
... Mitofusin 1 (MFN1) and Mitofusin 2 (MFN2) were identified as acetylated proteins that form a complex with SIRT1. ... 44. pharmacological, surgical and genetic approaches to stimulate SIRT1 **mediate** cytoprotection during I/R to the heart, lung ... (A) Chaperone **mediated** autophagy. ...
相关文章 所有 2 个版本 引用 保存

Novel therapeutic strategies for cardioprotection
[JPG Sluijter](#), [G Condorelli](#), [SM Davidson](#)... - *Pharmacology & ...*, 2014 - Elsevier
The morbidity and mortality from ischemic heart disease (IHD) remain significant