

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 46198

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Dual energy computed tomography detects metastatic lymph nodes in patients with hepatocellular carcinoma

Zeng YR *et al.* Lymph node assessment of HCC patients

Yu-Rong Zeng, Qi-Hua Yang, Qing-Yu Liu, Jun Min, Hai-Gang Li, Zhi-Feng Liu, Ji-Xin Li

Match Overview

1	Crossref 14 words Fengfeng Yang, Jie Dong, Xiuting Wang, Xiaojiao Fu, Tong Zhang. "Non-small cell lung cancer: Spectral computed	<1%
2	Crossref 13 words Chuang-bo Yang, Shuang Zhang, Yong-jun Jia, Yong Yu, Hai-feng Duan, Xi-rong Zhang, Guang-ming Ma, Chenglo	<1%
3	Crossref 12 words Yue Dong, Shaowei Zheng, Haruhiko Machida, Bing Wang, Ailian Liu, Yijun Liu, Xin Zhang. "Differential diagnosis	<1%
4	Internet 11 words crawled on 14-Oct-2005 virology.med.uoc.gr	<1%
5	Internet 11 words crawled on 29-Jan-2004 www.bjui.org	<1%
6	Internet 11 words crawled on 29-Nov-2018 citeseerx.ist.psu.edu	<1%
7	Crossref 10 words Rose, Cecile S., and Abigail R. Lara. "Hypersensitivity Pneumonitis", Murray and Nadel's Textbook of Respiratory	<1%
8	Crossref 10 words I. Al-Najami, M.J. Lahaye, R.G.H. Beets-Tan, G. Baatrup. ... Dual-energy CT can detect malignant lymph nodes in rect	<1%
9	Crossref 10 words "ECR 2012 Book of Abstracts - B - Scientific Sessions", I	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 507,000 条结果 (用时 0.52 秒)

Dual-energy CT can detect malignant lymph nodes in rectal cancer ...

[https://www.ejradiology.com/article/S0720-048X\(17\)30049-9/abstract](https://www.ejradiology.com/article/S0720-048X(17)30049-9/abstract) - [翻译此页](#)

作者: I Al-Najami - 2017 - 被引用次数: 2 - [相关文章](#)

Dual-energy CT can detect malignant lymph nodes in rectal cancer detection of metastases in the pelvic lymph nodes of rectal cancer patients and compare ...

Dual-energy CT can detect malignant lymph nodes in rectal cancer.

<https://www.ncbi.nlm.nih.gov/pubmed/28583651> - [翻译此页](#)

作者: I Al-Najami - 2017 - 被引用次数: 2 - [相关文章](#)

2017年2月6日 - Dual-energy CT can detect malignant lymph nodes in rectal cancer. ... of metastases in the pelvic lymph nodes of rectal cancer patients and ...

缺少字词: hepatocellular

Gastric Cancer Staging with Dual Energy Spectral CT Imaging

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3570537/> - [翻译此页](#)

作者: Z Pan - 2013 - 被引用次数: 93 - [相关文章](#)

2013年2月12日 - Gastric Cancer Staging with Dual Energy Spectral CT Imaging A good prognosis for patients with this disease requires choosing the ... The sensitivity and specificity of MDCT for lymph nodes detection ... the measurement of tumor vascular physiology in brain, lung, liver, neck, breast and gastric [28]–[32].

Papillary Thyroid Cancer: Dual-Energy Spectral CT Quantitative ...

<https://pubs.rsna.org/doi/pdf/10.1148/radiol.14140481> - [翻译此页](#)

作者: X Liu - 2014 - 被引用次数: 40 - [相关文章](#)

2015年4月1日 - To evaluate the use of dual-energy spectral computed tomographic (CT) quantitative ... metastasis to the cervical lymph nodes in patients with papillary thyroid cancer.



All

Images

Videos

翻译成中文

关闭取词

743,000 Results

Any time ▾

Dual-Energy CT-Derived Iodine Content and ... - ...

tomography.org/volume-4/issue-2-june/research-articles/j-tom-2018... ▾

Furthermore, a histopathological evaluation of the **lymph nodes** in 16 **patients** with squamous cell **carcinoma** of the oral cavity or larynx/piriform fossa found that nonmetastatic **lymph nodes** had 1.4 times higher vessel density than **metastatic lymph nodes**. Future studies to evaluate the relationship between **dual-energy**-derived nodal iodine ...

Author: Alexandra M. Foust, Rukya M. Ali, Xu... **Publish Year:** 2018

Iodine quantification to characterize primary lesions ...

<https://www.sciencedirect.com/science/article/pii/S0720048X16301127>

Sixty-one **patients** with NSCLC confirmed by pathology underwent **chest** contrast CT scan with **dual energy computed tomography** before surgery. The **iodine** concentration (IC) and normalized **iodine** concentration (NIC) values of the primary lesions, 20 **metastatic** and 20 **non-metastatic lymph nodes** were measured, respectively.

Cited by: 4

Author: Xubin Li, Xiaoyan Meng, Zhaoxiang Ye

Publish Year: 2016

Positive Lymph Node Metastasis Has a Marked Impact on ...

www.ncbi.nlm.nih.gov › Journal List › PLoS One › v.9(4); 2014

Positron emission **tomography/computed tomography** with 18F ... The majority of HCC **patients** with extrahepatic **metastasis** do not die of **metastatic** dissemination but rather die of hepatic ... Yu MC, Lee WC, et al. (2011) Hepatic resection for **hepatocellular carcinoma** with **lymph node metastasis**: clinicopathological analysis and survival ...

Cited by: 9

Author: Feng Xia, Lin Wu, Wan-Yee Lau, Wan-Ye...

Publish Year: 2014

Axillary Sentinel Lymph Nodes in Breast Cancer ...

<https://pubs.rsna.org/doi/10.1148/radiol.2018180544>

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 367,000 条结果 (用时 0.34 秒)

Google 学术: Dual energy computed tomography detects metastatic lymph nodes in patients with hepatocellular carcinoma

... cancer staging with dual energy spectral CT imaging - Pan - 被引用次数: 92

... hemangioma from small hepatocellular carcinoma: ... - Lv - 被引用次数: 233

... applications of dual-energy computed tomography ... - Paul - 被引用次数: 14

Staging of pulmonary metastases using dual-energy computed ...

https://www.researchgate.net/.../318907172_Staging_of_pulmonary_metasta... - 翻译此页

Staging of pulmonary metastases using dual-energy computed tomography after in patients with hepatocellular carcinoma—An evaluation with dual energy Dual-energy CT Can Evaluate Both Hilar and Mediastinal Lymph Nodes and Assessing Tumor Response and Detecting Recurrence in Metastatic Renal Cell ...

Dual-energy CT can detect malignant lymph nodes in rectal cancer ...

[https://www.ejradiology.com/article/S0720-048X\(17\)30049-9/abstract](https://www.ejradiology.com/article/S0720-048X(17)30049-9/abstract) - 翻译此页

作者: I Al-Najami - 2017 - 被引用次数: 3 - 相关文章

Dual-energy CT can detect malignant lymph nodes in rectal cancer detection of metastases in the pelvic lymph nodes of rectal cancer patients and compare ...

Dual-Energy Computed Tomography in Patients With Small ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/29659425> - 翻译此页

作者: M Matsuda - 2018 - 相关文章

Dual-Energy Computed Tomography in Patients With Small Hepatocellular ... for detecting washout of small (≤ 2 cm) hepatocellular carcinoma (HCC) in the ...

缺少字词: metastatic lymph nodes

Computed Tomography Assessment of Hepatic Metastases of Breast ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5894063/> - 翻译此页