World Journal of Clinical Cases

World J Clin Cases 2024 March 16; 12(8): 1382-1548





Contents

Thrice Monthly Volume 12 Number 8 March 16, 2024

EDITORIAL

1382 Latest updates on structure and recommendations of cardiac rehabilitation programs in chronic heart

Kourek C, Briasoulis A, Magouliotis DE, Skoularigis J, Xanthopoulos A

1388 Immunoglobulin A glomerulonephropathy: A review

El Labban M, Surani S

ORIGINAL ARTICLE

Retrospective Study

1395 Serum proteins differentially expressed in gestational diabetes mellitus assessed using isobaric tag for relative and absolute quantitation proteomics

Cao WL, Yu CP, Zhang LL

Observational Study

1406 Effect of comprehensive nursing on the quality of life and swallowing function in individuals diagnosed with ischemic stroke

Hu HF, Sang YF, Xiao YQ

META-ANALYSIS

Safety and effectiveness of butorphanol in epidural labor analgesia: A protocol for a systematic review and 1416 meta-analysis

Tang GC, He M, Huang ZZ, Cheng Y

CASE REPORT

1422 Left lower lobe sleeve resection for the clear cell variant of pulmonary mucoepidermoid carcinoma: A case report

Yu XH, Wang WX, Yang DS, Gong LH

1430 Lower extremity peripherally inserted central catheter placement ectopic to the ascending lumbar vein: A case report

Zhu XJ, Zhao L, Peng N, Luo JM, Liu SX

Effect of foot reflexology on an infant with sensorineural hearing loss: A case report 1437

Lee YJ, Chen MQ, Dong J

1442 Development of immature ovarian teratoma after mature teratoma in a girl with familial ovarian teratoma: A case report

Ju UC, Kang WD, Kim SM

Contents

Thrice Monthly Volume 12 Number 8 March 16, 2024

1448 Metastatic clear cell sarcoma of the pancreas: A rare case report

Liu YJ, Zou C, Wu YY

3M syndrome patient with a novel mutation: A case report

Luo MR, Dai SM, Li Y, Wang Q, Liu H, Gao P, Liu JY, Chen J, Zhao SJ, Yin GY

1461 Appendiceal intussusception complicated by adenocarcinoma of the cecum: A case report

Long Y, Xiang YN, Huang F, Xu L, Li XY, Zhen YH

1467 Malignant triton tumor in the abdominal wall: A case report

Yang HJ, Kim D, Lee WS, Oh SH

Multilocular thymic cysts can be easily misdiagnosed as malignant tumor on computer tomography: A case report

Sun J, Yang QN, Guo Y, Zeng P, Ma LY, Kong LW, Zhao BY, Li CM

1481 Diagnosis of poorly differentiated adenocarcinoma of the stomach by confocal laser endomicroscopy: A case report

Lou JX, Wu Y, Huhe M, Zhang JJ, Jia DW, Jiang ZY

High-grade pancreatic intraepithelial neoplasia diagnosed based on changes in magnetic resonance cholangiopancreatography findings: A case report

Furuya N, Yamaguchi A, Kato N, Sugata S, Hamada T, Mizumoto T, Tamaru Y, Kusunoki R, Kuwai T, Kouno H, Kuraoka K, Shibata Y, Tazuma S, Sudo T, Kohno H, Oka S

1497 Chronic infectious unilateral giant thyroid cyst related to diabetes mellitus: A case report

 ${\it Liu\ JB,\ Zhang\ SL,\ Jiang\ WL,\ Sun\ HK,\ Yang\ HC}$

1504 Multiple thoracic and abdominal foregut duplication cysts: A case report

Alsinan TA, Altokhais TI

1510 Advanced cervix cancer patient with chemotherapy-induced grade IV myelosuppression achieved complete remission with cadonilimab: A case report

Zhu R, Chen TZ, Sun MT, Zhu CR

1517 Detection of 4p16.3 deletion and 11p15.5p15.4 gain in a boy by comparative genomic hybridization array: A case report

Kaya I

1523 Eccrine porocarcinoma in the tempus of an elderly woman: A case report

Wu ZW, Zhu WJ, Huang S, Tan Q, You C, Hu DG, Li LN

1530 Analysis and monitoring of drug therapy in a patient with peptic ulcer complicated by infection: A case report

Gou YP, Huang Y, Chen L, Zheng W, Zheng YH

1536 Primary gastroduodenal tuberculosis presenting as gastric outlet obstruction: A case report and review of literature

Ali AM, Mohamed YG, Mohamud AA, Mohamed AN, Ahmed MR, Abdullahi IM, Saydam T

World Journal of Clinical Cases

Contents

	Thrice Monthly Volume 12 Number 8 March 16, 2024
1544	Clinical manifestations and the prenatal diagnosis of trisomy 7 mosaicism: Two case reports
	Hou F, Li Y, Jin H

III

Contents

Thrice Monthly Volume 12 Number 8 March 16, 2024

ABOUT COVER

Peer Reviewer of World Journal of Clinical Cases, Makram Koubaa, MD, Assistant Professor, Department of Infectious Diseases, Hedi Chaker University Hospital, Sfax 3029, Tunisia. makram.koubaa@gmail.com

AIMS AND SCOPE

The primary aim of World Journal of Clinical Cases (WJCC, World J Clin Cases) is to provide scholars and readers from various fields of clinical medicine with a platform to publish high-quality clinical research articles and communicate their research findings online.

WJCC mainly publishes articles reporting research results and findings obtained in the field of clinical medicine and covering a wide range of topics, including case control studies, retrospective cohort studies, retrospective studies, clinical trials studies, observational studies, prospective studies, randomized controlled trials, randomized clinical trials, systematic reviews, meta-analysis, and case reports.

INDEXING/ABSTRACTING

The WJCC is now abstracted and indexed in Science Citation Index Expanded (SCIE, also known as SciSearch®), Journal Citation Reports/Science Edition, Current Contents®/Clinical Medicine, PubMed, PubMed Central, Reference Citation Analysis, China Science and Technology Journal Database, and Superstar Journals Database. The 2023 Edition of Journal Citation Reports® cites the 2022 impact factor (IF) for WJCC as 1.1; IF without journal self cites: 1.1; 5-year IF: 1.3; Journal Citation Indicator: 0.26; Ranking: 133 among 167 journals in medicine, general and internal; and Quartile category: Q4.

RESPONSIBLE EDITORS FOR THIS ISSUE

Production Editor: Hua-Ge Yu; Production Department Director: Xu Guo; Editorial Office Director: Jin-Lei Wang.

NAME OF JOURNAL

World Journal of Clinical Cases

TSSN

ISSN 2307-8960 (online)

LAUNCH DATE

April 16, 2013

FREOUENCY

Thrice Monthly

EDITORS-IN-CHIEF

Bao-Gan Peng, Salim Surani, Jerzy Tadeusz Chudek, George Kontogeorgos, Maurizio Serati

EDITORIAL BOARD MEMBERS

https://www.wignet.com/2307-8960/editorialboard.htm

PUBLICATION DATE

March 16, 2024

COPYRIGHT

© 2024 Baishideng Publishing Group Inc

INSTRUCTIONS TO AUTHORS

https://www.wjgnet.com/bpg/gerinfo/204

GUIDELINES FOR ETHICS DOCUMENTS

https://www.wjgnet.com/bpg/GerInfo/287

GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH

https://www.wjgnet.com/bpg/gerinfo/240

PUBLICATION ETHICS

https://www.wjgnet.com/bpg/GerInfo/288

PUBLICATION MISCONDUCT

https://www.wjgnet.com/bpg/gerinfo/208

ARTICLE PROCESSING CHARGE

https://www.wjgnet.com/bpg/gerinfo/242

STEPS FOR SUBMITTING MANUSCRIPTS

https://www.wjgnet.com/bpg/GerInfo/239

ONLINE SUBMISSION

https://www.f6publishing.com

© 2024 Baishideng Publishing Group Inc. All rights reserved. 7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA E-mail: office@baishideng.com https://www.wignet.com

ΙX



WJCC https://www.wjgnet.com

Submit a Manuscript: https://www.f6publishing.com

World J Clin Cases 2024 March 16; 12(8): 1474-1480

DOI: 10.12998/wjcc.v12.i8.1474

ISSN 2307-8960 (online)

CASE REPORT

Multilocular thymic cysts can be easily misdiagnosed as malignant tumor on computer tomography: A case report

Jun Sun, Qing-Ning Yang, Yi Guo, Ping Zeng, Long-Yan Ma, Ling-Wen Kong, Bo-Ying Zhao, Chuan-Ming Li

Specialty type: Radiology, nuclear medicine and medical imaging

Provenance and peer review:

Unsolicited article; Externally peer reviewed.

Peer-review model: Single blind

Peer-review report's scientific quality classification

Grade A (Excellent): 0 Grade B (Very good): 0 Grade C (Good): 0 Grade D (Fair): D Grade E (Poor): 0

P-Reviewer: Routray C, United States

Received: December 8, 2023 Peer-review started: December 8,

First decision: December 18, 2023 Revised: December 29, 2023 Accepted: February 18, 2024 Article in press: February 18, 2024 Published online: March 16, 2024



Jun Sun, Qing-Ning Yang, Yi Guo, Ping Zeng, Chuan-Ming Li, Department of Radiology, Chongqing University Central Hospital, Chongqing Emergency Medical Center, Chongqing 400014, China

Long-Yan Ma, Department of Pathology, Chongqing University Central Hospital, Chongqing Emergency Medical Center, Chongqing 400014, China

Ling-Wen Kong, Bo-Ying Zhao, Department of Cardiothoracic Surgery, Chongqing University Central Hospital, Chongqing Emergency Medical Center, Chongqing 400014, China

Corresponding author: Chuan-Ming Li, PhD, Professor, Department of Radiology, Chongqing University Central Hospital, Chongqing Emergency Medical Center, No. 1 Jiankang Road, Chongqing 400014, China. licm@cqu.edu.cn

Abstract

BACKGROUND

Multilocular thymic cyst (MTC) is a rare mediastinal lesion which is considered to occur in the process of acquired inflammation. It is usually characterized by welldefined cystic density and is filled with transparent liquid.

CASE SUMMARY

We report on a 39-year-old male with a cystic-solid mass in the anterior mediastinum. Computer tomography (CT) imaging showed that the mass was irregular with unclear boundaries. After injection of contrast agent, there was a slight enhancement of stripes and nodules. According to CT findings, it was diagnosed as thymic cancer.

CONCLUSION

After surgery, MTC accompanied by bleeding and infection was confirmed by pathological examination. The main lesson of this case was that malignant thymic tumor and MTC of the anterior mediastinum sometimes exhibit similar CT findings. Caution is necessary in clinical work to avoid misdiagnosis.

Key Words: Multilocular thymic cyst; Computer tomography; Misdiagnosis; Hemorrhage; Infection; Case report

©The Author(s) 2024. Published by Baishideng Publishing Group Inc. All rights reserved.

Core Tip: Multilocular thymic cyst (MTC) is a rare mediastinal lesion, which is considered to occur in the process of acquired inflammation. It is usually characterized by well-defined cystic density and is filled with transparent liquid. Here we reported on a 39-year-old male with a cystic-solid mass in the anterior mediastinum. Computer tomography (CT) imaging showed that the mass was irregular with unclear boundaries. After injection of contrast agent, there was a slight enhancement of stripes and nodules. According to the CT findings, it was diagnosed as thymic cancer. After surgery, MTC accompanied by bleeding and infection was confirmed by pathological examination.

Citation: Sun J, Yang QN, Guo Y, Zeng P, Ma LY, Kong LW, Zhao BY, Li CM. Multilocular thymic cysts can be easily misdiagnosed as malignant tumor on computer tomography: A case report. World J Clin Cases 2024; 12(8): 1474-1480

URL: https://www.wjgnet.com/2307-8960/full/v12/i8/1474.htm

DOI: https://dx.doi.org/10.12998/wjcc.v12.i8.1474

INTRODUCTION

Thymic cysts account for about 1%-5% of all mediastinal masses [1-3], mainly located in the anterior mediastinum, with a few cases located in the neck[4]. Most of them are circular, elliptical, and irregular in shape, with or without separation. The clinical symptoms of thymic cysts depend upon the location. If the surrounding tissues and organs of the cyst are compressed, breathing difficulties, coughing, thymic pain, and Horner's syndrome may occur. Most thymic cysts have cystic density, a clear boundary and are easy to be diagnosed by medical imaging [5-8]. Some thymic cysts are difficult to diagnose before surgery and can be misdiagnosed as thymoma based on their location and computer tomography (CT) findings. Here, we reported on a case of multilocular thymic cyst (MTC) with hemorrhage and infection in a 39-year-old patient, which was misdiagnosed as thymic carcinoma.

CASE PRESENTATION

Chief complaints

A 39-year-old man came to our hospital with the symptoms of fever, headache and occasional palpitations.

History of present illness

The patient had the symptoms of fever, headache and occasional palpitations.

History of past illness

There was a history of hyperglycemia and no history of muscle weakness, joint pain, chest trauma or any surgery. Human immunodeficiency virus (HIV) was negative.

Laboratory examinations

The random blood glucose was 21.16 mmol/L. Laboratory tests showed that lactate dehydrogenase was 572 U/L, αhydroxybutyrate dehydrogenase was 441 U/L and the leukocyte count was $15.7 \times 10^9/L$. Electrocardiogram showed atrial fibrillation, ventricular tachycardia, and elevated T-waves. All tumor markers were negative (Table 1).

Imaging examinations

After chest X-ray examination, a mediastinal mass was found (Figure 1). CT examination showed a mass in the anterior mediastinum, with a size of 5.6 cm × 11.3 cm × 10.2 cm. It had uneven density, showing a mixture of cystic density and solid density, with CT values ranging from 30 to 50 HU. Its shape was irregular and the boundary was unclear. No calcifications were observed. After contrast agent injection, a slight enhancement of stripe and nodular shape were found. The mass was adjacent to the ascending aorta, superior vena cava and left brachial vein. The boundary with the above structure was unclear, but the vascular lumen was not invaded. Bilateral pleural effusion was found (Figure 1). According to CT findings, it was diagnosed as a thymic cancer.

FINAL DIAGNOSIS

This patient was finally diagnosed with acute myocarditis, acute upper respiratory tract infection, MTC with infection in the anterior mediastinum, and diabetes.

1475

Table 1 Tumor markers of the patient			
Tumor marker	ng/mL		
Alpha-fetoprotein	1.5		
Carcinoembryonic antigen	3		
Carbohydrate antigen 19-9	48.4		
Neuro-specific enolase	24.8		
Ferritin	1000		
Tumor specific factors	66.2		




Figure 1 Radiology and macroscopic pathological image. A: Chest X ray image; B: Macroscopic pathological image; C: Plain computer tomography (CT) image; D: CT image after contrast agent injection.

TREATMENT

Myocarditis was diagnosed based on the abnormal electrocardiogram, high levels of lactate dehydrogenase and αhydroxybutyrate dehydrogenase, and the clinical symptoms of fever and palpitations. After treatment with cefuroxime, fructose, sodium diphosphate, betaloc, insulin and acarbose, the lactate dehydrogenase and α-Hydroxybutyrate dehydrogenase levels decreased and the leukocytes returned to normal. The mediastinal mass resection was performed 13 d after admission. The mass consisted of a cystic part and a solid part, attached to the adjacent tissues and surrounded the right brachiocephalic vein.

After surgery, histopathological examination was performed. Squamous epithelium, cholesterol crystals, bleeding and reactive lymphoid hyperplasia with CD1 α (-), CD20 (partially positive), CD3 (partially positive), CD5 (partially positive), CD99 (+), CK (+), CK7 (partially positive), CK19 (+), CK5/6 (+), EMA (+), Ki-67 (5% +), p63 (+), CD117 (-) were found and MTC was diagnosed (Figure 2).

1476




Figure 2 Histopathological picture of this case of multilocular thymic cyst. A: The cholesterol crystals in multilocular thymic cyst (MTC); B: Squamous epithelium and lymphoid hyperplasia; C and D: Immunohistochemistry of Ki-67 and p63 in MTC. The Ki-67 was 5% positive and p63 was positive.

OUTCOME AND FOLLOW-UP

After treatment, all symptoms were improved and the patient was discharged successfully. The patient was tracked for 9 months and no signs of recurrence was found (Figure 3).

DISCUSSION

According to the morphology, thymic cysts could be divided into two subtypes: monocular thymic cyst and MTC. Monocular thymic cysts are common, while MTC is rare. MTC is generally considered to be formed during inflammation and usually accompanied by immune deficiency diseases (such as HIV), autoimmune diseases (such as arthritis or Sjögren syndrome[9,10]) or thymic trauma[11]. Therefore, MTC is also called an acquired thymic cyst. It is usually filled with transparent liquids, and sometimes may contain cloudy liquids or gelatinous substances due to bleeding. The main histologic features of MTC included the following: multiple cystic cavities, the wall of which was composed of fibrous wall, squamous epithelium, columnar epithelium or cubic epithelium; acute and chronic inflammation with fibrovascular proliferation; necrosis, hemorrhage, cholesterol granuloma and reactive lymphoproliferative [9]. The pathological diagnostic criteria of the World Health Organization are the gold standard for diagnosing MTC. If MTC is small and asymptomatic, surgery is not necessary, which can protect patients from surgical trauma and reduce psychological stress. Imaging evaluation plays an important role in the diagnosis, treatment and decision-making with MTC.

Most MTCs showed cystic density with separation, no enhancement, and no complicated pleural effusion. The CT manifestation of this case was a mixed density mass with cystic and solid components. After injection of contrast agent, there was a slight enhancement of striped and nodular shape. It is very difficult to differentiate it from other mediastinal tumors, especially thymoma. According to the surgical and pathological results, the solid density was formed by bleeding, turbid liquid or colloidal material. The striped and nodular enhancement were caused by cyst wall, septum and reactive lymphoid hyperplasia. Previously, Jin et al[12] has reported 13 cases of thymic cyst with solid density which were misdiagnosed as thymoma. Marvasti et al[13] have reported five mediastinal cysts containing viscous liquid, which showed solid density on CT. The solid density in thymic cysts may be caused by bleeding, lymphoid tissue, viscous liquid containing high levels of protein and hyperplastic thymic tissue at different stages. The solid density has also been

				and the second second
Table 2 Reported	cases of mu	Itilocular thymic cyst	t containing so	lid density in adults

Ref.	Number of cases	CT value	Histopathologic of solid density
Jin et al [12]	28	38.61 ± 15.01 HU	N
Matsumoto et al[14]	1	NA	Lymphoid hyperplasia
Chalaoui et al[15]	1	35 HU	Hemorrhage
Kim <i>et al</i> [16]	1	NA	Lymphoid hyperplasia and fibrous septa
Mohakud et al[17]	1	60-80 HU (high density areas)	Hemorrhage
Nagata et al[19]	1	NA	Cholesterol granuloma
Choi et al[18]	8	Ranged -20 to 17 HU	Thick inflammatory thymic tissue, thymic hyperplasia and calcification
Izumi et al[7]	4	NA	Foreign body granulomas
Ridder et al[20]	2	NA	Hemorrhage and cholesterol granuloma
Damaskos et al[1]	1	NA	Calcification and fragments of thymic tissue

CT: Computer tomography; NA: Not applicable.




Figure 3 Rechecked after 9 months and no signs of recurrence.

reported as cholesterol granuloma and calcification[1,7,14-20] (Table 2). In this case, the boundary of the lesion was not clear, which was easy to be misdiagnosed as a malignant tumor. Usually, unclear boundary was considered as an invasive marker of malignant tumors. According to the histopathological results, there was bleeding, inflammation and reactive lymphoproliferation in this lesion. The unclear boundary might be caused by these factors, which also explains the significant increase of leukocytes. Pleural effusion is also a sign of malignant tumor, which misleads the diagnosis of this disease to a certain extent. Previously, there was no report of MTC complicated with pleural effusion. In this case, the bilateral pleural effusion may be caused by acute myocarditis. However, due to the lack of pleural fluid cytology results, the cause of pleural effusion was not clear.

CONCLUSION

Through this case, we found that MTC can have both cystic density and solid density simultaneously. Sometimes, due to combined inflammation, bleeding and other reasons, the edge may be unclear and pleural effusion may occur. In these conditions, it is easy to be misdiagnosed with malignant tumors. Full understanding of the special manifestations of the disease, combined with clinical and laboratory examination, is very important for accurate diagnosis.

FOOTNOTES

Co-first authors: Jun Sun and Qing-Ning Yang.

Co-corresponding authors: Yi Guo and Chuan-Ming Li.

Author contributions: Sun J and Yang QN drafted the manuscript; Guo Y and Li CM performed the final approval of the manuscript; Zeng P, Ma LY, Kong LW and Zhao BY collected the clinical, pathology and computer tomography data; All authors read and approved

1478



gaishideng® WJCC | https://www.wjgnet.com

the final manuscript. Sun J and Yang QN contributed equally to this work as co-first authors; Guo Y and Li CM contributed equally to this work as co-corresponding authors. The reasons for designating Guo Y and Li CM as co-corresponding authors are: First, the research was performed as a collaborative effort, and the designation of co-corresponding authorship accurately reflects the distribution of responsibilities and burdens associated with the time and effort required to complete the study and the resultant paper; Second, Guo Y and Li CM contributed efforts of equal substance throughout the research process. In summary, we believe that designating Guo Y and Li CM as co-corresponding authors is fitting for our manuscript.

Supported by the Chongqing Natural Science Foundation, No. cstc2021jcyj-msxmX0841.

Informed consent statement: Informed written consent was obtained from the patient for publication of this report and any accompanying images.

Conflict-of-interest statement: The authors declare that they have no conflict of interest to disclose.

CARE Checklist (2016) statement: The authors have read the CARE Checklist (2016), and the manuscript was prepared and revised according to the CARE Checklist (2016).

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: https://creativecommons.org/Licenses/by-nc/4.0/

Country/Territory of origin: China

ORCID number: Jun Sun 0000-0003-2718-384X; Yi Guo 0000-0002-9441-8672; Ling-Wen Kong 0000-0001-7017-5664; Chuan-Ming Li 0000-0002-4006-9411.

S-Editor: Zhang H L-Editor: Filipodia P-Editor: Yu HG

REFERENCES

- Damaskos C, Garmpis N, Garmpi A, Georgakopoulou VE, Tomos P. Multilocular Thymic Cyst in a Young, Otherwise Healthy Woman: A Case Report. Cureus 2020; 12: e11210 [PMID: 33269141 DOI: 10.7759/cureus.11210]
- Kondov G, Kondov B, Srceva MJ, Damjanovski G, Ferati I, Karapetrov I, Topuzovska IK, Tanevska N, Kokareva A. Giant Mediastinal Thymic Cyst. Pril (Makedon Akad Nauk Umet Odd Med Nauki) 2017; 38: 139-145 [PMID: 28991774 DOI: 10.1515/prilozi-2017-0032]
- Araki T, Nishino M, Gao W, Dupuis J, Washko GR, Hunninghake GM, Murakami T, O'Connor GT, Hatabu H. Anterior Mediastinal Masses in the Framingham Heart Study: Prevalence and CT Image Characteristics. Eur J Radiol Open 2015; 2: 26-31 [PMID: 25705709 DOI: 10.1016/j.ejro.2014.12.003]
- Queralt Martín R, Ibáñez Belenguer M, Martínez Hernández A, Menor Durán PD, Laguna Sastre JM. Thymic Cysts: A Rare Entity in Adults. Cir Esp (Engl Ed) 2021; 99: 71-73 [PMID: 32444134 DOI: 10.1016/j.ciresp.2020.03.014]
- 5 Gorospe L, García-Villanueva MJ, García-Cosío-Piqueras M, García-Gómez-Muriel I. Multilocular thymic cyst in a patient with Sjögren syndrome. Rheumatology (Oxford) 2019; 58: 369 [PMID: 30053156 DOI: 10.1093/rheumatology/key221]
- Gill D, Cox T, Bhatia K, Stanbridge R, Layton M. Multilocular thymic cyst presenting with apparent cardiac enlargement on chest radiograph. 6 Postgrad Med J 2016; 92: 686 [PMID: 30142078 DOI: 10.1136/postgradmedj-2016-134046]
- Izumi H, Nobukawa B, Takahashi K, Kumasaka T, Miyamoto H, Yamazaki A, Sonobe S, Uekusa T, Suda K. Multilocular thymic cyst 7 associated with follicular hyperplasia: clinicopathologic study of 4 resected cases. Hum Pathol 2005; 36: 841-844 [PMID: 16084956 DOI: 10.1016/j.humpath.2005.05.004]
- Tamagno M, Bibas BJ, Bernardi F, Lian YC, Bammann RH, Fernandez A, Jatene FB. Giant multilocular thymic cyst in an HIV-infected 8 adolescent. J Pediatr Surg 2011; 46: 1842-1845 [PMID: 21930000 DOI: 10.1016/j.jpedsurg.2011.06.009]
- Kawamoto N, Okita R, Inokawa H, Murakami T, Okabe K. Multilocular thymic cyst in a patient with preclinical rheumatoid arthritis: A case report. Int J Surg Case Rep 2020; 74: 136-139 [PMID: 32836209 DOI: 10.1016/j.ijscr.2020.07.084]
- Kondo K, Miyoshi T, Sakiyama S, Shimosato Y, Monden Y. Multilocular thymic cyst associated with Sjögren's syndrome. Ann Thorac Surg 10 2001; **72**: 1367-1369 [PMID: 11603465 DOI: 10.1016/s0003-4975(00)02706-5]
- 11 Jaramillo D, Perez-Atayde A, Griscom NT. Apparent association between thymic cysts and prior thoracotomy. Radiology 1989; 172: 207-209 [PMID: 2740504 DOI: 10.1148/radiology.172.1.2740504]
- Jin Z, Wu Y, Wang Y, Pu Z, Wang J, Li D, Hu B, Jin Y, Zheng J. Multislice computed tomography performance in differential diagnosis of 12 high-density thymic cyst and thymoma in lesions less than 3 cm. Thorac Cancer 2018; 9: 1300-1304 [PMID: 30133184 DOI: 10.1111/1759-7714.12840]
- Marvasti MA, Mitchell GE, Burke WA, Meyer JA. Misleading density of mediastinal cysts on computerized tomography. Ann Thorac Surg 1981; **31**: 167-170 [PMID: 7458487 DOI: 10.1016/s0003-4975(10)61537-8]
- Matsumoto S, Mori Y, Takiya H, Iwata H, Shirahashi K. [Multilocular thymic cyst associated with rheumatoid arthritis]. Kyobu Geka 2012; 14 65: 205-208 [PMID: 22374595]
- Chalaoui J, Samson L, Robillard P, Constantin A, Dussault RG. Cases of the day. General. Benign thymic cyst complicated by hemorrhage. 15 Radiographics 1990; 10: 957-958 [PMID: 2217983 DOI: 10.1148/radiographics.10.5.2217983]
- Kim JS, Cha EJ. A Rare Case of Multilocular Thymic Cyst with Follicular Lymphoid Hyperplasia: Radiologic and Histopathologic Features.



WJCC https://www.wjgnet.com

- Nucl Med Mol Imaging 2016; **50**: 161-163 [PMID: 27275366 DOI: 10.1007/s13139-016-0404-2]
- Mohakud S, Sethy M, Naik S, Mohapatra PR. Giant cervicomediastinal thymic cyst in an elderly: diagnosis by multimodality imaging and 17 fine-needle aspiration cytology with immunocytochemistry. BMJ Case Rep 2020; 13: e235425 [PMID: 32636229 DOI: 10.1136/bcr-2020-235425]
- Choi YW, McAdams HP, Jeon SC, Hong EK, Kim YH, Im JG, Lee SR. Idiopathic multilocular thymic cyst: CT features with clinical and 18 histopathologic correlation. AJR Am J Roentgenol 2001; 177: 881-885 [PMID: 11566694 DOI: 10.2214/ajr.177.4.1770881]
- Nagata S, Ishihara M, Omasa M, Nakanishi T, Motoyama H. Multifocal thymic cysts with cholesterol granuloma. Respirol Case Rep 2018; 6: 19 e00361 [PMID: 30186607 DOI: 10.1002/rcr2.361]
- 20 Ridder GJ, Boedeker CC, Kersten AC. Multilocular cervical thymic cysts in adults. A report of two cases and review of the literature. Eur Arch Otorhinolaryngol 2003; **260**: 261-265 [PMID: 12750916 DOI: 10.1007/s00405-002-0530-6]

1480



Published by Baishideng Publishing Group Inc

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: office@baishideng.com

Help Desk: https://www.f6publishing.com/helpdesk

https://www.wjgnet.com

