



35154-Review.docx

Quotes Excluded
Bibliography Excluded6%
SIMILARName of Journal: *World Journal of Gastrointestinal Oncology*

Manuscript NO: 35154

Manuscript Type: Original Article

Retrospective Cohort Study

Tumor-stroma ratio as prognostic factor for survival in rectal adenocarcinoma: A retrospective cohort study

René Scheer, Alexi Baidoshvili, Shorena Zoidze, Marloes AG Elferink, Annefleur EM Berkel, Joost M Klaase, Paul J van Diest

Abstract

AIM: To evaluate the prognostic value of the tumor-stroma ratio (TSR) in rectal cancer.

METHODS: TSR was determined on hematoxylin and eosin stained histological sections of 154 patients treated for rectal adenocarcinoma without prior neoadjuvant

Match Overview

1	Internet 43 words crawled on 29-Aug-2017 openaccess.leidenuniv.nl	1%
2	Internet 41 words crawled on 08-Sep-2017 pure.uva.nl	1%
3	Internet 16 words crawled on 28-May-2016 bmcpublichealth.biomedcentral.com	1%
4	Crossref 14 words Fergal J. Fleming. "Neoadjuvant Therapy in Rectal Cancer", Diseases of the Colon & Rectum, 07/2011	<1%
5	Internet 14 words crawled on 26-Jul-2016 www.science.gov	<1%
6	Internet 13 words crawled on 16-Apr-2015 www.biomedcentral.com	<1%





All

Images

News

Videos

Shopping

More

Settings

Tools

About 577,000 results (0.67 seconds)

Scholarly articles for **The tumor-stroma ratio as prognostic factor for survival in rectal adenocarcinoma: a retrospective cohort study**

Tumor-stroma ratio in the primary tumor is a **prognostic** ... - **de Kruijf** - Cited by 113

... phosphorylase, in human **colorectal carcinoma** - **Takebayashi** - Cited by 436

... infiltration and favorable **prognosis** in breast cancer - **Martinet** - Cited by 177

Tumor-stroma ratio in the primary tumor is a prognostic factor in early ...

<https://www.ncbi.nlm.nih.gov/pubmed/20361254>

by EM de Kruijf - 2011 - Cited by 113 - Related articles

2 Apr 2010 - **Tumor-stroma ratio** in the primary tumor is a **prognostic factor** in early breast cancer patients, especially in triple-negative carcinoma patients. ... In **colorectal cancer**, it has been found that the amount of stroma within the primary ... A cohort of 574 early breast cancer patients, primarily treated with surgery ...

The prognostic significance of tumour-stroma ratio in ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4682261/>

by H Panayiotou - 2015 - Related articles

16 Dec 2015 - Keywords: Endometrial cancer, **Tumour-stroma ratio**, Prognosis, Tumour microenvironment ... Malignant epithelial tumours are composed of **carcinoma** cells, together ... Significant independent prognostic variables for the **study cohort** were ... Univariable **survival** analysis of TSR and other **prognostic factors**.

Association between tumor-stroma ratio and prognosis in solid tumor ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5356603/>

by J Wu - 2016 - Cited by 3 - Related articles

20 Sep 2016 - **The tumor-stroma ratio** (TSR) in the pathologic specimen has drawn ... Subgroup analyses indicated that cancer type, clinical stage, **study** ... and TSR may serve as an independent **prognostic factor** for solid tumors. ... of tumor cells is an independent predictor for **survival** in

找到约 152,000 条结果 (用时 0.46 秒)

Google 学术 : Tumor-stroma ratio as prognostic factor for survival in rectal adenocarcinoma: A retrospective cohort study

Tumor-stroma ratio in the primary tumor is a prognostic ... - de Kruif - 被引用次数 : 121

... phosphorylase, in human colorectal carcinoma - Takebayashi - 被引用次数 : 439

... infiltration and favorable prognosis in breast cancer - Martinet - 被引用次数 : 182

Tumor-stroma ratio in the primary tumor is a prognostic factor in early ...

<https://www.ncbi.nlm.nih.gov/pubmed/20361254> - 翻译此页

作者 : EM de Kruif - 2011 - 被引用次数 : 120 - 相关文章

2010年4月2日 - Tumor-stroma ratio in the primary tumor is a prognostic factor in early breast cancer patients, especially in triple-negative carcinoma patients. ... In colorectal cancer, it has been found that the amount of stroma within the primary ... A cohort of 574 early breast cancer patients, primarily treated with surgery ...

Prognostic Significance of the Tumor-Stroma Ratio in Epithelial ...

<https://www.hindawi.com/journals/bmri/2015/589301/> - 翻译此页

作者 : Y Chen - 2015 - 被引用次数 : 4 - 相关文章

2015年8月31日 - Stroma-rich tumors had worse prognosis and higher risk of relapse ... In this retrospective study, 1065 patients diagnosed and treated for EOC ... fifteen with colon cancer, twelve with rectum cancer, and twenty-five with other TSR was first reported as an independent factor for survival in colon cancer [7].

The prognostic significance of tumour-stroma ratio in ... - BMC Cancer

bmccancer.biomedcentral.com/articles/10.1186/s12885-015-1981-7 ▼ 翻译此页

2015年12月16日 - Endometrial cancer Tumour-stroma ratio Prognosis Tumour microenvironment ... were

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 185,000 条结果 (用时 0.58 秒)

Google 学术: Tumor-stroma ratio as prognostic factor for survival in rectal adenocarcinoma: A retrospective cohort study

Tumor-stroma ratio in the primary tumor is a prognostic ... - de Kruijf - 被引用次数: 122

... phosphorylase, in human colorectal carcinoma - Takebayashi - 被引用次数: 441

... infiltration and favorable prognosis in breast cancer - Martinet - 被引用次数: 183

Tumor-stroma ratio in the primary tumor is a prognostic factor in early ...

<https://www.ncbi.nlm.nih.gov/pubmed/20361254> - 翻译此页

作者: EM de Kruijf - 2011 - 被引用次数: 122 - 相关文章

2010年4月2日 - Tumor-stroma ratio in the primary tumor is a prognostic factor in early breast cancer patients, especially in triple-negative carcinoma patients. ... In colorectal cancer, it has been found that the amount of stroma within the primary ... A cohort of 574 early breast cancer patients, primarily treated with surgery ...

Association between tumor-stroma ratio and prognosis in solid tumor ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5356603/> - 翻译此页

作者: J Wu - 2016 - 被引用次数: 4 - 相关文章

2016年9月20日 - However, the prognostic value of TSR in solid tumors necessitates further elucidation. We conducted a meta-analysis on 14 studies with 4238 patients through a According to the quality criteria, all cohort studies were of high quality and had Tumor-stroma ratio is a prognostic factor for survival in ...

The prognostic significance of tumour-stroma ratio in endometrial ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4682261/> - 翻译此页

作者: H Panayiotou - 2015 - 相关文章

2015年12月16日 - Keywords: Endometrial cancer, Tumour stroma ratio, Prognosis, Tumour