

[全部](#)[图片](#)[购物](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 42,800 条结果 (用时 0.59 秒)

Google 学术 : Liver graft preservation methods during cold ischemia phase and normothermic machine perfusion

... normothermic machine preservation: a phase 1 (first-in ... - Ravikumar - 被引用次数 : 176

Ischemia/reperfusion injury in kidney transplantation: ... - Kosieradzki - 被引用次数 : 256

Sanguineous normothermic machine perfusion ... - Liu - 被引用次数 : 74

Liver Transplantation After Ex Vivo Normothermic Machine Preservation

<https://www.ncbi.nlm.nih.gov/pubmed/26752191> - 翻译此页

作者 : R Ravikumar - 2016 - 被引用次数 : 176 - 相关文章

Liver Transplantation After Ex Vivo Normothermic Machine Preservation: A Phase 1 (First-in-Man) Clinical Trial. ... The number of donor organs suitable for liver transplantation is restricted by cold preservation and ischemia-reperfusion injury. ... standard techniques, attached to the perfusion device at the donor hospital, and ...

Normothermic Machine Perfusion versus Cold Storage of Liver in Pig ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6248025/> - 翻译此页

作者 : S Bian - 2018 - 被引用次数 : 1 - 相关文章

2018年3月23日 - Normothermic Machine Perfusion versus Cold Storage of Liver in Liver transplantation (LT) has become the main treatment for end-stage liver disease. ... However, grafts of suboptimal standard increase the risk of ischemic ... At present, the standard organ preservation method is static cold storage (CS).

Normothermic Ex-vivo Liver Perfusion and the Clinical Implications for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6160298/> - 翻译此页

作者 : C Akateh - 2018 - 被引用次数 : 1 - 相关文章

2018年5月4日 - In a first attempt at machine perfusion of the liver, Slapak et al.14 adapted ... concern that SCS was not the ideal preservation method for liver grafts. ... The organs were subjected to 1 h of warm ischemia time, followed by 4 h of NMP. The above-noted Phase 1 trials of normothermic ex-vivo perfusion have ...

Name of Journal: *World Journal of Gastrointestinal Surgery*

Manuscript NO: 46883

Manuscript Type: REVIEW

Liver graft preservation methods during cold ischemia phase and normothermic machine perfusion

Tchilikidi KY. Liver graft preservation methods

Konstantin Y Tchilikidi

Abstract

The growing demand for donor organs requires measures to expand donor pool. Those

include extended criteria donors such as elderly people, steatotic livers, donation after

Match Overview

1	Crossref 46 words Bijan Eghtesad. "Preservation solutions in liver transplantation: What are the options?", <i>Liver Transplantation</i> , 02/	1%
2	Internet 44 words crawled on 13-Jun-2017 www.wjgnet.com	1%
3	Internet 36 words crawled on 03-Jun-2018 doaj.org	1%
4	Crossref 36 words Kumar Jayant, Isabella Reccia, A.M. James Shapiro. "Normothermic ex-vivo liver perfusion: where do we stand?",	1%
5	Crossref 36 words Roberta Angelico, M. Thamara P. R Perera, Reena Ravikumar, David Holroyd et al. "Normothermic Machine Perfu	1%
6	Crossref 24 words Zoltan Czigan, Wenzel Schöning, Tom Florian Ulmer, Jan Bednarsch et al. "Hypothermic oxygenated machine pe	<1%
7	Internet 14 words crawled on 11-Mar-2019 journals.plos.org	<1%
8	Internet 14 words crawled on 17-Aug-2018 www.thieme-connect.de	<1%
9	Crossref 14 words Richard S. Mangus. "Comparison of histidine-tryptophan-ketoglutarate solution (HTK) and University of Wisconsin ...	<1%
10	Internet 13 words crawled on 22-Jun-2017 www.lebanesemmedicaljournal.org	<1%

[全部](#)[图片](#)[购物](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 42,000 条结果 (用时 0.42 秒)

Google 学术 : Liver graft preservation methods during cold ischemia phase and normothermic machine perfusion

... normothermic machine preservation: a phase 1 (first-in ... - Ravikumar - 被引用次数 : 178

Ischemia/reperfusion injury in kidney transplantation: ... - Kosieradzki - 被引用次数 : 257

Sanguineous normothermic machine perfusion ... - Liu - 被引用次数 : 75

Normothermic Machine Perfusion versus Cold Storage of Liver in Pig ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6248025/> - 翻译此页

作者 : S Bian - 2018 - 被引用次数 : 1 - 相关文章

2018年3月23日 - Normothermic Machine Perfusion versus Cold Storage of Liver in Liver transplantation (LT) has become the main treatment for end-stage liver disease. ... However, grafts of suboptimal standard increase the risk of ischemic ... At present, the standard organ preservation method is static cold storage (CS).

Normothermic Ex-vivo Liver Perfusion and the Clinical Implications for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6160298/> - 翻译此页

作者 : C Akateh - 2018 - 被引用次数 : 1 - 相关文章

2018年5月4日 - While most donor organs can generally tolerate variable durations of static cold storage (SCS), and its associated ischemia/reperfusion injury (IRI), marginal organs have been known to do poorly under such circumstances.^{5–7} This has led to renewed interest in techniques that would improve the quality of donor organ ...

Liver Transplantation After Ex Vivo Normothermic Machine Preservation

<https://www.ncbi.nlm.nih.gov/pubmed/26752191> ▼ 翻译此页

作者 : R Ravikumar - 2016 - 被引用次数 : 177 - 相关文章

Liver Transplantation After Ex Vivo Normothermic Machine Preservation: A Phase 1 (First-in-Man) Clinical Trial. ... The number of donor organs suitable for liver transplantation is restricted by cold preservation and ischemia-reperfusion injury. ... standard techniques, attached to the perfusion device at the donor hospital, and ...