

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 38295

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Multi-cytokines profiling in serum for early detection of gastric cancer

Jian Li, Liang Xu, Zeng-Ci Run, Wen Feng, Wen Liu, Peng-Jun Zhang, Zhi Li

Abstract

AIM

To investigate the value of the multi-parameter joint analysis in the early diagnosis of gastric cancer in clinical practice.

METHODS

Concentrations of CEA, CA724 and three kinds of cytokines (TNF- α , IL-6 and IL-8) in 176 gastric cancer patients, 117 atypical hyperplasia patients, and 204

Match Overview

1	Internet 48 words crawled on 30-Aug-2017 researchspace.auckland.ac.nz	1%
2	Crossref 40 words Yin, Li-Kui, Xue-Qing Sun, and Dong-Zhen Mou. "Value of Combined Detection of Serum CEA, CA72-4, CA19-9 and ...	1%
3	Crossref 23 words Huaping Tang, Reshma Panemangalore, Melissa Yarde, Litao Zhang, Mary Ellen Cvijic. "384-Well Multiplexed Lumin ...	1%
4	Crossref 20 words Anne T. Funding, Claus Johansen, Knud Kragballe, Kristian Otkjær et al. "Mitogen- and Stress-Activated Protein Kinase	1%
5	Internet 20 words crawled on 28-Sep-2017 jneuroinflammation.biomedcentral.com	1%

全部

图片

视频

地图

新闻

更多

设置

工具

找到约 257,000 条结果 (用时 0.50 秒)

Expression profile of cytokines in gastric cancer patients using ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5755243/> - 翻译此页

作者 : X Quan - 2017 - 相关文章

2017年9月29日 - Gastric cancer (GC) is often a deadly disease due to the late diagnosis and chemoresistance that characterizes many cases of this disease. The aim of this study was to explore a panel of candidate cytokines as diagnostic and predictive biomarkers for GC. Sixteen tissue samples of GC and adjacent ...

Serum biomarker panels for the diagnosis of gastric adenocarcinoma ...

www.nature.com > [british journal of cancer](#) > [molecular diagnostics](#) - 翻译此页

作者 : HS Ahn - 2012 - 被引用次数 : 41 - 相关文章

2012年1月12日 - Several reports have successfully profiled serum proteins for the diagnosis of gastric cancer (Liang et al, 2006; Ren et al, 2006; Lim et al, 2007). These studies emphasised the feasibility of proteomics methodologies rather than biomarkers, and adopted only three to four markers as classifiers after profiling ...

Serum Cytokine Profile Evaluation: A Tool to Define New ... - Hindawi

<https://www.hindawi.com/journals/mi/2016/3064643/> - 翻译此页

作者 : F Capone - 2016 - 被引用次数 : 3 - 相关文章

2016年10月27日 - Also in this cancer the cytokine profiling is of high diagnostic power and valuable tool to identify multiple soluble factors useful for its early diagnosis and therapy response assessment [32]. In particular, Matte et al. (2012) applied a multiplex cytokine array technology to measure the level of 120 cytokines ...

Cytokines as Biomarkers and Their Respective Clinical Cutoff Levels

<https://www.hindawi.com/journals/iji/2017/4309485/> - 翻译此页

作者 : RN Monastero - 2017 - 被引用次数 : 4 - 相关文章

2017年3月30日 - A number of bioassay and immunoassay methods are used in clinical practice to detect cytokines currently, though immunoassays are most often used A slightly higher serum



Multi-cytokines profiling in serum for early detection of gastric cancer



登录

全部

图片

新闻

视频

购物

更多

设置

工具

找到约 257,000 条结果 (用时 0.48 秒)

Expression profile of cytokines in gastric cancer patients using ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5755243/> - 翻译此页

作者 : X Quan - 2017 - 相关文章

2017年9月29日 - Gastric cancer (GC) is often a deadly disease due to the late diagnosis and chemoresistance that characterizes many cases of this disease. The aim of this study was to explore a panel of candidate cytokines as diagnostic and predictive biomarkers for GC. Sixteen tissue samples of GC and adjacent ...

Serum biomarker panels for the diagnosis of gastric adenocarcinoma ...

www.nature.com/british journal of cancer/molecular diagnostics - 翻译此页

作者 : HS Ahn - 2012 - 被引用次数 : 41 - 相关文章

2012年1月12日 - Several reports have successfully profiled serum proteins for the diagnosis of gastric cancer (Liang et al, 2006; Ren et al, 2006; Lim et al, 2007). These studies emphasised the feasibility of proteomics methodologies rather than biomarkers, and adopted only three to four markers as classifiers after profiling ...

Serum Cytokine Profile Evaluation: A Tool to Define New ... - Hindawi

<https://www.hindawi.com/journals/mi/2016/3064643/> - 翻译此页

作者 : F Capone - 2016 - 被引用次数 : 3 - 相关文章

2016年10月27日 - Also in this cancer the cytokine profiling is of high diagnostic power and valuable tool to identify multiple soluble factors useful for its early diagnosis and therapy response assessment [32]. In particular, Matte et al. (2012) applied a multiplex cytokine array technology to measure the level of 120 cytokines ...

Cytokines as Biomarkers and Their Respective Clinical Cutoff Levels

<https://www.hindawi.com/journals/iji/2017/4309485/> - 翻译此页

作者 : RN Monastero - 2017 - 被引用次数 : 4 - 相关文章

2017年3月30日 - A number of bioassay and immunoassay methods are used in clinical practice to detect cytokines currently, though immunoassays are most often used A slightly higher serum

找到约 436,000 条结果 (用时 0.57 秒)

Expression profile of cytokines in gastric cancer patients ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5755243/> - 翻译此页

作者: X Quan - 2017 - 相关文章

2017年9月29日 - **Gastric cancer** (GC) is often a deadly disease due to the late **diagnosis** and chemoresistance that characterizes many cases of this disease. The aim of this study was to explore a panel of candidate **cytokines** as diagnostic and predictive biomarkers for GC. Sixteen tissue samples of GC and adjacent ...

Serum Cytokine Profile Evaluation: A Tool to Define New ... - Hindawi

<https://www.hindawi.com/journals/mi/2016/3064643/> - 翻译此页

作者: F Capone - 2016 - 被引用次数: 3 - 相关文章

2016年10月27日 - Also in this **cancer** the cytokine **profiling** is of high diagnostic power and valuable tool to identify **multiple** soluble factors useful for its **early diagnosis** and therapy response assessment [32]. In particular, Matte et al. (2012) applied a multiplex **cytokine** array technology to measure the level of 120 **cytokines** ...

Emerging blood-based biomarkers for detection of gastric cancer

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4631966/> - 翻译此页

作者: Z Kalnija - 2015 - 被引用次数: 23 - 相关文章

2015年11月7日 - Core tip: The identification of blood-based biomarkers that could reliably **detect** the presence of **early-stage gastric cancer** or provide means to monitor Other groups have reported using the SELDI-MS application to analyze the **serum profile** from GC patients, and they showed an overall high sensitivity ...

[PDF] Multiplexed Immunobead-Based Cytokine Profiling for Early Detectio...

citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.919.3000&rep... - 翻译此页

作者: E Gorelik - 2005 - 被引用次数: 257 - 相关文章

allowing for **early detection** of ovarian **cancer** with required high sensitivity and specificity. To test this, we have used a novel multianalyte LabMAP **profiling** technology (Luminex Corp., Austin, TX), that allows simultaneous measurement of **multiple** biomarkers in **serum** or plasma of ovarian **cancer** patients and control healthy ...