

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 40713

Manuscript Type: REVIEW

Damage-associated molecular patterns in inflammatory bowel disease: From biomarkers to therapeutic targets

Nanini HF *et al.* IBD and DAMPs

Hayandra Ferreira Nanini, Claudio Bernardazzi, Fernando Castro, Heitor Siffert Pereira de Souza

Abstract

The chronic inflammatory process underlying inflammatory bowel disease (IBD), comprising Crohn's disease (CD) and ulcerative colitis (UC), derives from the interplay of several components in a genetically susceptible host. These components include environmental elements and gut microbiota a dysbiosis. For decades, immune abnormalities have been investigated as

Match Overview

1	Crossref 33 words Zerina Hodzic, Ellen Merrick Schill, Alexa M. Bolock, Mis ... Good. "IL-33 and the intestine: The good, the bad, and th	1%
2	Internet 28 words crawled on 05-Dec-2017 link.springer.com	1%
3	Internet 21 words crawled on 13-Jun-2017 journal.frontiersin.org	<1%
4	Internet 19 words crawled on 20-Jul-2018 edoc.ub.uni-muenchen.de	<1%
5	Crossref 19 words Lei Tu, Jie Chen, Dandan Xu, Zhongming Xie, Bing Yu, Yin g Tao, Guixiu Shi, Lihua Duan. "IL-33-induced alternative ...	<1%
6	Internet 17 words crawled on 14-Dec-2016 burnstrauma.biomedcentral.com	<1%
7	Internet 17 words crawled on 10-Jul-2017 ahszedu.net.www.mobile.jci.org	<1%
8	Crossref 16 words Carla F. S. Guazelli, Victor Fattori, Barbara B. Colombo, Sa ndra R. Georgetti et al. "Quercetin-Loaded Microcapsules	<1%
9	Internet 16 words crawled on 06-Jul-2017	<1%

Google 学术: Damage-associated molecular patterns in inflammatory bowel disease: from biomarkers to therapeutic targets

... of damage-associated molecular pattern molecules - Foell - 被引用次数: 684

DAMPs, PAMPs and alarmins: all we need to know ... - Bianchi - 被引用次数: 2239

... blood to molecular markers of intestinal inflammation ... - Foell - 被引用次数: 178

Mitochondrial DNA Is a Pro-Inflammatory Damage-Associated ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/29718255> - 翻译此页

作者: RK Boyapati - 2018

1. Inflamm Bowel Dis. 2018 May 1. doi: 10.1093/ibd/izy095. [Epub ahead of print]. Mitochondrial DNA Is a Pro-Inflammatory **Damage-Associated Molecular Pattern** Released During Active **IBD**. Boyapati RK(1) ... MtDNA is a potential mechanistic **biomarker**, and our data point to mtDNA-TLR9 as a **therapeutic target** in **IBD**.

Gut mucosal DAMPs in IBD: from mechanisms to therapeutic ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/26931062> ▼ 翻译此页

作者: RK Boyapati - 2016 - 被引用次数: 16 - 相关文章

Gut mucosal DAMPs in **IBD**: from mechanisms to **therapeutic** implications. ... Endogenous **damage-associated molecular patterns** (DAMPs) are released during tissue ... (S100A8/9) have an established clinical role as a **biomarker** in **IBD**. ... and why DAMPs represent an entirely new class of **targets** for clinical translation.

Gut mucosal DAMPs in IBD: from mechanisms to therapeutic ... - Nature

<https://www.nature.com/articles/mi201614.pdf?origin=ppub> - 翻译此页

作者: RK Boyapati - 2016 - 被引用次数: 17 - 相关文章

Endogenous **damage-associated molecular patterns** (DAMPs) are released ... calprotectin (S100A8/9) have an established clinical role as a **biomarker** in **IBD**. ... and why DAMPs represent an entirely new class of **targets** for clinical translation.

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 2,530,000 条结果 (用时 0.56 秒)

Google 学术: Damage-associated molecular patterns in inflammatory bowel disease: From biomarkers to therapeutic targets

... of damage-associated molecular pattern molecules - Foell - 被引用次数: 706

DAMPs, PAMPs and alarmins: all we need to know ... - Bianchi - 被引用次数: 2309

... blood to molecular markers of intestinal inflammation ... - Foell - 被引用次数: 184

Gut mucosal DAMPs in IBD: from mechanisms to therapeutic ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/26931062> ▾ [翻译此页](#)

作者: RK Boyapati - 2016 - 被引用次数: 22 - [相关文章](#)

Gut mucosal DAMPs in IBD: from mechanisms to therapeutic implications. ... Endogenous damage-associated molecular patterns (DAMPs) are released during tissue ... (S100A8/9) have an established clinical role as a biomarker in IBD. ... and why DAMPs represent an entirely new class of targets for clinical translation.

Mitochondrial DNA Is a Pro-Inflammatory Damage-Associated ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/29718255> - [翻译此页](#)

作者: RK Boyapati - 2018 - [相关文章](#)

2018 Sep 15;24(10):2113-2122. doi: 10.1093/ibd/izy095. ... Damage-Associated Molecular Pattern Released During Active IBD. ... MtDNA is a potential mechanistic biomarker, and our data point to mtDNA-TLR9 as a therapeutic target in IBD.

Gut mucosal DAMPs in IBD: from mechanisms to therapeutic ... - Nature

<https://www.nature.com/articles/mi201614.pdf?origin=ppub> - [翻译此页](#)

作者: RK Boyapati - 2016 - 被引用次数: 22 - [相关文章](#)

Endogenous damage-associated molecular patterns (DAMPs) are released during tissue ... calprotectin (S100A8/9) have an established clinical role as a biomarker in IBD. therapeutic target in IBD that has already shown promise in .

找到约 2,240,000 条结果 (用时 0.58 秒)

Google 学术: Damage-associated molecular patterns in inflammatory bowel disease: From biomarkers to therapeutic targets

... of damage - associated molecular pattern molecules - Foell - 被引用次数: 707

DAMPs, PAMPs and alarmins: all we need to know ... - Bianchi - 被引用次数: 2309

... blood to molecular markers of intestinal inflammation ... - Foell - 被引用次数: 184

Mitochondrial DNA Is a Pro-Inflammatory Damage-Associated ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/29718255> - 翻译此页

作者: RK Boyapati - 2018 - 相关文章

2018 Sep 15;24(10):2113-2122. doi: 10.1093/ibd/izy095. Mitochondrial DNA Is a Pro-Inflammatory Damage-Associated Molecular Pattern Released During Active IBD. Boyapati RK(1), Dorward DA(1), ... MtDNA is a potential mechanistic biomarker, and our data point to mtDNA-TLR9 as a therapeutic target in IBD.

Gut mucosal DAMPs in IBD: from mechanisms to therapeutic ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/26931062> ▼ 翻译此页

作者: RK Boyapati - 2016 - 被引用次数: 22 - 相关文章

Gut mucosal DAMPs in IBD: from mechanisms to therapeutic implications. Endogenous damage-associated molecular patterns (DAMPs) are released during tissue ... (S100A8/9) have an established clinical role as a biomarker in IBD. ... and why DAMPs represent an entirely new class of targets for clinical translation.

Damage-Associated Molecular Patterns in Inflammatory Diseases

<https://synapse.koreamed.org/DOIx.php?id=10.4110/in.2018.18.e27...> ▼ 翻译此页

2018年8月13日 - Damage-associated molecular patterns (DAMPs) are endogenous ... of DAMPs as biomarkers and therapeutic targets for these diseases.

Gut mucosal DAMPs in IBD: from mechanisms to therapeutic ... - Nature

<https://www.nature.com/articles/mi201614.pdf?origin=ppub> - 翻译此页

作者: RK Boyapati - 2016 - 被引用次数: 22 - 相关文章