

Name of Journal: World Journal of Gastroenterology

Manuscript NO: 34673

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Trends and outcomes of pancreaticoduodenectomy for periampullary tumors: Results of a 25 years single center study on 1000 consecutive cases

Ayman El Nakeeb, Waleed Askar, Ehab Atef, Ehab El Hanafy, Ahmad M Sultan, Tarek Salah, Ahmed Shehta, Mohammed El Sorogy, Emad Hamdy, Mohamed El Hemly, Ahmed A El-Geidi, Tharwat Kandiel, Mohamed El Shobari, Talaat Abd Allah, Amgad Fouad, Mostafa Abu Zeid, Ahmed Abu El Eneen, Nabil Gad El-Hak, Gamal El Ebidy, Omar Fathy, Ahmed Sultan, Mohamed Abdel Wahab

Abstract

AIM

To evaluate the evolution, trends in surgical approaches and reconstruction

Match Overview

1	Internet 44 words crawled on 13-Jun-2017 www.wjgnet.com	1%
2	Crossref 31 words Saraee, Amir; Jalal Vahedian-Ardakani, Ehsan Saraee, Ro shanak Pakzad, and Massoud Wadji. "Whipple procedure:	1%
3	Internet 29 words crawled on 17-Sep-2013 younameitjewelry.com	1%
4	Crossref 20 words El Nakeeb, Ayman, Tarek Salah, Ahmad Sultan, Mohamed El Hemaly, Waleed Askr, Helmy Ezzat, Emad Hamdy, Ehab	<1%
5	Internet 15 words crawled on 03-Jul-2016 www.ukessays.com	<1%

Trends and outcomes of pancreaticoduodenectomy for periampullary tumors: Re

[全部](#) [图片](#) [视频](#) [新闻](#) [地图](#) [图书](#)

找到约 11,500 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[\[PDF\] BOOK of ABSTRACTS *PANCREAS* Table of ... - e-ahpba 2017](#)https://eahpba2017.com/.../E-AHPBA17_BookOfAbstracts_PANCREAS.pdf

... or arterial tumor involvement during pancreatectomy-Single centre experience in 35 cases
..... periampullary tumors: Effects of hospital volume on outcomes.

[Minimally invasive surgical approach to pancreatic malignancies](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4678388/>

15 Dec 2015 ... Core tip: Laparoscopic and robotic surgeries for pancreatic cancer are 25
selected articles, a total of 746 minimally invasive PD cases were ... more recent (years 2005-
2013) cohort study from 17 expert centers Outcomes of pancreatoduodenectomy with
robotic surgery versus 2012;41:993-1000.

[Clinical Pancreatic Cancer - NCBI - NIH](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2023887/>

It is estimated that 3-5% of all pancreatic cancer cases are caused by ... were screened for
the diagnosis pancreatic cancer (ICD:C25) for the years 1990-1996 INTRODUCTION AND
AIM: Pancreaticoduodenectomy (Whipple's operation) is QoL was analyzed in a
prospective single-center study in 91 of 169 patients , ...

[Usefulness of follow-up after pancreatoduodenectomy for carcinoma ...](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2020781/>

Background: The prognosis for carcinoma of the ampulla of Vater (CAV) is better than ... The 5-
year survival median rate after resection of CAV is 45%, but late ... all consecutive patients
treated by pancreatoduodenectomy (PD) for CAV in the In 2002 Yoshida et al. reported one
case of liver metastasis 19 months after PD ...

[Prognostic Factors for Long-Term Survival in Patients with Ampullary ...](#)<https://www.hindawi.com/journals/hpb/2014/970234/>

14 Jan 2014 ... ⁴Department of Biostatistics, Coordination Center for Clinical Trials Results

Trends and Outcomes of Pancreaticoduodenectomy for Periapillary Tumors

全部 图片 视频 新闻 地图 图书

找到约 11,600 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Prognostic Factors for Long-Term Survival in Patients with Ampullary ...](https://www.hindawi.com/journals/hpb/2014/970234/)

<https://www.hindawi.com/journals/hpb/2014/970234/>

14 Jan 2014 ... ⁴Department of Biostatistics, Coordination Center for Clinical Trials, ...
Results. The overall 1-, 5-, 10-, and 15-year survival rates were 79%, ... of the pancreas, the distal bile duct, and the **periampullary** duodenum [1–3]. ... For **one** thing, due to their anatomical location, ampullary **tumors** 20–25, 2007.

[Clinical Pancreatic Cancer - NCBI - NIH](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2023887/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2023887/>

It is estimated that 3–5% of all pancreatic **cancer cases** are caused by ... were screened for the diagnosis pancreatic **cancer** (ICD:C25) for the **years** 1990–1996 INTRODUCTION AND AIM; **Pancreaticoduodenectomy** (Whipple's operation) is QoL was analyzed in a prospective **single-center study** in 91 of 169 patients , ...

[Pancreatic cancer surgery: past, present, and future - NCBI - NIH](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4560737/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4560737/>

The history of pancreatic cancer surgery, though fraught with failure and setbacks , ... sparking a renewed interest in the surgical management of **periampullary cancers** and One glaring exception is the unique **case** of Italian surgeon Alessandro ... In the same **year** that Coffey reported his **results**, German surgeon Walther ...

[\[PDF\] Factors Predictive of Survival in Ampullary - NCBI](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1000050103.pdf)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1000050103.pdf>

20 Mar 1997 ... To review the recent Memorial Sloan-Kettering Cancer Center ... is improved relative to other **periampullary neoplasms**. ... 5.7 **cases** per million population per **year**.9 Surgical series of ... **results** of survival analyses in periampullary carcinomas 25%,22-25 and **studies** since 1990 have reported mortality.

[Ampullary Carcinoma Treatment & Management: Surgical Care ...](https://www.emedicine.com/med/article/276413-treatment)

[emedicine.medscape.com/article/276413-treatment](https://www.emedicine.com/med/article/276413-treatment)

10 Nov 2016 ... In a review of 450 **cases** of surgical resection of ampullary adenoma or ...
Results after radical resection of ampullary of Vater **carcinoma** have been improving. During

Trends and outcomes of pancreaticoduodenectomy for periampullary tumors: F

全部 图片 视频 新闻 地图 图书

找到约 11,600 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[PDF] [BOOK of ABSTRACTS *PANCREAS* Table of ... - e-ahpba 2017](#)

https://eahpba2017.com/.../E-AHPBA17_BookOfAbstracts_PANCREAS.pdf

... or arterial tumor involvement during pancreatectomy-Single centre experience in 35 cases
..... periampullary tumors: Effects of hospital volume on outcomes.

[PDF] [Volume-outcome relationships in pancreatoduodenectomy for cancer](#)

[www.dpcg.nl/.../Van_de_Geest_van_Rijssen_et_al_HPBB_2016_Volume-](http://www.dpcg.nl/.../Van_de_Geest_van_Rijssen_et_al_HPBB_2016_Volume-outcome_relationships_in_pancreatoduodenectomy_for_cancer.pdf)

[outcome_relationships_in_pancreatoduodenectomy_for_cancer.pdf](http://www.dpcg.nl/.../Van_de_Geest_van_Rijssen_et_al_HPBB_2016_Volume-outcome_relationships_in_pancreatoduodenectomy_for_cancer.pdf)

Studies analyzing outcomes in volume categories exceeding 20 procedures periampullary carcinoma by a single center was 57 in 2013. The number of ...

[Volume-outcome relationships in pancreatoduodenectomy for cancer](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4814615/>

11 Feb 2016 ... Studies analyzing outcomes in volume categories exceeding 20 procedures ...
A consecutive 3420 patients underwent PD for primary pancreatic or ... Ninety-day mortality
was 9.7% in centers performing <5 PDs/year (n = 185 for pancreas or periampullary
carcinoma by a single center was 57 in 2013.

[Clinical Pancreatic Cancer - NCBI - NIH](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2023887/>

It is estimated that 3–5% of all pancreatic cancer cases are caused by ... were screened for
the diagnosis pancreatic cancer (ICD:C25) for the years 1990–1996 ... INTRODUCTION AND
AIM: Pancreatoduodenectomy (Whipple's operation) is QoL was analyzed in a
prospective single-center study in 91 of 169 patients , ...

[PDF] [Pancreatoduodenectomy Is Curative in the Majority of Patients ...](#)

<https://www.med.upenn.edu/gastro/.../archsurgeryampullarycarcinoma.pdf>

tially curative pancreaticoduodenectomy were studied. ... Main Outcome Measures: The
effects of clinical and ... Results: The median age of the 51 patients (25 males ... Five-year
survival was 78% (21/27) in node-negative pa- tients ... tween 7% and 19% of periampullary
neo- consecutive cases of ampullary carcinoma.