

Match Overview

1	Internet 172 words crawled on 01-Oct-2014 www.ncbi.nlm.nih.gov	2%
2	Internet 35 words crawled on 17-Jan-2013 onlinelibrary.wiley.com	<1%
3	CrossCheck 29 words Toru Arano. "Serum level of adiponectin and the risk of li... er cancer development in chronic hepatitis C patients", Int	<1%
4	CrossCheck 23 words Nakamura, Akinobu, and Yasuo Terauchi. "Lessons from... Mouse Models of High-Fat Diet-Induced NAFLD", Internatio	<1%
5	CrossCheck 22 words "AASLD Abstracts", Hepatology, 2013.	<1%
6	Internet 21 words crawled on 12-Jan-2015 worldwidescience.org	<1%

12

Name of journal: World Journal of Hepatology

ESPS Manuscript NO: 18129

Columns: MINIREVIEW

Recent advances in mouse models of obesity- and nonalcoholic
steatohepatitis-associated hepatocarcinogenesis

Hayato Nakagawa

1

Abstract

Hepatocellular carcinoma (HCC) is the fifth most common cancer, and obesity has
been established as a risk factor for HCC development. Nonalcoholic steatohepatitis
(NASH) is apparently the key link between obesity and hepatocarcinogenesis, and
obesity also accelerates HCC development synergistically with other risk factors
such as hepatitis virus infection and alcohol consumption. As an explanation for the
pathogenesis of NASH, the so-called "two hit" theory has been widely accepted, but

[网页](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 25,700 条结果 (用时 0.60 秒)

Google 学术: Recent advances in mouse models of obesity- and NASH-associated hepatocarcinogenesis

... -155 at early stages of hepatocarcinogenesis induced ... - Wang - 被引用次数: 173

... of hepatic miR-181b promotes hepatocarcinogenesis ... - Wang - 被引用次数: 226

Hepatocellular carcinoma: current trends in worldwide ... - Shariff - 被引用次数: 213

Mouse models for liver cancer - ScienceDirect

www.sciencedirect.com/science/article/.../S1574789113000239 ▾ [翻译此页](#)

作者: L Bakiri - 2013 - 被引用次数: 18 - [相关文章](#)

2013年2月5日 - Mouse models of cancer: Essential tools for better therapies ... HCC incidence, while chronic alcohol consumption, obesity-related fatty liver diseases ... non-alcoholic steatohepatitis (NASH), NASH-related cryptogenic cirrhosis and Recent advances in AAV vector technology allow 90–100% transduction ...

Obesity, Inflammation and Liver Cancer

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: B Sun - 2012 - 被引用次数: 109 - [相关文章](#)

2011年11月25日 - Here we review and discuss recent advances in elucidation of cellular and ... been shown to be associated with obesity-induced NAFLD, NASH, fibrosis, ... out in mouse models that were confirmed in human clinical material.



Recent advances in mouse models of obesity- and nonalcoholic steatohe



网页

新闻

图片

购物

视频

更多 ▾

搜索工具

找到约 49,100 条结果 (用时 0.77 秒)

Google 学术: Recent advances in mouse models of obesity- and nonalcoholic steatohepatitis-associated hepatocarcinogenesis

The etiology of hepatocellular carcinoma and ... - Sanyal - 被引用次数: 136

Nonalcoholic steatohepatitis-associated hepatocellular ... - Takuma - 被引用次数: 78

Overweight, obesity, and mortality from cancer in a ... - Calle - 被引用次数: 5058

Molecular Mechanisms and New Treatment Strategies for ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: A Takaki - 2014 - 被引用次数: 14 - 相关文章

2014年4月29日 - NAFLD is strongly associated with obesity, which induces adipokine secretion, ... feature of NAFLD from early stages to advanced NASH-cirrhosis. ...

However, an inflammasome-deficient mouse model developed ... Gut microbiota affect not only NAFLD, but also obesity-related hepatocarcinogenesis.

Nonalcoholic Fatty Liver Disease and Hepatocellular ...

www.hindawi.com/journals/bmri/2014/106247/ ▾ 翻译此页

作者: L Kikuchi - 2014 - 被引用次数: 8 - 相关文章

2014年1月31日 - Recent studies suggest that nonalcoholic fatty liver disease (NAFLD) ...

[网页](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 24,200 条结果 (用时 0.61 秒)

Google 学术: Recent advances in mouse models of obesity- and nonalcoholic steatohepatitis-associated hepatocarcinogenesis

The etiology of hepatocellular carcinoma and ... - [Sanyal](#) - 被引用次数: 136

Nonalcoholic steatohepatitis-associated hepatocellular ... - [Takuma](#) - 被引用次数: 78

Overweight, obesity, and mortality from cancer in a ... - [Calle](#) - 被引用次数: 5077

Mouse models for liver cancer - ScienceDirect

www.sciencedirect.com/science/article/.../S1574789113000239 ▾ 翻译此页

作者: L Bakiri - 2013 - 被引用次数: 21 - 相关文章

2013年2月5日 - **NAFLD** has become the most common liver disorder in industrialized

SV40 T transgenic mice were the first **mouse model** where **hepatocarcinogenesis** was observed after **Recent advances** in AAV vector technology allow 90–100% The pathogenic role of **obesity-associated** inflammation in liver ...

Molecular Mechanisms and New Treatment Strategies for ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: A Takaki - 2014 - 被引用次数: 15 - 相关文章

2014年4月29日 - **NAFLD** is strongly **associated** with **obesity** which induces adipokine