

Name of Journal: World Journal of Clinical Pediatrics

ESPS Manuscript No: 22425

Manuscript Type: CASE REPORT

Tourette syndrome associated with attention deficit hyperactivity disorder: The impact of tics and psychopharmacological treatment options

Olumide O Oluwabusi, Susan Parke, Paul J Ambrosini

Abstract

Tourette syndrome (TS) is a neurodevelopmental disorder characterized by multiple chronic motor and vocal tics beginning in childhood. Several studies describe the

Match Overview

1	Internet 45 words crawled on 31-Mar-2010 www.tsa-usa.org	1%
2	Internet 28 words neuro-mancer.mgh.harvard.edu	1%
3	Internet 26 words crawled on 11-Jan-2014 www.aacap.org	1%
4	CrossCheck 25 words "Tourette Syndrome", Encyclopedia of Movement Disorders, 2010	<1%
5	CrossCheck 17 words Tallur, K., "Tourette's syndrome", Paediatrics and Child Health, 201002	<1%
6	Internet 16 words crawled on 18-Dec-2010 emedicine.medscape.com	<1%

Tourette syndrome associated with attention deficit hyperactivity disorder: The im

全部

图片

视频

新闻

购物

地图

图书

找到约 31,400 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Tourette syndrome associated with attention deficit hyperactivity disorder: The impact of tics and psychopharmacological treatment options](#)

[... Treatment of Childhood Attention-Deficit/Hyperactivity ...](#) - Pliszka - 被引用次数: 183

[... adolescents with attention-deficit/hyperactivity disorder](#) - Pliszka - 被引用次数: 870

[... of attention-deficit hyperactivity disorder across the life ...](#) - Spencer - 被引用次数: 936

[Psychopharmacology of Tic Disorders](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC2527768/ ▼

Tic disorders and Tourette syndrome are frequently associated with comorbid Studies on the impact of sleep problems in children are rare. first line treatment option especially in patients with co-morbid symptoms of ADHD (Leckman et al, ...

[Tourette Syndrome and Tic Disorders](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3000195/ ▼

When necessary, available anti-tic treatments have proven efficacious. Attention-deficit hyperactivity disorder (ADHD) is frequently diagnosed in children A strong anecdotal clinical association between TS symptoms and stressful life psychophysiological effect, rather than a psychopharmacological effect of nicotine.

[Treatments | Tourette Syndrome | NCBDDD | CDC](#)

www.cdc.gov/ncbddd/tourette/treatments.html ▼

Tourette syndrome associated with attention deficit hyperactivity disorder: The im

全部

图片

视频

新闻

购物

地图

图书

找到约 31,400 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Tourette syndrome associated with attention deficit hyperactivity disorder: The impact of tics and psychopharmacological treatment options](#)

[... Treatment of Childhood Attention-Deficit/Hyperactivity ...](#) - Pliszka - 被引用次数: 183

[... adolescents with attention-deficit/hyperactivity disorder](#) - Pliszka - 被引用次数: 870

[... of attention-deficit hyperactivity disorder across the life ...](#) - Spencer - 被引用次数: 936

[Psychopharmacology of Tic Disorders](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC2527768/ ▾

Tic disorders and Tourette syndrome are frequently associated with comorbid Studies on the impact of sleep problems in children are rare. first line treatment option especially in patients with co-morbid symptoms of ADHD (Leckman et al, ...

[Tourette Syndrome and Tic Disorders](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3000195/ ▾

When necessary, available anti-tic treatments have proven efficacious. Attention-deficit hyperactivity disorder (ADHD) is frequently diagnosed in children ... A strong anecdotal clinical association between TS symptoms and stressful life psychophysiological effect, rather than a psychopharmacological effect of nicotine.

[Treatments | Tourette Syndrome | NCBDDD | CDC](#)

www.cdc.gov/ncbddd/tourette/treatments.html ▾

[全部](#)[新闻](#)[视频](#)[图片](#)[更多 ▾](#)[搜索工具](#)

找到约 31,700 条结果 (用时 0.72 秒)

Psychopharmacology of Tic Disorders

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: M Srouf - 2008 - 被引用次数: 27 - 相关文章

Tic disorders and Tourette syndrome are frequently associated with comorbid Studies on the impact of sleep problems in children are rare. first line treatment option especially in patients with co-morbid symptoms of ADHD (Leckman et al, ...

Tourette Syndrome and Tic Disorders

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: JE Swain - 被引用次数: 8 - 相关文章

When necessary, available anti-tic treatments have proven efficacious. Attention-deficit hyperactivity disorder (ADHD) is frequently diagnosed in children ... A strong anecdotal clinical association between TS symptoms and stressful life psychophysiological effect, rather than a psychopharmacological effect of nicotine.

Treatments | Tourette Syndrome | NCBDDD | CDC

www.cdc.gov/ncbddd/tourette/treatments.html ▾ [翻译此页](#)

2015年11月30日 - Although there is no cure for Tourette Syndrome (TS), there are ... Medications also can be used to reduce symptoms of related conditions, such as ADHD or OCD. ... As with all medications, those used to treat tics can have side effects ... Pediatric Psychopharmacology: Psychopharmacology of Tic Disorders.

Pharmacological treatment of Tourette syndrome

www.sciencedirect.com/science/article/pii/S2211364914000438 ▾ [翻译此页](#)

作者: DL Gilbert - 2014 - 被引用次数: 4 - 相关文章

Journal of Obsessive-Compulsive and Related Disorders ... Tics, the cardinal symptom of Tourette syndrome (TS), are patterned involuntary, ... In both community and clinic