

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 15601

Column: ORIGINAL ARTICLE

Retrospective Cohort Study

Prognostic factors of spontaneously ruptured hepatocellular carcinoma

Xiang-Jun Han, Hong-Ying Su, Hai-Bo Shao, Ke Xu

Abstract

AIM: To evaluate the prognostic factors in patients with spontaneously ruptured hepatocellular carcinoma (HCC).

METHODS: Seventy-nine patients experiencing a spontaneously ruptured HCC between April 2004 and August 2014 were enrolled in this study. The clinical features, treatment modalities and outcome were reviewed. The

Match Overview

[View](#) [List](#)

| | | |
|---|---|-----|
| 1 | Internet 17 words Copied on 27 Dec 2014 View | 2% |
| 2 | CrossCheck 17 words 1. Han XJ, Su HY, Shao HB, Xu K (2015) Prognostic factors of hepatocellular carcinoma (HCC) with spontaneous rupture: A retrospective cohort study. <i>World J Gastroenterol</i> 21(1): 1-10 | 1% |
| 3 | CrossCheck 17 words Han XJ, Su HY, Shao HB, Xu K (2015) Prognostic factors of hepatocellular carcinoma (HCC) with spontaneous rupture: A retrospective cohort study. <i>World J Gastroenterol</i> 21(1): 1-10 | 1% |
| 4 | Internet 11 words Copied on 14 Dec 2014 View | <1% |
| 5 | Internet 11 words Copied on 14 Dec 2014 View | <1% |
| 6 | Internet 11 words Copied on 14 Dec 2014 View | <1% |
| 7 | CrossCheck 11 words Sunday 21 August 2016, <i>World Journal of Gastroenterology</i> 2016 | <1% |



Prognostic factors of spontaneously ruptured hepatocellular carcinoma



学术搜索

找到约 16,400 条结果 (用时0.21秒)

我的著作引用情况

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用

创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

[\[HTML\] Different risk factors and prognosis for early and late intrahepatic recurrence after resection of hepatocellular carcinoma](#)RTP Poon, ST Fan, IOL Ng, CM Lo, CL Liu, J Wong - *Cancer*, 2000 - Wiley Online Library

... HCC.26, 27 The finding that cirrhosis was the only independent risk factor of late ... The findings on the prognostic factors for survival after recurrence also support the above hypothesis on ... The prognosis in the early recurrence group was influenced by the primary tumor stage, and ...

被引用次数: 505 相关文章 所有 5 个版本 引用 保存

[wiley.com 中的 \[HTML\]](#)[\[HTML\] Spontaneous rupture of hepatocellular carcinoma: a systematic review](#)ECH Lai, WY Lau - *Archives of Surgery*, 2006 - jama.jamanetwork.com

Review from JAMA Surgery — Spontaneous Rupture of Hepatocellular Carcinoma — A Systematic Review.

被引用次数: 128 相关文章 所有 11 个版本 引用 保存

[jamanetwork.com 中的 \[HTML\]](#)[Spontaneous rupture of hepatocellular carcinoma](#)LX Zhu, GS Wang, ST Fan - *British journal of surgery*, 1996 - Wiley Online Library... steel coils for permanent occlusion of the hepatic artery causes subsequent procedures ... at presentation⁴, hyperbilir~binaemia⁴ and advanced cirrhosis⁴ are poor prognostic factors, irrespective of ... cases of prolonged survival after hepatectomy, the overall prognosis of patients ...

被引用次数: 135 相关文章 所有 6 个版本 引用 保存

[Spontaneous tumour rupture and prognosis in patients with hepatocellular carcinoma](#)CN Yeh, WC Lee, LB Jeng, MF Chen... - *British journal of ...*, 2002 - Wiley Online Library

Spontaneous tumour rupture and prognosis in patients with ... Clinical features and factors influencing the outcome of 475 patients with non-ruptured HCC were used for ... The presence of sudden-onset abdominal pain was the only independently significant factor in patients with ...

被引用次数: 116 相关文章 所有 6 个版本 引用 保存

[Management of spontaneous rupture of hepatocellular carcinoma: single-center experience](#)CL Liu, ST Fan, CM Lo, WK Tso... - *Journal of clinical ...*, 2001 - jco.ascopubs.org... during the study period ($P < .0001$) (Fig 1). The major causes of death ... These factors resulted in unfavorable survival outcome of patients who underwent emergency hepatic ... hepatic arterial[ascopubs.org 中的 \[HTML\]](#)

网页 图片 新闻 视频 购物 更多 搜索工具

找到约 117,000 条结果 (用时 0.50 秒)

Google 学术 : Prognostic factors of spontaneously ruptured hepatocellular carcinoma

... recurrence after resection of hepatocellular carcinoma - Poon - 被引用次数 : 505

Spontaneous rupture of hepatocellular carcinoma: a ... - Lai - 被引用次数 : 128

Spontaneous rupture of hepatocellular carcinoma - Zhu - 被引用次数 : 135

Outcome and prognostic factors of spontaneous ruptured ...

www.ncbi.nlm.nih.gov/pubmed/21498371 ▾ 翻译此页

作者 : BS Shin - 2011 - 被引用次数 : 19 - 相关文章

2011年3月3日 - Outcome and prognostic factors of spontaneous ruptured hepatocellular carcinoma treated with transarterial embolization. Shin BS(1), Park MH ...

Spontaneous tumour rupture and prognosis in patients with ...

www.ncbi.nlm.nih.gov/pubmed/12190677 ▾ 翻译此页

作者 : CN Yeh - 2002 - 被引用次数 : 116 - 相关文章

Spontaneous tumour rupture and prognosis in patients with hepatocellular ... factors influencing the outcome of 475 patients with non-ruptured HCC were used ...

Outcomes of patients with spontaneous rupture of ...

www.ncbi.nlm.nih.gov/pubmed/21510294 ▾ 翻译此页

作者 : A Miyoshi - 2011 - 被引用次数 : 31 - 相关文章

Outcomes of patients with spontaneous rupture of hepatocellular carcinoma. ... BACKGROUND/AIMS: The prognosis of ruptured hepatocellular carcinoma (HCC) has ... The tumor rupture was independent prognostic factors that had the most ...

[PDF] Predictors and clinical outcomes for spontaneous rupture...

www.wjgnet.com/1007-9327/pdf/v18/i48/7302.pdf ▾ 翻译此页

作者 : Q Zhu - 2012 - 被引用次数 : 15 - 相关文章

2012年12月28日 - AIM: To determine the risk factors for hepatocellular carcinoma ...