

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 16379

Columns: ORIGINAL ARTICLE

Basic Study

Neurochemical features of endomorphin-2-containing neurons in the submucosal plexus of the rat colon

Li JP *et al.* EM-2-containing neurons in submucosal plexus of rat colon

Jun-Ping Li, Ting Zhang, Chang-Jun Gao, Zhen-Zhen Kou, Xu-Wen Jiao, Lian-Xiang Zhang, Zhen-Yu Wu, Zhong-Yi He, Yun-Qing Li

Jun-Ping Li, Ting Zhang, Zhen-Zhen Kou, Zhen-Yu Wu, Yun-Qing Li, Department of Anatomy, Histology and Embryology, K.K. Leung Brain Research Centre, The Fourth Military Medical University, Xi'an 710032, Shaanxi Province, China

Jun-Ping Li, Xu-Wen Jiao, Lian-Xiang Zhang, Zhong-Yi He, Department of

Match Overview

1	CrossCheck 451 words Li, Jun-Ping, Xi-Yu Wang, Chang-Jun Gao, Yong-Hui Liao, Juan Qu, Zhong-Yi He, Ting Zhang, Guo-Du Wang, and Yu	7%
2	Internet 95 words crawled on 16-May-2015 www.wjgnet.com	1%
3	CrossCheck 80 words Freitag, C. "Immunohistochemical characterization and quantitative analysis of neurons in the myenteric plexus of the	1%
4	Internet 47 words crawled on 05-Dec-2012 www.eyescience.com.cn	1%
5	CrossCheck 33 words Niu, L. "Neurochemical phenotypes of endomorphin-2-containing neurons in vagal nodose neurons of the adult rat". N	<1%
6	Internet 24 words crawled on 08-Dec-2009 lib.bioinfo.pl	<1%
7	CrossCheck 20 words Gao, C.J. "Effects of intracerebroventricular application of the delta opioid receptor agonist [d-Ala2, d-Leu5] enkephali...	<1%



Neurochemical features of endomorphin-2-containing neurons in the submu



学术搜索

获得 1 条结果 (用时0.04秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利

☒ 包含引用

创建快讯

[HTML] **Neurochemical** phenotype and function of endomorphin 2-immunopositive **neurons** in the myenteric **plexus** of the **rat colon** **nih.gov** 中的 [HTML]

JP Li, XY Wang, CJ Gao, YH Liao, J Qu... - Frontiers in ... 2014 - ncbi.nlm.nih.gov

... **Neurochemical** phenotype and function of endomorphin 2-immunopositive **neurons** in the myenteric **plexus** of the ... Distribution and **characteristics** of EM2-IR **neurons** in the myenteric **plexus** of the **rat colon**. ... found to be widely localized to the cell bodies of enteric **neurons** that also ...

相关文章 所有 6 个版本 引用 保存

创建快讯

关于 Google 学术搜索

隐私权

条款

提供反馈



lomorphin-2-containing neurons in the submucosal plexus of the rat colon



[网页](#) [图片](#) [购物](#) [新闻](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 6,420 条结果 (用时 0.78 秒)

Neurochemical phenotype and function of endomorphin 2 ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者：JP Li - 2014 - [相关文章](#)

2014年12月16日 - EM2 was expressed in the enteric **neurons in the myenteric plexus** of the mid-colon. ... revealed that myenteric **neurons** in the **rat colon** express EM2 but not EM1. The **composition** of Krebs solution was (in mM): 120 NaCl, 6 KCl, 2.5 **Neurochemical** phenotypes of **endomorphin -2-containing neurons** in ...

CRF receptor type 1 and 2 expression and anatomical ...

onlinelibrary.wiley.com > ... > Vol 90 Issue 2 > Abstract ▾ [翻译此页](#)

作者：E Chatzaki - 2004 - [被引用次数：110](#) - [相关文章](#)

2004年5月25日 - SPECIAL **FEATURES** ... Journal of **Neurochemistry** ... antibody;; CRF1;; CRF2;; enteric nervous **plexus**;; **rat colon** ... antigens revealed CRF1 expression in the **myenteric** and **submucosal** nervous **plexus**. CRF2 in 5 mL of buffer **containing** 20 mm HEPES, 10 mm MgCl₂, 2 mm EGTA supplemented with a ...

system in gastrointestinal tract - Wiley Online Library

onlinelibrary.wiley.com > ... > Vol 16 Issue > Abstract - [翻译此页](#)

作者：C Stemini - 2004 - [被引用次数：117](#) - [相关文章](#)

2004年9月8日 - SPECIAL **FEATURES** By contrast, **endomorphin** 1 and 2 have the highest affinity and ... KOR immunoreactivities have been described in enteric neurones of **rat**, glycerol-phosphate buffer **containing** 2% potassium iodide to retard to μOR in neurones of the **myenteric plexus** of (A) the **colon** and (C) ...

The opioid system in the gastrointestinal tract - Wiley Online ...

onlinelibrary.wiley.com/doi/10.1111/j.1743-3150.2004.../pdf ▾ [翻译此页](#)

作者：C Stemini - 2004 - [被引用次数：117](#) - [相关文章](#)

phin 1 and **endomorphin** 2, have been isolated from ... the circular muscle and **submucosal plexus**, 26–28 ... cribed in enteric neurones of **rat**, guinea-pig and ... quite abundant in the stomach and proximal **colon**), to fibres The ileum was pinned flat in Krebs' solution **containing** **Neurochemical** classification of myenteric.