



All

Images

Videos

关闭取词

32,300 Results

Any time ▾

## Prognostic values of preoperative platelet-to-lymphocyte ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6489677>

Apr 16, 2019 · (A and B) are the survival curves of **PLR** for overall survival and progression-free survival; (C and D) are the survival curves of **albumin** for overall survival and **progression-free survival**; (E and F) are the survival curves of **hemoglobin** for overall survival and **progression-free survival**. Abbreviation: **PLR, platelet-to-lymphocyte ratio**.

Cited by: 1

Author: Zhigui Li, Zhaofen Xu, Yuqian Huang, Rui Z...

Publish Year: 2019

## Prognostic significance of HALP (hemoglobin, albumin ...

<https://www.nature.com/articles/s41598-018-19146-y>

Jan 15, 2018 · The outcome of bladder **cancer** after radical cystectomy is heterogeneous. We aim to evaluate the prognostic value of **HALP** (hemoglobin, **albumin**, **lymphocyte and platelet**) and explore novel prognostic ...

Cited by: 3

Author: Ding Peng, Cui-jian Zhang, Yan-qing Gong...

Publish Year: 2018

## The Hemoglobin, Albumin, Lymphocyte, and Platelet (HALP ...

<https://www.jcancer.org/v10p0081.htm>

Abstract. Objective: The hemoglobin, **albumin**, **lymphocyte**, and **platelet** (**HALP**) score has been shown to be an important prognostic marker in some tumor types. The aim of this study was to evaluate the prognostic impact of the preoperative **HALP** score, with the intent to develop a new prognostic index for patients with metastatic prostate **cancer** (mPCA) after cytoreductive radical prostatectomy (cRP).

## Combination of platelet count and neutrophil to lymphocyte ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3721384>

Jul 23, 2013 · Shimada et al have reported that a **high NLR** was associated with a **high platelet count**, and selected it as an independent indicator of reduced postoperative survival in patients with **gastric**



5

Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 52877

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Haemoglobin, albumin, lymphocyte and platelet predicts postoperative survival in pancreatic cancer

Xu SS *et al.* Preoperative HALP predicts surgical outcome in pancreatic cancer

7

Shuai-Shuai Xu, Shuo Li, Hua-Xiang Xu, Hao Li, Chun-Tao Wu, Wen-Quan

Wang, He-Li Gao, Wang Jiang, Wu-Hu Zhang, Tian-Jiao Li, Quan-Xing Ni,

## Match Overview

1

Crossref 74 words

Hua-Xiang Xu, Shuo Li, Chun-Tao Wu, Zi-Hao Qi et al. "Postoperative serum CA19-9, CEA and CA125 predicts the re

2%

2

Internet 28 words

crawled on 15-Jul-2019

[jcancer.org](http://jcancer.org)

1%

3

Internet 21 words

crawled on 13-Oct-2019

[academic.oup.com](http://academic.oup.com)

1%

4

Internet 19 words

crawled on 30-Dec-2019

[lup.lub.lu.se](http://lup.lub.lu.se)

1%

5

Internet 15 words

crawled on 16-Nov-2019

[f6publishing.blob.core.windows.net](http://f6publishing.blob.core.windows.net)

&lt;1%

6

Crossref 14 words

"Poster Session 1", *International Journal of Gynecological Cancer*, 9/2006

&lt;1%

7

Internet 14 words

crawled on 14-Jun-2019

[onlinelibrary.wiley.com](http://onlinelibrary.wiley.com)

&lt;1%

8

Crossref 13 words

Takao Watanabe, Hiroyoshi Fujita, Akio Koizumi, Keiko Chi ba, Michiko Miyasaka, Masayuki Ikeda. "Baseline Level of

&lt;1%





国内版

国际版

Haemoglobin, albumin, lymphocyte and platelet predicts postoperative sur



登录



网页

图片

视频

学术

词典

地图

试用 Microsoft Edge >

检测到您输入了英文，试试切换到国际版？搜英文结果更丰富更准确 >

12,300 条结果 时间不限 ▾

## Preoperative neutrophil-to-lymphocyte ratio plus ... 翻译此页

Cited by: 15 Author: Xiaowei Sun, Xuechao Liu, Jianjun Liu, Sh...

Publish Year: 2016 位置: 8600 Rockville Pike, Bethesda, MD

2016-6-24 · The preoperative neutrophil-to-lymphocyte ratio (NLR) and the platelet-to-lymphocyte ratio (PLR) are associated with poor prognosis of gastric cancer. We aimed to determine whether the combination of NLR and PLR (NLR+PLR) could better predict survival of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4919872>

## Combination of platelet count and neutrophil to ... 翻译此页

Cited by: 133 Author: M Ishizuka, H Nagata, K Takagi, Y Iwasaki...

Publish Year: 2013 位置: 8600 Rockville Pike, Bethesda, MD

2013-7-23 · Background: This study investigated the usefulness of a novel inflammation-based prognostic system, named the COP-NLR (COmbination of Platelet count and Neutrophil to Lymphocyte Ratio), for predicting the postoperative survival of patients with colorectal cancer (CRC).

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3721384>

## Preoperative platelet to lymphocyte ratio predicts ... 翻译此页

Cited by: 60 Author: Yoshihiro Shirai, Hiroaki Shiba, Taro Saka...

Publish Year: 2015

Preoperative platelet to lymphocyte ratio predicts outcome of patients with pancreatic ductal adenocarcinoma after pancreatic resection ... 26 Platelets have roles in hemostasis, thrombosis, and inflammation; the interactions between cancer and the platelet, such as cancer growth, survival, ... Our findings suggest that patients with pancreatic ...

<https://www.sciencedirect.com/science/article/pii/S0039606015002573>





26,800 Results

Any time ▾

## Combination of platelet count and neutrophil to lymphocyte ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3721384>

Jul 23, 2013 - Shimada et al have reported that a **high NLR** was associated with a high platelet count, and selected it as an independent indicator of reduced postoperative survival in patients with **gastric cancer**. They also reported that not only an **elevated CRP level** ( Shimada et al , 2003 ) but also reactive thrombocytosis ( Shimada et al , 2004 ) was associated with postoperative survival in patients with **oesophageal cancer**.

Cited by: 133

Author: M Ishizuka, H Nagata, K Takagi, Y Iwasa...

Publish Year: 2013

## Prognostic values of preoperative platelet-to-lymphocyte ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6489677>

(A and B) are the survival curves of PLR for overall survival and progression-free survival; (C and D) are the survival curves of albumin for overall survival and progression-free survival; (E and F) are the survival curves of hemoglobin for overall survival and progression-free survival. Abbreviation: PLR, platelet-to-lymphocyte ratio.

Cited by: 1

Author: Zhigui Li, Zhaofen Xu, Yuqian Huang, Rui ...

Publish Year: 2019

## Preoperative neutrophil-to-lymphocyte ratio plus platelet ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4919872>

The **preoperative neutrophil-to-lymphocyte ratio (NLR)** and the **platelet-to-lymphocyte ratio (PLR)** are associated with poor prognosis of **gastric cancer**. We aimed to determine whether the combination of NLR and PLR (NLR+PLR) could better **predict survival** of patients after curative resection for ...

Cited by: 15

Author: Xiaowei Sun, Xuechao Liu, Jianjun Liu, Sh...

Publish Year: 2016

## Preoperative platelet to lymphocyte ratio predicts outcome ...

<https://www.sciencedirect.com/science/article/pii/S0039606015002573>

**P**ancreatic cancer is among the most **fatal human digestive cancers** and the fourth leading cause of **cancer-related death worldwide**. 1 Although operative resection is the only possible **curative treatment** of **pancreatic**, only 10–15% of patients are amenable to resection.2, 3 The 5-year **overall survival (OS)** of patients with **pancreatic cancer** after curative resection and adjuvant chemotherapy varies from 12 ...

Cited by: 59

Author: Yoshihiro Shirai, Hiroaki Shiba, Taro Saka...

Publish Year: 2015