

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 16,100 条结果 (用时 0.46 秒)

您是不是要找： Dual Loop reconstruction with isolated gastric limb reduces delayed gastric emptying after **Pancreaticoduodenectomy**

Google 学术：Dual Loop reconstruction with isolated gastric limb reduces delayed gastric emptying after **Pancreatico-duodenectomy**

Management of Complications Following ... - Yeo - 被引用次数：204

... anastomosis after pancreatoduodenectomy: a position ... - Shrikhande - 被引用次数：39

... Triple Roux on a "P" Loop. Rationale and Radionuclide ... - Pescio - 被引用次数：9

Does antecolic reconstruction decrease delayed gastric emptying after ...

https://www.researchgate.net/.../233909539_Does_antecolic_reconstruction_... - 翻译此页

PDF | Delayed gastric emptying (DGE) is a frequent complication after ... reconstruction with anastomosis of the isolated Roux limb to the stomach and ... Retrocolic anastomosis of the isolated first jejunal loop to the gastric remnant during Pancreaticoduodenectomy Decreases Postoperative Delayed Gastric Emptying.

Preventing Delayed Gastric Emptying After Whipple's Procedure ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4692950/> - 翻译此页

作者：A Krishna - 2015 - 被引用次数：3 - 相关文章

2013年11月12日 - Although delayed gastric emptying (DGE) after Whipple's ... To overcome this problem, we started using the isolated loop technique of reconstruction along with ... Whipple's pancreaticoduodenectomy in a single surgical unit from January ... isolated loop in pancreaticoduodenal resection markedly reduces ...

缺少字词：Dual

Name of Journal: *World Journal of Gastrointestinal Surgery*

Manuscript NO: 46353

Manuscript Type: ORIGINAL ARTICLE

Case Control Study

Dual loop (Roux en Y) reconstruction with isolated gastric limb reduces delayed gastric emptying after pancreatICO-duodenectomy

Offir Ben-Ishay, Reem Abu Zhaya, Yoram Kluger

Abstract

Background:

Single loop reconstruction (SLR) was routine in our institution for patients undergoing pancreatICO-duodenectomy (PD). Roux-en Y reconstruction with an

Match Overview

1	Crossref 109 words Adeel S. Khan, Greg Williams, Cheryl Wools et al. Linxia Liu et al. "Elonga Gastroenterol"	4%
2	Internet 61 words crawled on 17-Jul-2016 www.wjgnet.com	2%
3	Internet 44 words crawled on 02-Apr-2018 link.springer.com	2%



国内版

国际版

Dual loop (Roux en Y) reconstruction with isolated gastric limb reduces delayed g.



All

Images

Videos

翻译成中文

关闭取词

11,700 Results

Any time ▾

Does antecolic reconstruction decrease delayed gastric ...

www.ncbi.nlm.nih.gov › ... › v.18(45); 2012 Dec 7

Dec 07, 2012 · Masui T, Doi R, Kawaguchi Y, Uemoto S. **Delayed gastric emptying** improved by straight stomach **reconstruction** with twisted anastomosis to the jejunum **after** pylorus-preserving pancreaticoduodenectomy (PPPD) in 118 consecutive patients at a single institution.

Cited by: 3

Author: Nadia Peparini, Piero Chirletti

Publish Year: 2012

A prospective, randomized trial of Roux-en-Y ...

https://www.researchgate.net/publication/236250602_A_prospective...

A prospective, randomized trial of **Roux-en-Y reconstruction with isolated** pancreatic drainage versus conventional **loop reconstruction after** pancreaticoduodenectomy Article in Surgery 153(6 ...

Isolated Roux loop pancreaticojejunostomy versus ...

<https://www.sciencedirect.com/science/article/pii/S2210261218304619>

Delayed gastric emptying (DGE) ... The results of this study contribute to the growing evidence that **isolated limb Roux-en-Y** may be associated with a lower rate of postoperative pancreatic leak. ... G.J. Toogood, T.G. Wilson, R.T. Padbury A modification of **isolated Roux loop reconstruction after** pancreaticoduodenectomy. Aust. N. Z. J. Surg., 69 ...

Pancreatic Fistula and Delayed Gastric Emptying After ...

www.ncbi.nlm.nih.gov › ... › Indian J Surg › v.77(5); 2015 Oct

Klaiber U, Probst P, Knebel P, Contin P, Diener MK, Buchler MW, Hackert T. Meta-analysis of complication rates for single-loop versus **dual-loop (Roux-en-Y) with isolated** pancreaticojejunostomy **reconstruction after** pancreaticoduodenectomy.

Cited by: 5

Author: Ammar A. Javed, Kanza Aziz, Fabio Bag...

找到约 10,300 条结果 (用时 0.55 秒)

您是不是要找: **Dual loop (Roux en Y) reconstruction with isolated gastric limb reduces delayed gastric emptying after *pancreaticoduodenectomy***

Preventing Delayed Gastric Emptying After Whipple's ... - ResearchGate

https://www.researchgate.net/.../285419104_Preventing_Delayed_Gastric_E... - 翻译此页

Pancreatogastrostomy with **isolated loop** in pancreaticoduodenal resection markedly **reduces** the post-operative ... Erythromycin Accelerates **Gastric Emptying After Pancreaticoduodenectomy**: A Prospective, Randomized, Placebo-Controlled Trial. ... **Reconstruction** by pancreaticojejunostomy versus pancreaticogastrostomy ...

Does antecolic reconstruction decrease delayed gastric emptying after ...

https://www.researchgate.net/.../233909539_Does_antecolic_reconstruction_... - 翻译此页

PDF | **Delayed gastric emptying** (DGE) is a frequent complication **after** ... of 89 subtotal **stomach**-preserving PDs with **Roux-en Y** retrocolic **reconstruction** with anastomosis of the **isolated Roux limb** to the **stomach** and Braun Enteroenterostomy during **Pancreaticoduodenectomy** Decreases Postoperative **Delayed Gastric** ...

A new approach for Roux-en-Y reconstruction after ...

www.sciencedirect.com/science/article/pii/.../pdf?md5...pid=1-s2.0... - 翻译此页

2014年12月15日 - the most common complication of **pancreaticoduodenectomy**. (PD) and ... outcomes **after** the modified **Roux-en-Y reconstruction** were ... isolates biliary anastomosis from pancreatic, **gastric** or jejunal ... The use of a separate **Roux loop** was first described in 1976, and it was intended to **reduce** the activation.

PANCREATODUODENECTOMY: BRAZILIAN PRACTICE PATTERNS

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5630212/> - 翻译此页

作者: OJM TORRES - 2017 - 被引用次数: 2 - 相关文章

HEADINGS: Pancreatoduodenectomy, **Pancreaticoduodenectomy**, Whipple, Technique ... complications include **delayed gastric emptying**, postoperative pancreatic Compared to single **limb** pancreaticojejunostomy **after** PD, **isolated Roux limb** **dual-loop (Roux-en-Y)** with **isolated** pancreaticojejunostomy **reconstruction** ...

Alternative reconstruction after pancreaticoduodenectomy - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2265718/> - 翻译此页

作者: MG Wayne - 2008 - 被引用次数: 37 - 相关文章

Following two prolonged cases of **delayed gastric emptying**, we altered our **reconstruction** to ... Use of